



Environment

Submitted to:
Encana Oil & Gas (USA) Inc.
Denver, Colorado

Submitted by:
AECOM
Fort Collins, Colorado
60221849.1000
February 2012

Pavillion Natural Gas Field, Fremont County, Wyoming, Encana Oil & Gas (USA) Inc.

2011 Pit Investigation Report – Tribal Pavillion 31X-3



Environment

Submitted to:
Encana Oil & Gas (USA) Inc.
Denver, Colorado

Submitted by:
AECOM
Fort Collins, Colorado
60221849.1000
February 2012

Pavillion Natural Gas Field, Fremont County, Wyoming, Encana Oil & Gas (USA) Inc.

2011 Pit Investigation Report – Tribal Pavillion 31X-3

Prepared by
Korey Hutchinson, Project Engineer

Reviewed by
Dustin Krajewski, P.E., Project Manager/Project Engineer

List of Acronyms

AECOM	AECOM Technical Services, Inc.
bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and total xylenes
DRO	diesel range organics
ESC	Environmental Sciences Corporation
GRO	gasoline range organics
IME	Inberg Miller Engineers
mg/kg	milligrams per kilogram
mg/L	milligrams per liter
OCSRRS	Oil Contaminated Soil Remediation Ranking System
PID	photoionization detector
ppm	parts per million
PVC	polyvinyl chloride
SHWD	Solid and Hazardous Waste Division
SVOC	semi-volatile organic compounds
TP 31X-3	Tribal Pavillion 31X-3
TPH	total petroleum hydrocarbons
USEPA	U.S. Environmental Protection Agency
WDEQ	Wyoming Department of Environmental Quality
WOGCC	Wyoming Oil and Gas Conservation Commission

Contents

1.0	Introduction	1-1
2.0	Summary of Field Activities	2-1
2.1	Ground Disturbance Activities	2-1
2.2	Soil Assessment	2-1
2.3	Groundwater Assessment	2-2
3.0	Analytical Sample Summary	3-1
3.1	Soil Sample Results	3-1
3.2	Groundwater Sample Results	3-1
4.0	Discussion	4-1
5.0	References.....	5-1

List of Appendices

Appendix A Soil Boring Logs

Appendix B Groundwater Sampling Forms

Appendix C Laboratory Analytical Reports

List of Tables

Table 3-1 Tribal Pavillion 31X-3 Investigation Soil Analytical Results, August 2011

Table 3-2 Tribal Pavillion 31X-3 Investigation Groundwater Analytical Results, September 2011

List of Figures

Figure 1-1 Site Location Map

Figure 2-1 Tribal Pavillion 31X-3 Site Map

Figure 3-1 Tribal Pavillion 31X-3 Soil Analytical Results

Figure 3-2 Tribal Pavillion 31X-3 Groundwater Analytical Results

1.0 Introduction

This investigation report has been prepared by AECOM Technical Services, Inc. (AECOM) on behalf of Encana Oil & Gas (USA) Inc. (Encana). The purpose of this report to summarize the results of the site investigation activities performed at the Tribal Pavillion 31X-3 (TP 31X-3) pit location within the Pavillion Natural Gas Field east of the town of Pavillion, Fremont County, Wyoming (see **Figure 1-1** for a site location map). The work activities completed at the pit site were detailed in the August 18, 2011 *Draft Pavillion Natural Gas Field, Fremont County, Wyoming, Field Work Plan for Site Investigations – August and September 2011* (AECOM 2011) (work plan).

The TP 31X-3 location was previously investigated in November 2006. In May 2007, remediation activities involving the removal of approximately 200 cubic yards of soil were performed (Encana 2007). Soil removal was conducted based on comparison of soil sample results to the cleanup guideline, determine by the Wyoming Oil and Gas Conservation Commission (WOGCC) "Guideline for Closure of Unlined Production Pits" Oil Contaminated Soil Remediation Ranking System (OCSRRS). The total petroleum hydrocarbon (TPH) of the confirmation soil sample collected in 2007 at the base of the excavation was below 2,500 milligrams per kilogram (mg/kg) which was the cleanup level based on the OCSRRS ranking done in 2007. Encana reevaluated the OCSRRS ranking in April 2011. It was determined that 1,000 mg/kg TPH was a more appropriate cleanup level based on a calculated distance to surface water, instead of the estimated distance that was used in the 2007 OCSRRS ranking. Additionally, soil containing TPH concentrations above the cleanup level of 2,500 mg/kg collected on the southwest wall of the excavation was left in place following 2007 excavation activities. As such, this site was chosen for subsequent pit investigation by the Pavillion Field Working Group, Pit subgroup. The August/September 2011 pit investigation was targeted toward the center, western extent, and southern extent of the previous investigation. This report documents the investigation activities performed at the TP 31X-3 pit location in accordance with the field work plan.

2.0 Summary of Field Activities

The primary field activities conducted at TP 31X-3 included: utility clearance; soil boring advancement and soil sampling; temporary monitoring well installation, development, and sampling; and final field surveying of all boreholes and temporary monitoring wells.

2.1 Ground Disturbance Activities

In accordance with Encana's Ground Disturbance Practice, all utilities within a 100 foot radius search area were marked. All utilities within 15 feet of a proposed ground disturbance location were positively identified using air and water excavation.

2.2 Soil Assessment

Five soil borings were advanced at the site using direct-push drilling technology following utility clearance. Soil borings were advanced at locations with potential for impacts based on the previous investigation and remediation activities at the site and are shown in **Figure 2-1**. Drilling activities were performed by Inberg Miller Engineers (IME) of Riverton, Wyoming on August 30, 2011. Each soil boring was logged by a field geologist. Photoionization detector (PID) headspace readings were collected and recorded at every 2-foot interval. Soil borings SB-1-11 (TP 31X-3) through SB-3-11 (TP 31X-3) were advanced in the northern portion of the site in proximity of the center, west wall, and south wall of the previous excavation area. Additional soil borings were proposed based on visual observations or PID readings greater than 100 parts per million (ppm) to delineate the extents of soil impacts, if any. Therefore, soil borings SB-4-11 (TP 31X-3) and SB-5-11 (TP 31X-3) were advanced west and south of the initial borings, respectively, based on field observations. The soil boring logs are provided in **Appendix A**.

During advancement of soil boring SB-2-11 (TP 31X-3), refusal was encountered at 14 feet below ground surface (bgs), and a hollow-stem auger was necessary to advance to a total depth of 19 feet bgs. Groundwater was encountered at 14 feet bgs. The remaining borings ranged from depths of 11.5 to 13 feet bgs, which represents the depth of refusal. It was determined to stop these borings at the depth of refusal in lieu of extending deeper with a hollow-stem auger since PID readings at each bottom interval were less than 100 ppm, and considered non-impacted based on field screening. Maximum PID readings from each boring were 5,973 ppm at approximately 10 to 12 feet bgs [SB-1-11 (TP 31X-3)], 963 ppm at approximately 12 to 14 feet bgs [SB-2-11 (TP 31X-3)], 217 ppm at approximately 10 to 12 feet bgs [SB-3-11 (TP 31X-3)], 3.2 ppm at approximately 1 to 4 feet bgs [SB-4-11 (TP 31X-3)], and 1.1 ppm at approximately 2 to 4 feet bgs [SB-5-11 (TP 31X-3)].

One soil sample was collected from each boring at the depth of refusal except at boring SB-2-11 which was collected from the interval immediately above the water. Additional samples were collected from each boring from intervals with a PID reading greater than 100 ppm. All soil samples were analyzed for TPH as gasoline range organics (GRO) and diesel range organics (DRO) as required by WOGCC. One sample also was collected per boring for analysis of benzene, toluene, ethylbenzene, and total xylene (BTEX) from intervals with a PID reading greater than 100 ppm. One sample exhibiting the greatest potential impact among all borings, either visually or with an elevated PID reading, was collected for analysis of semi-volatile organic compounds (SVOC). The sampling and analysis conducted on each boring is provided below:

- SB-1-11 (TP 31X-3) – Two samples were collected for TPH analysis and one sample was collected for TPH, BTEX, and SVOC analyses;
- SB-2-11 (TP 31X-3) – One sample was collected for TPH analysis and one sample was collected for TPH and BTEX analyses;

- SB-3-11 (TP 31X-3) – One sample was collected for TPH analysis and one sample was collected for TPH and BTEX analyses;
- SB-4-11 (TP 31X-3) – One sample was collected for TPH Analysis; and
- SB-5-11 (TP 31X-3) – One sample was collected for TPH Analysis.

All soil samples were submitted to Environmental Science Corporation (ESC) of Mt. Juliet, Tennessee, for laboratory analysis. Analysis of TPH-GRO and DRO was completed using U.S. Environmental Protection Agency (USEPA) Method 8015. Analysis of BTEX was completed using USEPA Method 8260B. Analysis of SVOC was completed using USEPA Method 8070. A discussion of analytical results is provided in Section 3.1.

All soil borings were surveyed by and are shown on **Figure 2-1**. All soil borings were abandoned with hydrated bentonite chips except SB-2-11 (TP 31X-3).

2.3 Groundwater Assessment

One temporary monitoring well was advanced at boring location SB-2-11 (TP 31X-3) on August 31, 2011. The temporary monitoring well location is shown on **Figure 2-1**. The temporary monitoring well was constructed using 1-inch Schedule 40 polyvinyl chloride (PVC). The monitoring well was advanced approximately 5 feet below the water table to a depth of 19 feet. The temporary monitoring well was installed at this location since boring SB-2-11 (TP 31X-3) exhibited the greatest potential for groundwater impacts immediately above the water table based on visual observations and/or PID readings in excess of 100 ppm. The temporary monitoring well was developed using a hand bailer on September 1, 2011.

One groundwater sample was collected from the monitoring well using low-flow sampling techniques on September 9, 2011. Prior to sample collection, the well was purged using a peristaltic pump until field parameter stability was maintained. Greater than one purge volume of groundwater was removed from the well. Field parameters recorded during well purging included dissolved oxygen, pH, temperature, specific conductance, and oxidation reduction potential. A copy of the groundwater sampling field form is provided in **Appendix B**. Groundwater samples were packed on ice and submitted to ESC for analysis of TPH-GRO and DRO using USEPA Method 8015, BTEX using USEPA Method 8260B, and SVOC using USEPA Method 8270C. One blind duplicate and 1 trip blank also were submitted for quality assurance/quality control purposes. A discussion of groundwater sampling results is provided in Section 3.2.

The temporary monitoring well was surveyed is shown in **Figure 2-1**. The temporary monitoring well was left in place pending the TP 31X-3 site evaluation.

3.0 Analytical Sample Summary

3.1 Soil Sample Results

Nine soil samples were submitted for analysis of TPH-GRO and DRO. Three of these samples were also submitted for analysis of BTEX. One sample was also submitted for analysis of SVOC. Soil sample TPH results were compared to a TPH concentration of 1,000 mg/kg, which represents the cleanup level based on WOGCC OCSRRS. Concentrations of BTEX and SVOC from all soil samples were compared to the residential soil cleanup level and the migration to groundwater cleanup level, both based on the Wyoming Department of Environmental Quality/Solid and Hazardous Waste Division (WDEQ/SHWD) cleanup level spreadsheet effective June 30, 2009. Analytical soil sample results are summarized in **Table 3-1** and are shown on **Figure 3-1**. A copy of the laboratory report is provided in **Appendix C**.

TPH-GRO was detected in three soil samples and TPH-DRO was detected in four soil samples. Only the soil sample collected from SB-1-11 (TP 31X-3) at the 8 to 10 feet bgs interval exceeded the cleanup level for TPH. BTEX was not detected in any of the soil samples collected at the site.

Certain SVOCs were detected in the soil sample analyzed. The SVOC detections were not at concentrations above any WOGCC cleanup guideline or WDEQ standard except naphthalene detected at SB-1-11 (TP 31X-3). The detection of 0.34 mg/kg is above the WDEQ's migration to groundwater standard of 0.00055 mg/kg but below WDEQ's residential soil cleanup standard of 3.90 mg/kg.

3.2 Groundwater Sample Results

One groundwater sample was collected from the temporary monitoring well SB-2-11 (TP 31X-3) on September 9, 2011. The sample was analyzed for TPH-GRO and DRO, BTEX, and SVOC. Groundwater sample results were compared to the WDEQ/SHWD current cleanup levels. Analytical groundwater sample results are summarized in **Table 3-2** and are shown on **Figure 3-2**. A copy of the laboratory report is provided in **Appendix C**.

TPH-GRO, TPH-DRO, and ethylbenzene were detected in the groundwater sample collected from SB-2-11 (TP 31X-3). The detections were below the applicable cleanup levels of 7.3 milligrams per liter (mg/L), 10 mg/L, and 0.7 mg/L, respectively. SVOC, benzene, toluene, and total xylenes were not detected in the groundwater at the site.

4.0 Discussion

Analytical results at the site indicate that site groundwater constituent concentrations are below applicable cleanup standards. At soil boring location SB-1-11 (TP 31X-3), the concentrations of TPH in the soil exceeded the cleanup level of 1,000 mg/kg and naphthalene concentrations in soil exceed the migration to groundwater cleanup level of 0.00055 mg/kg. This soil boring location is along the south side of the previous excavation area. Based on the TPH results, further excavation is necessary in this south side area to remove additional soil. The soil removal will also reduce the naphthalene concentration since it is a component of TPH.

A work plan detailing the south side excavation effort will be developed under separate cover. Excavation activities are anticipated to commence upon final approval by the WOGCC in collaboration with the Pavillion Pit Working Group.




5.0 References

AECOM. 2011. Pavillion Natural Gas Field, Fremont County, Wyoming, Encana Oil and Gas (USA) Inc., Field Work Plan for Site Investigations – August and September 2011. August 2011.

Encana. 2007. Pavillion Pit Assessment and Remediation Report – Tribal Pavillion 31X-3. November 9, 2007.



Tables



Draft - Table 3-1 - Soil Analytical Results, August 2011
 Tribal Pavillion 31X-3, Pavillion Natural Gas Field, Wyoming

Sample Name					SB-1-11	SB-1-11 ¹	SB-1-11	SB-2-11	SB-2-11	SB-3-11	SB-3-11	SB-4-11	SB-5-11
Sample Depth (feet)					8-10	10-12	12-13	12-14	15-16	10-12	12-13	12-13	10-11.5
Sample Date					8/30/2011	8/30/2011	8/30/2011	8/30/2011	8/30/2011	8/30/2011	8/30/2011	8/30/2011	8/30/2011
Results													
Analyte	Units	Method	Residential Soil Cleanup Levels (mg/kg) ³	Migration to Groundwater Cleanup Levels (mg/kg) ³	34	66	< 0.50	< 0.50	< 0.50	0.63	< 0.50	< 0.50	< 0.50
TPH (GC/FID) Low Fraction	mg/kg	GRO	1,000 (Combined) ²	1200	34	66	< 0.50	< 0.50	< 0.50	0.63	< 0.50	< 0.50	< 0.50
TPH (GC/FID) High Fraction (DRO Wyoming C10-C32)	mg/kg	8015			1200	290	< 4.0	80	< 4.0	340	< 4.0	< 4.0	< 4.0
Benzene	mg/kg	8260B	1.10	0.000230	--	< 0.050	--	< 0.0050	--	< 0.0050	--	--	--
Toluene	mg/kg	8260B	5000	1.70	--	< 0.25	--	< 0.025	--	< 0.025	--	--	--
Ethylbenzene	mg/kg	8260B	5.7	0.0019	--	< 0.050	--	< 0.0050	--	< 0.0050	--	--	--
Total Xylenes	mg/kg	8260B	600	0.230	--	< 0.15	--	< 0.015	--	< 0.015	--	--	--
Acenaphthene	mg/kg	8270C	3400	27	--	0.055	--	--	--	--	--	--	--
Anthracene	mg/kg	8270C	17000	450	--	0.039	--	--	--	--	--	--	--
Fluorene	mg/kg	8270C	2300	210	--	0.095	--	--	--	--	--	--	--
Naphthalene	mg/kg	8270C	3.90	0.000550	--	0.34	--	--	--	--	--	--	--
Phenanthrene	mg/kg	8270C	NA	NA	--	0.16	--	--	--	--	--	--	--
Other Semi-Volatile Organic Compounds (SVOC)	mg/kg	8270C	Note ³	Note ³	--	Not Detected ¹	--	--	--	--	--	--	--

Notes:

-- = not analyze; < = sample result is less than the laboratory detection limit; DRO = diesel range organics; FID = flame ionization detector; GC = gas chromatograph; GRO = gasoline range organics; mg/kg = milligrams per kilogram; NA = not available; TPH = total petroleum hydrocarbons

= exceeds Migration to Groundwater Cleanup Levels

= exceeds Migration to Groundwater Cleanup Levels and Residential Soil Cleanup Levels

Bold = detection

¹ Sample SB-1-11 10-12 was analyzed for SVOCs using method 8270C. Detected SVOCs are identified in the table and all other SVOCs were below detection limits (see corresponding laboratory report).

² The TPH cleanup level of 1,000 mg/kg is based on the most stringent cleanup level identified in the Wyoming Oil and Gas Conservation Commission "Guideline for Closure of Unlined Production Pits". If TPH is detected at a level greater than 1,000 mg/kg then the appropriate cleanup level will be determined based on the Oil Contaminated Soil Remediation Ranking System (OCSRRS).

³ Soil cleanup levels are based on the Wyoming Department of Environmental Quality/Solid and Hazardous Waste Division (DEQ/SHWD) cleanup level spreadsheet effective June 30, 2009.

Draft - Table 3-2 - Groundwater Analytical Results, September 2011
Tribal Pavillion 31X-3, Pavillion Natural Gas Field, Wyoming

Sample Name	SB-2-11 ¹			
Sample Date	9/9/2011			
Analyte	Units	Method	Water Cleanup Levels (mg/l) ²	Results
TPH (GC/FID) Low Fraction	mg/L	GRO	7.3	0.3
TPH (GC/FID) High Fraction (DRO Wyoming C10-C32)	mg/L	8015	1.1 ³ /10 ⁴	1.0
Benzene	mg/L	8260B	0.005	< 0.0010
Toluene	mg/L	8260B	1	< 0.0050
Ethylbenzene	mg/L	8260B	0.7	0.0024
Total Xylenes	mg/L	8260B	10	< 0.0030
Acenaphthene	mg/L	8270C	2.19	< 0.0010
Anthracene	mg/L	8270C	10.9	< 0.0010
Flourene	mg/L	8270C	1.46	< 0.0010
Naphthalene	mg/L	8270C	0.729	< 0.0010
Phenanthrene	mg/L	8270C	NA	< 0.0010
Other Semi-Volatile Organic Compounds (SVOC)	mg/L	8270C	Note ²	Not Detected ¹

Notes:

< = sample result is less than the laboratory detection limit; DRO = diesel range organics; FID = flame ionization detector; GC = gas chromatograph; GRO = gasoline range organics; mg/L = milligrams per liter; NA = not available; TPH = total petroleum hydrocarbons

Bold = concentration above detection limit


¹ Sample SB-2-11 was analyzed for SVOCs using method 8270C. Detectable SVOCs in overlying soil samples are identified in the table. All SVOCs were below detection limits (see corresponding laboratory report).


² Groundwater cleanup levels are based on the Wyoming Department of Environmental Quality/Solid and Hazardous Waste Division (DEQ/SHWD) cleanup level spreadsheet effective June 30, 2009.

³ This level is applicable when naphthalene and/or methylnaphthalenes are detected in groundwater at measurable concentrations.


⁴ This level is applicable when naphthalene and/or 2-Methylnaphthalene are below MCL/DWEL concentrations in groundwater along with the other chemicals of concern AND no free product is present on the groundwater table.


Figures






AECOM









Appendix A

Soil Boring Logs



Client: Encana Oil & Gas (USA) Inc. Project Number: 60221849 Site Location: Pavillion, WY Coordinates: TBD Elevation: TBD Drilling Method: Geoprobe Direct Push Sample Type(s): Soil Boring Diameter: 2-inch						BORING ID: SB-1-11(TP 31X-3)						
						Sheet: 1 of 1	Monitoring Well Installed: No					
Drilling Contractor: Inberg-Miller Engineers			Logged By: J.Hurshman	Date/Time Started: 8/30/11	Depth of Boring: 13 ft							
			Ground Elevation: TBD	Date/Time Finished: 8/30/11	Water Level: NA							
Depth (ft)		Sample Type	Blows per 6"	Recovery (%)	Headspace (ppm)	U.S.C.S	MATERIALS: Color, size, range, MAIN COMPONENT, minor component(s), moisture content, structure, angularity, maximum grain size, odor, and Geologic Unit (If Known)					
1		DP		NA	ML		Gray to light tan silt, few large angular clasts, DRY, no odor, no staining, little clay content, no sand, good compaction of soil.					
2				60	1.5							
3		DP		NA	SM-SC		Interbedded, silt, sand, and tan clays, mottled white, brown, tan, colors, DRY, no odor or staining, poorly sorted. Coarsening downward into coarse sand.					
4				50	0.8							
5		DP		912	SP		Fine to medium grained sand, varies in color from yellow to gray, little staining, moderate odor, well sorted, low clay content, moist.					
6				80	5973		Continued as above to 13 ft, no water.					
7		DP		6.1			Total Depth = 13 ft					
8												
9		DP										
10												
11		DP										
12												
13		DP										
14												
15		DP										
16												
17		DP										
18												
19		DP										
20												
NOTES: Blow count not recorded for Geoprobe Rig DP= direct Push, 4 foot acetate sleeve Boring abandoned with bentonite chips NA = not applicable ppm = parts per million Checked by: Jeremy Hurshman												
Hit refusal with geoprobe at 13 feet, did not switch to augers to complete to 15 feet because bottom of boring at 13 feet was considered clean. TBD = to be determined ft = feet bgs = below ground surface Date: 11/23/11												

		Client: Encana Oil & Gas (USA) Inc. Project Number: 60221849 Site Location: Pavillion, WY Coordinates: TBD Elevation: TBD Drilling Method: Geoprobe Direct Push/Auger Sample Type(s): Soil Boring Diameter: 2-inch					BORING ID: SB-2-11(TP 31X-3)								
Drilling Contractor: Inberg-Miller Engineers		Logged By: J.Hurshman		Date/Time Started: 8/30/11 14:35		Depth of Boring: 19 ft									
		Ground Elevation: TBD		Date/Time Finished: 8/31/11 09:00		Water Level: 14 ft									
		MATERIALS: Color, size, range, MAIN COMPONENT, minor component(s), moisture content, structure, angularity, maximum grain size, odor, and Geologic Unit (If Known)													
1	DP	Blows per 6"	Recovery (%)	Headspace (ppm)	U.S.C.S	Silt with some gravel and little sand. DRY, no visual contaminants, poorly sorted, light tan to brown.	12-14	12-14							
2			75	2.7	Turning to gray at 3 ft. moderate sorting. no odor, no staining. DRY.										
3	DP		NA	1.9	Continued as above to 8 ft bgs. gray/green color.										
4			50	2.8	Continued as above to 11 ft bgs. DRY.										
5	DP		NA		SM	Yellow silty sand, little clay, no staining, moist, well to moderate sorting, micaceous silt mixed with sand.	15-16	15-16							
6			50			Continued sand with odor/staining, moist, yellow with gray/black zones, moderate to well sorted.									
7	DP		95.9			2 ft: gray to yellow sand, no staining. faint odor 14 to 15 ft, no odor 15 to 16 ft									
8			963			Refusal at 16 ft with hammer on auger for samples.									
9	DP		100		SM	No recovery 16 to 19 ft.	12-14	12-14							
10			151			Total Depth = 19 ft									
11	Auger		6.3												
12							Dup-3-11(TP-31x-3)(12-14) - BTEX	SB-2-11(TP-31x-3)(15-16) - 17:40 TPH							
13							SB-2-11(TP-31x-3)(12-14) - BTEX	SB-2-11(TP-31x-3)(12-14) - 15:00 BTEX, TPH							
14															
15															
16															
17															
18															
19															
20															

NOTES:

Blow count not recorded for Geoprobe Rig

DP= direct Push, 4 foot acetate sleeve

Boring abandoned with bentonite chips

NA = not applicable

ppm = parts per million

TBD = to be determined

ft = feet

bgs = below ground surface

Checked by: Jeremy Hurshman

Date: 11/28/11

EPAPAV0130437



Project Information						Boring ID:	
Client: Encana Oil & Gas (USA) Inc. Project Number: 60221849 Site Location: Pavillion, WY Coordinates: TBD Elevation: TBD Drilling Method: Geoprobe Direct Push Sample Type(s): Soil						Sheet: 1 of 1 Monitoring Well Installed: No Screened Interval: NA Depth of Boring: 13 ft	
Drilling Contractor: Inberg-Miller Engineers			Logged By: J.Hurshman Date/Time Started: 8/30/11 13:00		Ground Elevation: TBD Date/Time Finished: 8/30/11 Water Level: NA		
Depth (ft)	Sample Type	Blows per 6"	Recovery (%)	Headspace (ppm)	U.S.C.S		
1	DP		50	NA	-	MATERIALS: Color, size, range, MAIN COMPONENT, minor component(s), moisture content, structure, angularity, maximum grain size, odor, and Geologic Unit (If Known)	
2						No recovery 0 to 2 ft.	
3	DP		2.4	SM	-	Silts with some gravel mixed, light tan to orange brown color. DRY, no odor, no staining, poorly sorted.	
4							
5			25	NA	-	No recovery	
6							
7			1.5	-	-	Silts grading into angular sands, light tan. no odor, no staining, DRY, poorly sorted, fine to coarse sand.	
8						Continued to 9 feet below is yellow and gray, fine ground sand with silt, slight odor, moderate to well sorted. moist.	
9	DP		4.2	-	-		
10							
11			217	SM	-	Continues as above to 13 ft.	
12							
13	DP	100	2.4			Refusal at 13 ft with geoprobe.	
14						Total Depth = 13 ft	
15							
16							
17							
18							
19							
20							

NOTES.

Blow count not recorded for Geoprobe Rig

DP= direct Push, 4 foot acetate sleeve

Boring abandoned with bentonite chips

NA = not applicable

ppm = parts per million

TBD = to be determined

ft = feet

bgs = below ground surface

Checked by: Jeremy Hurshman

Date: 11/28/11

EPAPAV0130438

		Client: Encana Oil & Gas (USA) Inc. Project Number: 60221849 Site Location: Pavillion, WY Coordinates: TBD Elevation: TBD Drilling Method: Geoprobe Direct Push Sample Type(s): Soil Boring Diameter: 2-inch					BORING ID: SB-4-11(TP 31X-3)			
Sheet: 1 of 1					Monitoring Well Installed: No					
Sample Type(s): Soil Boring Diameter: 2-inch					Screened Interval: NA					
Drilling Contractor: Inberg-Miller Engineers			Logged By: J.Hurshman		Date/Time Started: 8/30/11 15:45		Depth of Boring: 13 ft			
			Ground Elevation: TBD		Date/Time Finished: 8/30/11		Water Level: NA			
1	Depth (ft)	Sample Type	Blows per 6"	Recovery (%)	Headspace (ppm)	U.S.C.S	MATERIALS: Color, size, range, MAIN COMPONENT, minor component(s), moisture content, structure, angularity, maximum grain size, odor, and Geologic Unit (If Known)			
2		DP		75	NA		Light down to orange. silty sands with minor clay, DRY, no odor, no staining, poorly sorted.			
3					3.2					
4										
5							Continued as above.			
6		DP		80	2.8		Increasing sand content with depth.			
7							Angular sand, coarse ground, poorly sorted, few pebbles. no visual contaminants.			
8										
9										
10		DP		50	1.5					
11							Continues as above to 10.5 ft.			
12							10.5 ft to 12 ft:			
13		DP		100	0.7		Yellow sand with silt, moist, no odor, no Staining, moderate sorting. fine grained sand.			
14							Continued as above to 13 ft.			
15										
16										
17										
18										
19										
20										
NOTES: Blow count not recorded for Geoprobe Rig DP= direct Push, 4 foot acetate sleeve Boring abandoned with bentonite chips NA = not applicable										
Checked by: Jeremy Hurshman Date: 11/28/11										
ppm = parts per million TBD = to be determined ft = feet bgs = below ground surface										
SB-4-11(TP 31X-3) (12-13) - 16:05 TPH 12-13										
Lab Sample ID Lab Sample Depth (ft)										

EPAPAV0130439



Client: Encana Oil & Gas (USA) Inc.							BORING ID:			
Project Number: 60221849							SB-5-11(TP-31X-3)			
Site Location: Pavillion, WY							Sheer: 1 of 1			
Coordinates: TBD Elevation: TBD							Monitoring Well Installed: No			
Drilling Method: Geoprobe direct push							Screened Interval: NA			
Sample Type(s): Soil Boring Diameter: 2-inch							Depth of Boring: 11.5			
Drilling Contractor: Inberg-Miller Engineering			Logged By: J.Hurshman		Date/Time Started: 8/30/11 1:40		Water Level: NA			
			Ground Elevation: TBD		Date/Time Finished: 8/30/11					
Depth (ft)	Sample Type	Blows per 6"	Recovery (%)	Headspace (ppm)	U.S.C.S	MATERIALS: Color, size, range, MAIN COMPONENT, minor component(s), moisture content, structure, angularity, maximum grain size, odor, and Geologic Unit (If Known)				
1	DP		50	NA	ML	Light brown to dark brown silts and minor clay, few pebbles, no visible contaminants. moderate sorting, tightly compacted.				
2				1.1						
3	DP		50	NA	SM	Continued as above with gravel and sand lenses.				
4				0.6		Increasing sand content with depth, poorly sorted, no odor, no staining.				
5				0.4		Yellow silty sand with minor clay, moist, no visual impacts. moderate sorting.				
6	DP		80	0.9		Refusal at 11.5 ft				
7						Total Depth = 11.5 ft - clean, no need to go deeper.				
8										
9										
10	DP									
11										
12										
13										
14										
15										
16										
17										
18										
19										
20										

NOTES.

Blow count not recorded for Geoprobe Rig

DP= direct Push, 4 foot acetate sleeve

BP - direct Push, 4 foot acetate sleeve
Boring abandoned with bentonite chips

NA = not applicable

ppm = parts per million

ppm = parts per million
TBD = to be determined


FBD

bgs = below ground surface

Checked by: Jeremy Hurshman

Date: 11/28/11

EPAPAV0130440



Appendix B

Groundwater Sampling Forms



Well/Piezo ID:
SB-2-11 (TP 31X-3)

Ground Water Sample Collection Record

Client:	Encana	Date:	09-09-11
Project No:	60221849	Time: Start	10:35 am
Site Location:	TP 31X-3	Stop	11:30 am
Weather Conds:	Collector(s) D. Fairchild		

WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 19.43 c. Casing Material Sch 40 PVC Well Piezometer
e. Length of Water Column 8.4 (a-b)
b. Water Table Depth 11.03 d. Casing Diameter 1" f. Calculated Well Volume (gallons) 0.36
1" - 0.043 2" - 0.171 4" - 0.652

WELL PURGING DATA

a. Purge Method (peristaltic, bailed, pump, etc.) Peristaltic pump

b. Acceptance Criteria defined (from workplan)

- Minimum Required Purge Volume (@ 1 well volumes) 0.36
- Maximum Allowable Turbidity -- NTUs
- Stabilization of parameters 10 %

c. Field Testing Equipment Used: Make YSI Model 556 Serial Number 09B100196

d. Field Testing Equipment Calibration Documentation Found in Field Notebook # _____ Page # _____

Time (hr:min)	Volume Removed (gal)	Temp (°C)	pH	Spec. Cond (mS/cm)	DO (%)	DO (mg/l)	ORP (mV)	Color	Odor	Other
10:48	Initial	12.50	7.33	6.045	68.9	6.59	-20.9	Brown	--	--
10:52	0.15	12.82	7.45	6.007	16.6	1.70	-40.8	Brown	--	--
10:56	0.30	13.05	7.41	6.034	9.3	0.96	-47.7	Cloudy	--	--
11:00	0.45	13.04	7.39	6.045	8.5	0.87	-48.7	Cloudy	--	--

e. Acceptance criteria pass/fail

Has required volume been removed
Has required turbidity been reached
Have parameters stabilized

If no or N/A - Explain below.

Yes No N/A


SAMPLE COLLECTION: Method: Peristaltic pump

Sample ID	Container Type	No. of Containers	Preservation	Analysis	Time	Date
SB-2-11 (TP 31X-3)	1L Amber	2	None	SVOC	11:05	9/9/2011
SB-2-11 (TP 31X-3)	40 mL VOA	2	HCL	BTEX	11:05	9/9/2011
SB-2-11 (TP 31X-3)	40 mL VOA	2	HCL	TPH	11:05	9/9/2011
SB-2-11 (TP 31X-3)	40 mL VOA	2	HCL	DRO C10-32	11:05	9/9/2011

Comments _____

Signature: Dawn Fairchild

Date: September 9, 2011



Appendix C

**Laboratory Analytical
Reports**



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859
Tax I.D. 62-0814289
Est. 1970

Mr. Dustin Krajewski
AECOM Inc. - Fort Collins, CO
1601 Prospect Parkway
Fort Collins, CO 80525

Report Summary

Monday September 12, 2011

Report Number: L533854

Samples Received: 09/01/11

Client Project:

Description: EnCana Pavillion

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:

Leslie Newton
Leslie Newton, ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375/DW21704, ND - R-140
NJ - TN002, NJ NELAP - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032008A,
TX - T104704245, OK-9915

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

September 12, 2011

Mr. Dustin Krajewski
AECOM Inc. - Fort Collins, CO
1601 Prospect Parkway
Fort Collins, CO 80525

Date Received : September 01, 2011
Description : Encana Pavillion W7
Sample ID : SB-1-11 TP-31X-3 8-10FT
Collected By : Jeremy Hurshman
Collection Date : 08/30/11 14:40

ESC Sample # : L533854-19

Site ID : PAVILLION W7

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
TPH (GC/FID) Low Fraction	34.	25.	mg/kg	GRO	09/02/11	250
Surrogate Recovery-% a,a,a-Trifluorotoluene(FID)	92.4		% Rec.	GRO	09/02/11	250
DRO Wyoming C10-C32						
TPH (GC/FID) High Fraction	1200	40.	mg/kg	8015	09/07/11	10
Surrogate recovery(%) o-Terphenyl	56.3		% Rec.	8015	09/07/11	10

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 09/12/11 13:49 Printed: 09/12/11 13:50

Page 21 of 47

EPAPAV0130445



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dustin Krajewski
AECOM Inc. - Fort Collins, CO
1601 Prospect Parkway
Fort Collins, CO 80525

September 12, 2011

Date Received : September 01, 2011
Description : Encana Pavillion W7
Sample ID : SB-1-11 TP-31X-3 10-12FT
Collected By : Jeremy Hurshman
Collection Date : 08/30/11 14:45

ESC Sample # : L533854-20
Site ID : PAVILLION W7
Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
TPH (GC/FID) Low Fraction	66.	5.0	mg/kg	GRO	09/07/11	50
Surrogate Recovery-% a,a,a-Trifluorotoluene(FID)	96.0		% Rec.	GRO	09/07/11	50
Benzene	BDL	0.050	mg/kg	8260B	09/06/11	50
Toluene	BDL	0.25	mg/kg	8260B	09/06/11	50
Ethylbenzene	BDL	0.050	mg/kg	8260B	09/06/11	50
Total Xylenes	BDL	0.15	mg/kg	8260B	09/06/11	50
Surrogate Recovery Toluene-d8	104.		% Rec.	8260B	09/06/11	50
Dibromofluoromethane	94.3		% Rec.	8260B	09/06/11	50
a,a,a-Trifluorotoluene	108.		% Rec.	8260B	09/06/11	50
4-Bromofluorobenzene	112.		% Rec.	8260B	09/06/11	50
DRO Wyoming C10-C32						
TPH (GC/FID) High Fraction	290	4.0	mg/kg	8015	09/05/11	1
Surrogate recovery(%) o-Terphenyl	130.		% Rec.	8015	09/05/11	1
Base/Neutral Extractables						
Acenaphthene	0.055	0.033	mg/kg	8270C	09/04/11	1
Acenaphthylene	BDL	0.033	mg/kg	8270C	09/04/11	1
Anthracene	0.039	0.033	mg/kg	8270C	09/04/11	1
Benzidine	BDL	0.33	mg/kg	8270C	09/04/11	1
Benzo(a)anthracene	BDL	0.033	mg/kg	8270C	09/04/11	1
Benzo(b)fluoranthene	BDL	0.033	mg/kg	8270C	09/04/11	1
Benzo(k)fluoranthene	BDL	0.033	mg/kg	8270C	09/04/11	1
Benzo(g,h,i)perylene	BDL	0.033	mg/kg	8270C	09/04/11	1
Benzo(a)pyrene	BDL	0.033	mg/kg	8270C	09/04/11	1
Bis(2-chlorethoxy)methane	BDL	0.33	mg/kg	8270C	09/04/11	1
Bis(2-chloroethyl)ether	BDL	0.33	mg/kg	8270C	09/04/11	1
Bis(2-chloroisopropyl)ether	BDL	0.33	mg/kg	8270C	09/04/11	1
4-Bromophenyl-phenylether	BDL	0.33	mg/kg	8270C	09/04/11	1
2-Chloronaphthalene	BDL	0.033	mg/kg	8270C	09/04/11	1
4-Chlorophenyl-phenylether	BDL	0.33	mg/kg	8270C	09/04/11	1
Chrysene	BDL	0.033	mg/kg	8270C	09/04/11	1
Dibenz(a,h)anthracene	BDL	0.033	mg/kg	8270C	09/04/11	1
3,3-Dichlorobenzidine	BDL	0.33	mg/kg	8270C	09/04/11	1
2,4-Dinitrotoluene	BDL	0.33	mg/kg	8270C	09/04/11	1
2,6-Dinitrotoluene	BDL	0.33	mg/kg	8270C	09/04/11	1
Fluoranthene	BDL	0.033	mg/kg	8270C	09/04/11	1
Fluorene	0.095	0.033	mg/kg	8270C	09/04/11	1
Hexachlorobenzene	BDL	0.33	mg/kg	8270C	09/04/11	1
Hexachloro-1,3-butadiene	BDL	0.33	mg/kg	8270C	09/04/11	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

L533854-20 (V8260BTEX) - Non-target compounds too high to run at a lower dilution.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

September 12, 2011

Mr. Dustin Krajewski
AECOM Inc. - Fort Collins, CO
1601 Prospect Parkway
Fort Collins, CO 80525

Date Received : September 01, 2011
Description : Encana Pavillion W7
Sample ID : SB-1-11 TP-31X-3 10-12FT
Collected By : Jeremy Hurshman
Collection Date : 08/30/11 14:45

ESC Sample # : L533854-20

Site ID : PAVILLION W7
Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Hexachlorocyclopentadiene	BDL	0.33	mg/kg	8270C	09/04/11	1
Hexachloroethane	BDL	0.33	mg/kg	8270C	09/04/11	1
Indeno(1,2,3-cd)pyrene	BDL	0.033	mg/kg	8270C	09/04/11	1
Isophorone	BDL	0.33	mg/kg	8270C	09/04/11	1
Naphthalene	0.34	0.033	mg/kg	8270C	09/04/11	1
Nitrobenzene	BDL	0.33	mg/kg	8270C	09/04/11	1
n-Nitrosodimethylamine	BDL	0.33	mg/kg	8270C	09/04/11	1
n-Nitrosodiphenylamine	BDL	0.33	mg/kg	8270C	09/04/11	1
n-Nitrosodi-n-propylamine	BDL	0.33	mg/kg	8270C	09/04/11	1
Phenanthrene	0.16	0.033	mg/kg	8270C	09/04/11	1
Benzylbutyl phthalate	BDL	0.33	mg/kg	8270C	09/04/11	1
Bis(2-ethylhexyl)phthalate	BDL	0.33	mg/kg	8270C	09/04/11	1
Di-n-butyl phthalate	BDL	0.33	mg/kg	8270C	09/04/11	1
Diethyl phthalate	BDL	0.33	mg/kg	8270C	09/04/11	1
Dimethyl phthalate	BDL	0.33	mg/kg	8270C	09/04/11	1
Di-n-octyl phthalate	BDL	0.33	mg/kg	8270C	09/04/11	1
Pyrene	BDL	0.033	mg/kg	8270C	09/04/11	1
1,2,4-Trichlorobenzene	BDL	0.33	mg/kg	8270C	09/04/11	1
Acid Extractables						
4-Chloro-3-methylphenol	BDL	0.33	mg/kg	8270C	09/04/11	1
2-Chiropheol	BDL	0.33	mg/kg	8270C	09/04/11	1
2,4-Dichlorophenol	BDL	0.33	mg/kg	8270C	09/04/11	1
2,4-Dimethylphenol	BDL	0.33	mg/kg	8270C	09/04/11	1
4,6-Dinitro-2-methylphenol	BDL	0.33	mg/kg	8270C	09/04/11	1
2,4-Dinitrophenol	BDL	0.33	mg/kg	8270C	09/04/11	1
2-Nitrophenol	BDL	0.33	mg/kg	8270C	09/04/11	1
4-Nitrophenol	BDL	0.33	mg/kg	8270C	09/04/11	1
Pentachlorophenol	BDL	0.33	mg/kg	8270C	09/04/11	1
Phenol	BDL	0.33	mg/kg	8270C	09/04/11	1
2,4,6-Trichlorophenol	BDL	0.33	mg/kg	8270C	09/04/11	1
Surrogate Recovery						
2-Fluorophenol	75.7	% Rec.	8270C	09/04/11	1	
Phenol-d5	108.	% Rec.	8270C	09/04/11	1	
Nitrobenzene-d5	97.8	% Rec.	8270C	09/04/11	1	
2-Fluorobiphenyl	86.1	% Rec.	8270C	09/04/11	1	
2,4,6-Tribromophenol	135.	% Rec.	8270C	09/04/11	1	
p-Terphenyl-d14	104.	% Rec.	8270C	09/04/11	1	

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 09/12/11 13:49 Printed: 09/12/11 13:50

L533854-20 (V8260BTEX) - Non-target compounds too high to run at a lower dilution.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

September 12, 2011

Mr. Dustin Krajewski
AECOM Inc. - Fort Collins, CO
1601 Prospect Parkway
Fort Collins, CO 80525

Date Received : September 01, 2011
Description : Encana Pavillion W7
Sample ID : SB-1-11 TP-31X-3 12-13FT
Collected By : Jeremy Hurshman
Collection Date : 08/30/11 14:50

ESC Sample # : L533854-21

Site ID : PAVILLION W7

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
TPH (GC/FID) Low Fraction Surrogate Recovery-% a,a,a-Trifluorotoluene(FID)	BDL 92.5	0.50	mg/kg % Rec.	GRO	09/02/11	5
DRO Wyoming C10-C32 TPH (GC/FID) High Fraction Surrogate recovery(%) o-Terphenyl	BDL 78.3	4.0	mg/kg % Rec.	8015	09/05/11	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 09/12/11 13:49 Printed: 09/12/11 13:50

Page 24 of 47

EPAPAV0130448



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dustin Krajewski
AECOM Inc. - Fort Collins, CO
1601 Prospect Parkway
Fort Collins, CO 80525

September 12, 2011

Date Received : September 01, 2011 ESC Sample # : L533854-22
Description : Encana Pavillion W7 Site ID : PAVILLION W7
Sample ID : SB-2-11 TP-31X-3 15-16FT Project # :
Collected By : Jeremy Hurshman
Collection Date : 08/30/11 17:40

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
TPH (GC/FID) Low Fraction	BDL	0.50	mg/kg	GRO	09/02/11	5
Surrogate Recovery-% a,a,a-Trifluorotoluene(FID)	93.1		% Rec.	GRO	09/02/11	5
DRO Wyoming C10-C32						
TPH (GC/FID) High Fraction	BDL	4.0	mg/kg	8015	09/05/11	1
Surrogate recovery(%) o-Terphenyl	87.3		% Rec.	8015	09/05/11	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 09/12/11 13:49 Printed: 09/12/11 13:50

Page 25 of 47

EPAPAV0130449



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dustin Krajewski
AECOM Inc. - Fort Collins, CO
1601 Prospect Parkway
Fort Collins, CO 80525

September 12, 2011

Date Received : September 01, 2011 ESC Sample # : L533854-23
Description : Encana Pavillion W7 Site ID : PAVILLION W7
Sample ID : SB-2-11 TP-31X-3 12-14FT Project # :
Collected By : Jeremy Hurshman
Collection Date : 08/30/11 15:00

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
TPH (GC/FID) Low Fraction	BDL	0.50	mg/kg	GRO	09/07/11	5
Surrogate Recovery-% a,a,a-Trifluorotoluene(FID)	94.9		% Rec.	GRO	09/07/11	5
Benzene	BDL	0.0050	mg/kg	8260B	09/06/11	5
Toluene	BDL	0.025	mg/kg	8260B	09/06/11	5
Ethylbenzene	BDL	0.0050	mg/kg	8260B	09/06/11	5
Total Xylenes	BDL	0.015	mg/kg	8260B	09/06/11	5
Surrogate Recovery						
Toluene-d8	106.		% Rec.	8260B	09/06/11	5
Dibromofluoromethane	103.		% Rec.	8260B	09/06/11	5
a,a,a-Trifluorotoluene	106.		% Rec.	8260B	09/06/11	5
4-Bromofluorobenzene	101.		% Rec.	8260B	09/06/11	5
DRO Wyoming C10-C32						
TPH (GC/FID) High Fraction	80.	4.0	mg/kg	8015	09/05/11	1
Surrogate recovery(%) o-Terphenyl	101.		% Rec.	8015	09/05/11	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 09/12/11 13:49 Printed: 09/12/11 13:50



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

September 12, 2011

Mr. Dustin Krajewski
AECOM Inc. - Fort Collins, CO
1601 Prospect Parkway
Fort Collins, CO 80525

Date Received : September 01, 2011
Description : Encana Pavillion W7
Sample ID : DUP-3-11 TP-3 12-14FT
Collected By : Jeremy Hurshman
Collection Date : 08/30/11 00:00

ESC Sample # : L533854-24

Site ID : PAVILLION W7

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Benzene	BDL	0.0050	mg/kg	8260B	09/06/11	5
Toluene	BDL	0.025	mg/kg	8260B	09/06/11	5
Ethylbenzene	BDL	0.0050	mg/kg	8260B	09/06/11	5
Total Xylenes	BDL	0.015	mg/kg	8260B	09/06/11	5
Surrogate Recovery						
Toluene-d8	103.	% Rec.	8260B	09/06/11	5	
Dibromofluoromethane	97.4	% Rec.	8260B	09/06/11	5	
a,a,a-Trifluorotoluene	108.	% Rec.	8260B	09/06/11	5	
4-Bromofluorobenzene	109.	% Rec.	8260B	09/06/11	5	

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 09/12/11 13:49 Printed: 09/12/11 13:50



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

September 12, 2011

Mr. Dustin Krajewski
AECOM Inc. - Fort Collins, CO
1601 Prospect Parkway
Fort Collins, CO 80525

Date Received : September 01, 2011
Description : Encana Pavillion W7
Sample ID : SB-3-11 TP-31X-3 10-12FT
Collected By : Jeremy Hurshman
Collection Date : 08/30/11 15:30

ESC Sample # : L533854-25

Site ID : PAVILLION W7

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
TPH (GC/FID) Low Fraction	0.63	0.50	mg/kg	GRO	09/07/11	5
Surrogate Recovery-% a,a,a-Trifluorotoluene(FID)	95.0		% Rec.	GRO	09/07/11	5
Benzene	BDL	0.0050	mg/kg	8260B	09/06/11	5
Toluene	BDL	0.025	mg/kg	8260B	09/06/11	5
Ethylbenzene	BDL	0.0050	mg/kg	8260B	09/06/11	5
Total Xylenes	BDL	0.015	mg/kg	8260B	09/06/11	5
Surrogate Recovery						
Toluene-d8	103.		% Rec.	8260B	09/06/11	5
Dibromofluoromethane	97.4		% Rec.	8260B	09/06/11	5
a,a,a-Trifluorotoluene	105.		% Rec.	8260B	09/06/11	5
4-Bromofluorobenzene	109.		% Rec.	8260B	09/06/11	5
DRO Wyoming C10-C32						
TPH (GC/FID) High Fraction	340	4.0	mg/kg	8015	09/05/11	1
Surrogate recovery(%) o-Terphenyl	118.		% Rec.	8015	09/05/11	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 09/12/11 13:49 Printed: 09/12/11 13:50



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

September 12, 2011

Mr. Dustin Krajewski
AECOM Inc. - Fort Collins, CO
1601 Prospect Parkway
Fort Collins, CO 80525

Date Received : September 01, 2011
Description : Encana Pavillion W7
Sample ID : SB-3-11 TP-31X-3 12-13FT
Collected By : Jeremy Hurshman
Collection Date : 08/30/11 15:35

ESC Sample # : L533854-26

Site ID : PAVILLION W7

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
TPH (GC/FID) Low Fraction Surrogate Recovery-% a,a,a-Trifluorotoluene(FID)	BDL 93.0	0.50	mg/kg % Rec.	GRO	09/02/11	5
DRO Wyoming C10-C32 TPH (GC/FID) High Fraction Surrogate recovery(%) o-Terphenyl	BDL 89.4	4.0	mg/kg % Rec.	8015	09/05/11	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 09/12/11 13:49 Printed: 09/12/11 13:50



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

September 12, 2011

Mr. Dustin Krajewski
AECOM Inc. - Fort Collins, CO
1601 Prospect Parkway
Fort Collins, CO 80525

Date Received : September 01, 2011
Description : Encana Pavillion W7
Sample ID : SB-4-11 TP-31X-3 12-13FT
Collected By : Jeremy Hurshman
Collection Date : 08/30/11 16:05

ESC Sample # : L533854-27

Site ID : PAVILLION W7

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
TPH (GC/FID) Low Fraction Surrogate Recovery-% a,a,a-Trifluorotoluene(FID)	BDL 96.3	0.50	mg/kg % Rec.	GRO GRO	09/02/11 09/02/11	5 5
DRO Wyoming C10-C32 TPH (GC/FID) High Fraction Surrogate recovery(%) o-Terphenyl	BDL 73.1	4.0	mg/kg % Rec.	8015 8015	09/05/11 09/05/11	1 1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 09/12/11 13:49 Printed: 09/12/11 13:50

Page 30 of 47

EPAPAV0130454



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

September 12, 2011

Mr. Dustin Krajewski
AECOM Inc. - Fort Collins, CO
1601 Prospect Parkway
Fort Collins, CO 80525

Date Received : September 01, 2011
Description : Encana Pavillion W7
Sample ID : SB-5-11 TP-31X-3 10-11.5FT
Collected By : Jeremy Hurshman
Collection Date : 08/30/11 16:30

ESC Sample # : L533854-28

Site ID : PAVILLION W7

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
TPH (GC/FID) Low Fraction Surrogate Recovery-% a,a,a-Trifluorotoluene(FID)	BDL 96.1	0.50	mg/kg % Rec.	GRO	09/02/11	5
DRO Wyoming C10-C32 TPH (GC/FID) High Fraction Surrogate recovery(%) o-Terphenyl	BDL 87.4	4.0	mg/kg % Rec.	8015	09/05/11	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 09/12/11 13:49 Printed: 09/12/11 13:50

Page 31 of 47



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

September 12, 2011

Mr. Dustin Krajewski
AECOM Inc. - Fort Collins, CO
1601 Prospect Parkway
Fort Collins, CO 80525

Date Received : September 01, 2011
Description : Encana Pavillion W7
Sample ID : TRIP BLANK
Collected By : Jeremy Hurshman
Collection Date : 08/30/11 08:00

ESC Sample # : L533854-29

Site ID : PAVILLION W7
Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Benzene	BDL	0.0010	mg/l	8260B	09/01/11	1
Toluene	BDL	0.0050	mg/l	8260B	09/01/11	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	09/01/11	1
Total Xylenes	BDL	0.0030	mg/l	8260B	09/01/11	1
Surrogate Recovery						
Toluene-d8	95.6		% Rec.	8260B	09/01/11	1
Dibromofluoromethane	91.4		% Rec.	8260B	09/01/11	1
a,a,a-Trifluorotoluene	97.6		% Rec.	8260B	09/01/11	1
4-Bromofluorobenzene	89.8		% Rec.	8260B	09/01/11	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 09/12/11 13:49 Printed: 09/12/11 13:50

Attachment A
List of Analytes with QC Qualifiers

Sample Number	Work Group	Sample Type	Analyte	Run ID	Qualifier
L533854-02	WG553400	SAMP	TPH (GC/FID) High Fraction	R1844515	J3J5
L533854-12	WG554010	SAMP	Benzidine	R1850133	J4
L533854-20	WG553588	SAMP	Isophorone	R1845992	J4
L533854-23	WG553586	SAMP	TPH (GC/FID) High Fraction	R1844813	J6

Attachment B
Explanation of QC Qualifier Codes

Qualifier	Meaning
J3	The associated batch QC was outside the established quality control range for precision.
J4	The associated batch QC was outside the established quality control range for accuracy.
J5	The sample matrix interfered with the ability to make any accurate determination; spike value is high
J6	The sample matrix interfered with the ability to make any accurate determination; spike value is low

Qualifier Report Information

ESC utilizes sample and result qualifiers as set forth by the EPA Contract Laboratory Program and as required by most certifying bodies including NELAC. In addition to the EPA qualifiers adopted by ESC, we have implemented ESC qualifiers to provide more information pertaining to our analytical results. Each qualifier is designated in the qualifier explanation as either EPA or ESC. Data qualifiers are intended to provide the ESC client with more detailed information concerning the potential bias of reported data. Because of the wide range of constituents and variety of matrices incorporated by most EPA methods, it is common for some compounds to fall outside of established ranges. These exceptions are evaluated and all reported data is valid and useable "unless qualified as 'R' (Rejected)."

Definitions

Accuracy - The relationship of the observed value of a known sample to the true value of a known sample. Represented by percent recovery and relevant to samples such as: control samples, matrix spike recoveries, surrogate recoveries, etc.

Precision - The agreement between a set of samples or between duplicate samples. Relates to how close together the results are and is represented by Relative Percent Difference.

Surrogate - Organic compounds that are similar in chemical composition, extraction, and chromatography to analytes of interest. The surrogates are used to determine the probable response of the group of analytes that are chemically related to the surrogate compound. Surrogates are added to the sample and carried through all stages of preparation and analyses.

TIC - Tentatively Identified Compound: Compounds detected in samples that are not target compounds, internal standards, system monitoring compounds, or surrogates.

Summary of Remarks For Samples Printed
09/12/11 at 13:50:08

TSR Signing Reports: 044
R5 - Desired TAT

Always run BTEX by 8260 unless noted otherwise. In 9/2/11

Sample: L533854-01 Account: ENSRFCCO Received: 09/01/11 09:00 Due Date: 09/09/11 00:00 RPT Date: 09/12/11 13:49
Sample: L533854-02 Account: ENSRFCCO Received: 09/01/11 09:00 Due Date: 09/09/11 00:00 RPT Date: 09/12/11 13:49
Sample: L533854-03 Account: ENSRFCCO Received: 09/01/11 09:00 Due Date: 09/09/11 00:00 RPT Date: 09/12/11 13:49
Sample: L533854-04 Account: ENSRFCCO Received: 09/01/11 09:00 Due Date: 09/09/11 00:00 RPT Date: 09/12/11 13:49
Sample: L533854-05 Account: ENSRFCCO Received: 09/01/11 09:00 Due Date: 09/09/11 00:00 RPT Date: 09/12/11 13:49
Sample: L533854-06 Account: ENSRFCCO Received: 09/01/11 09:00 Due Date: 09/09/11 00:00 RPT Date: 09/12/11 13:49
Sample: L533854-07 Account: ENSRFCCO Received: 09/01/11 09:00 Due Date: 09/09/11 00:00 RPT Date: 09/12/11 13:49
Sample: L533854-08 Account: ENSRFCCO Received: 09/01/11 09:00 Due Date: 09/09/11 00:00 RPT Date: 09/12/11 13:49
Sample: L533854-09 Account: ENSRFCCO Received: 09/01/11 09:00 Due Date: 09/09/11 00:00 RPT Date: 09/12/11 13:49
Sample: L533854-10 Account: ENSRFCCO Received: 09/01/11 09:00 Due Date: 09/09/11 00:00 RPT Date: 09/12/11 13:49
Sample: L533854-11 Account: ENSRFCCO Received: 09/01/11 09:00 Due Date: 09/09/11 00:00 RPT Date: 09/12/11 13:49
Sample: L533854-12 Account: ENSRFCCO Received: 09/01/11 09:00 Due Date: 09/09/11 00:00 RPT Date: 09/12/11 13:49
Sample: L533854-13 Account: ENSRFCCO Received: 09/01/11 09:00 Due Date: 09/09/11 00:00 RPT Date: 09/12/11 13:49
Sample: L533854-14 Account: ENSRFCCO Received: 09/01/11 09:00 Due Date: 09/09/11 00:00 RPT Date: 09/12/11 13:49
Sample: L533854-15 Account: ENSRFCCO Received: 09/01/11 09:00 Due Date: 09/09/11 00:00 RPT Date: 09/12/11 13:49
Sample: L533854-16 Account: ENSRFCCO Received: 09/01/11 09:00 Due Date: 09/09/11 00:00 RPT Date: 09/12/11 13:49
Sample: L533854-17 Account: ENSRFCCO Received: 09/01/11 09:00 Due Date: 09/09/11 00:00 RPT Date: 09/12/11 13:49
Sample: L533854-18 Account: ENSRFCCO Received: 09/01/11 09:00 Due Date: 09/09/11 00:00 RPT Date: 09/12/11 13:49
Sample: L533854-19 Account: ENSRFCCO Received: 09/01/11 09:00 Due Date: 09/09/11 00:00 RPT Date: 09/12/11 13:49
Sample: L533854-20 Account: ENSRFCCO Received: 09/01/11 09:00 Due Date: 09/09/11 00:00 RPT Date: 09/12/11 13:49
Sample: L533854-21 Account: ENSRFCCO Received: 09/01/11 09:00 Due Date: 09/09/11 00:00 RPT Date: 09/12/11 13:49
Sample: L533854-22 Account: ENSRFCCO Received: 09/01/11 09:00 Due Date: 09/09/11 00:00 RPT Date: 09/12/11 13:49
Sample: L533854-23 Account: ENSRFCCO Received: 09/01/11 09:00 Due Date: 09/09/11 00:00 RPT Date: 09/12/11 13:49
Sample: L533854-24 Account: ENSRFCCO Received: 09/01/11 09:00 Due Date: 09/09/11 00:00 RPT Date: 09/12/11 13:49
Sample: L533854-25 Account: ENSRFCCO Received: 09/01/11 09:00 Due Date: 09/09/11 00:00 RPT Date: 09/12/11 13:49
Sample: L533854-26 Account: ENSRFCCO Received: 09/01/11 09:00 Due Date: 09/09/11 00:00 RPT Date: 09/12/11 13:49
Sample: L533854-27 Account: ENSRFCCO Received: 09/01/11 09:00 Due Date: 09/09/11 00:00 RPT Date: 09/12/11 13:49
Sample: L533854-28 Account: ENSRFCCO Received: 09/01/11 09:00 Due Date: 09/09/11 00:00 RPT Date: 09/12/11 13:49
Sample: L533854-29 Account: ENSRFCCO Received: 09/01/11 09:00 Due Date: 09/09/11 00:00 RPT Date: 09/12/11 13:49



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway
Fort Collins, CO 80525

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L533854

September 12, 2011

Analyte	Result	Laboratory Blank Units	% Rec.	Limit	Batch	Date Analyzed
TPH (GC/FID) High Fraction	< 4	ppm			WG553400	09/03/11 11:14
o-Terphenyl		% Rec.	91.70	50-150	WG553400	09/03/11 11:14
TPH (GC/FID) Low Fraction	< .1	mg/kg			WG553474	09/02/11 16:54
a,a,a-Trifluorotoluene(FID)		% Rec.	97.36	59-128	WG553474	09/02/11 16:54
TPH (GC/FID) High Fraction	< 4	ppm			WG553586	09/05/11 11:13
o-Terphenyl		% Rec.	86.03	50-150	WG553586	09/05/11 11:13
TPH (GC/FID) High Fraction	< 4	ppm			WG553587	09/05/11 11:48
o-Terphenyl		% Rec.	95.48	50-150	WG553587	09/05/11 11:48
TPH (GC/FID) Low Fraction	< .1	mg/kg			WG553342	09/01/11 16:44
a,a,a-Trifluorotoluene(FID)		% Rec.	92.54	59-128	WG553342	09/01/11 16:44
Benzene	< .001	mg/l			WG553309	09/01/11 16:02
Ethylbenzene	< .001	mg/l			WG553309	09/01/11 16:02
Toluene	< .005	mg/l			WG553309	09/01/11 16:02
Total Xylenes	< .003	mg/l			WG553309	09/01/11 16:02
4-Bromofluorobenzene		% Rec.	94.17	75-128	WG553309	09/01/11 16:02
Dibromofluoromethane		% Rec.	91.49	79-125	WG553309	09/01/11 16:02
Toluene-d8		% Rec.	96.78	87-114	WG553309	09/01/11 16:02
a,a,a-Trifluorotoluene		% Rec.	93.94	84-114	WG553309	09/01/11 16:02
1,2,4-Trichlorobenzene	< .333	mg/kg			WG553588	09/04/11 09:08
2,4,6-Trichlorophenol	< .333	mg/kg			WG553588	09/04/11 09:08
2,4-Dichlorophenol	< .333	mg/kg			WG553588	09/04/11 09:08
2,4-Dimethylphenol	< .333	mg/kg			WG553588	09/04/11 09:08
2,4-Dinitrophenol	< .333	mg/kg			WG553588	09/04/11 09:08
2,4-Dinitrotoluene	< .333	mg/kg			WG553588	09/04/11 09:08
2,6-Dinitrotoluene	< .333	mg/kg			WG553588	09/04/11 09:08
2-Chloronaphthalene	< .033	mg/kg			WG553588	09/04/11 09:08
2-Chlorophenol	< .333	mg/kg			WG553588	09/04/11 09:08
2-Nitrophenol	< .333	mg/kg			WG553588	09/04/11 09:08
3,3-Dichlorobenzidine	< .333	mg/kg			WG553588	09/04/11 09:08
4,6-Dinitro-2-methylphenol	< .333	mg/kg			WG553588	09/04/11 09:08
4-Bromophenyl-phenylether	< .333	mg/kg			WG553588	09/04/11 09:08
4-Chloro-3-methylphenol	< .333	mg/kg			WG553588	09/04/11 09:08
4-Chlorophenyl-phenylether	< .333	mg/kg			WG553588	09/04/11 09:08
4-Nitrophenol	< .333	mg/kg			WG553588	09/04/11 09:08
Acenaphthene	< .033	mg/kg			WG553588	09/04/11 09:08
Acenaphthylene	< .033	mg/kg			WG553588	09/04/11 09:08
Anthracene	< .033	mg/kg			WG553588	09/04/11 09:08
Benzidine	< .333	mg/kg			WG553588	09/04/11 09:08
Benzo(a)anthracene	< .033	mg/kg			WG553588	09/04/11 09:08
Benzo(a)pyrene	< .033	mg/kg			WG553588	09/04/11 09:08
Benzo(b)fluoranthene	< .033	mg/kg			WG553588	09/04/11 09:08
Benzo(g,h,i)perylene	< .033	mg/kg			WG553588	09/04/11 09:08
Benzo(k)fluoranthene	< .033	mg/kg			WG553588	09/04/11 09:08
Benzylbutyl phthalate	< .333	mg/kg			WG553588	09/04/11 09:08
Bis(2-chlorethoxy)methane	< .333	mg/kg			WG553588	09/04/11 09:08
Bis(2-chloroethyl)ether	< .333	mg/kg			WG553588	09/04/11 09:08
Bis(2-chloroisopropyl)ether	< .333	mg/kg			WG553588	09/04/11 09:08

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway
Fort Collins, CO 80525

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L533854

September 12, 2011

Analyte	Result	Laboratory Blank Units	% Rec	Limit	Batch	Date Analyzed
Bis(2-ethylhexyl)phthalate	<.333	mg/kg			WG553588	09/04/11 09:08
Chrysene	<.033	mg/kg			WG553588	09/04/11 09:08
Di-n-butyl phthalate	<.333	mg/kg			WG553588	09/04/11 09:08
Di-n-octyl phthalate	<.333	mg/kg			WG553588	09/04/11 09:08
Dibenz(a,h)anthracene	<.033	mg/kg			WG553588	09/04/11 09:08
Diethyl phthalate	<.333	mg/kg			WG553588	09/04/11 09:08
Dimethyl phthalate	<.333	mg/kg			WG553588	09/04/11 09:08
Fluoranthene	<.033	mg/kg			WG553588	09/04/11 09:08
Fluorene	<.033	mg/kg			WG553588	09/04/11 09:08
Hexachloro-1,3-butadiene	<.333	mg/kg			WG553588	09/04/11 09:08
Hexachlorobenzene	<.333	mg/kg			WG553588	09/04/11 09:08
Hexachlorocyclopentadiene	<.333	mg/kg			WG553588	09/04/11 09:08
Hexachloroethane	<.333	mg/kg			WG553588	09/04/11 09:08
Indeno(1,2,3-cd)pyrene	<.033	mg/kg			WG553588	09/04/11 09:08
Isophorone	<.333	mg/kg			WG553588	09/04/11 09:08
n-Nitrosodi-n-propylamine	<.333	mg/kg			WG553588	09/04/11 09:08
n-Nitrosodimethylamine	<.333	mg/kg			WG553588	09/04/11 09:08
n-Nitrosodiphenylamine	<.333	mg/kg			WG553588	09/04/11 09:08
Naphthalene	<.033	mg/kg			WG553588	09/04/11 09:08
Nitrobenzene	<.333	mg/kg			WG553588	09/04/11 09:08
Pentachlorophenol	<.333	mg/kg			WG553588	09/04/11 09:08
Phenanthrene	<.033	mg/kg			WG553588	09/04/11 09:08
Phenol	<.333	mg/kg			WG553588	09/04/11 09:08
Pyrene	<.033	mg/kg			WG553588	09/04/11 09:08
2,4,6-Tribromophenol		mg/kg	87.56	16-136	WG553588	09/04/11 09:08
2-Fluorobiphenyl		mg/kg	82.64	37-119	WG553588	09/04/11 09:08
2-Fluorophenol		mg/kg	70.27	22-114	WG553588	09/04/11 09:08
Nitrobenzene-d5		mg/kg	61.30	20-114	WG553588	09/04/11 09:08
Phenol-d5		mg/kg	82.28	26-127	WG553588	09/04/11 09:08
p-Terphenyl-d14		mg/kg	81.48	15-174	WG553588	09/04/11 09:08
TPH (GC/FID) Low Fraction	<.1	mg/kg			WG553415	09/02/11 11:30
a,a,a-Trifluorotoluene(FID)		% Rec.	92.98	59-128	WG553415	09/02/11 11:30
Benzene	<.001	mg/kg			WG553769	09/06/11 12:14
Ethylbenzene	<.001	mg/kg			WG553769	09/06/11 12:14
Toluene	<.005	mg/kg			WG553769	09/06/11 12:14
Total Xylenes	<.003	mg/kg			WG553769	09/06/11 12:14
4-Bromofluorobenzene		% Rec.	101.0	59-140	WG553769	09/06/11 12:14
Dibromoformmethane		% Rec.	100.7	63-139	WG553769	09/06/11 12:14
Toluene-d8		% Rec.	104.2	84-116	WG553769	09/06/11 12:14
a,a,a-Trifluorotoluene		% Rec.	106.0	80-118	WG553769	09/06/11 12:14
TPH (GC/FID) Low Fraction	<.1	mg/kg			WG553784	09/06/11 20:33
a,a,a-Trifluorotoluene(FID)		% Rec.	100.9	59-128	WG553784	09/06/11 20:33
TPH (GC/FID) Low Fraction	<.1	mg/kg			WG553911	09/07/11 17:56
a,a,a-Trifluorotoluene(FID)		% Rec.	95.69	59-128	WG553911	09/07/11 17:56
1,2,4-Trichlorobenzene	<.333	mg/kg			WG554010	09/08/11 11:12
2,4,6-Trichlorophenol	<.333	mg/kg			WG554010	09/08/11 11:12
2,4-Dichlorophenol	<.333	mg/kg			WG554010	09/08/11 11:12
2,4-Dimethylphenol	<.333	mg/kg			WG554010	09/08/11 11:12
2,4-Dinitrophenol	<.333	mg/kg			WG554010	09/08/11 11:12

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway
Fort Collins, CO 80525

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L533854

September 12, 2011

Analyte	Result	Laboratory Units	Blank % Rec	Limit	Batch	Date Analyzed
2,4-Dinitrotoluene	< .333	mg/kg			WG554010	09/08/11 11:12
2,6-Dinitrotoluene	< .333	mg/kg			WG554010	09/08/11 11:12
2-Chloronaphthalene	< .033	mg/kg			WG554010	09/08/11 11:12
2-Chlorophenol	< .333	mg/kg			WG554010	09/08/11 11:12
2-Nitrophenol	< .333	mg/kg			WG554010	09/08/11 11:12
3,3-Dichlorobenzidine	< .333	mg/kg			WG554010	09/08/11 11:12
4,6-Dinitro-2-methylphenol	< .333	mg/kg			WG554010	09/08/11 11:12
4-Bromophenyl-phenylether	< .333	mg/kg			WG554010	09/08/11 11:12
4-Chloro-3-methylphenol	< .333	mg/kg			WG554010	09/08/11 11:12
4-Chlorophenyl-phenylether	< .333	mg/kg			WG554010	09/08/11 11:12
4-Nitrophenol	< .333	mg/kg			WG554010	09/08/11 11:12
Acenaphthene	< .033	mg/kg			WG554010	09/08/11 11:12
Acenaphthylene	< .033	mg/kg			WG554010	09/08/11 11:12
Anthracene	< .033	mg/kg			WG554010	09/08/11 11:12
Benzidine	< .333	mg/kg			WG554010	09/08/11 11:12
Benzo(a)anthracene	< .033	mg/kg			WG554010	09/08/11 11:12
Benzo(a)pyrene	< .033	mg/kg			WG554010	09/08/11 11:12
Benzo(b)fluoranthene	< .033	mg/kg			WG554010	09/08/11 11:12
Benzo(g,h,i)perylene	< .033	mg/kg			WG554010	09/08/11 11:12
Benzo(k)fluoranthene	< .033	mg/kg			WG554010	09/08/11 11:12
Benzylbutyl phthalate	< .333	mg/kg			WG554010	09/08/11 11:12
Bis(2-chloroethoxy)methane	< .333	mg/kg			WG554010	09/08/11 11:12
Bis(2-chloroethyl)ether	< .333	mg/kg			WG554010	09/08/11 11:12
Bis(2-chloroisopropyl)ether	< .333	mg/kg			WG554010	09/08/11 11:12
Bis(2-ethylhexyl)phthalate	< .333	mg/kg			WG554010	09/08/11 11:12
Chrysene	< .033	mg/kg			WG554010	09/08/11 11:12
Di-n-butyl phthalate	< .333	mg/kg			WG554010	09/08/11 11:12
Di-n-octyl phthalate	< .333	mg/kg			WG554010	09/08/11 11:12
Dibenz(a,h)anthracene	< .033	mg/kg			WG554010	09/08/11 11:12
Diethyl phthalate	< .333	mg/kg			WG554010	09/08/11 11:12
Dimethyl phthalate	< .333	mg/kg			WG554010	09/08/11 11:12
Fluoranthene	< .033	mg/kg			WG554010	09/08/11 11:12
Fluorene	< .033	mg/kg			WG554010	09/08/11 11:12
Hexachloro-1,3-butadiene	< .333	mg/kg			WG554010	09/08/11 11:12
Hexachlorobenzene	< .333	mg/kg			WG554010	09/08/11 11:12
Hexachlorocyclopentadiene	< .333	mg/kg			WG554010	09/08/11 11:12
Hexachloroethane	< .333	mg/kg			WG554010	09/08/11 11:12
Indeno(1,2,3-cd)pyrene	< .033	mg/kg			WG554010	09/08/11 11:12
Isophorone	< .333	mg/kg			WG554010	09/08/11 11:12
n-Nitrosodi-n-propylamine	< .333	mg/kg			WG554010	09/08/11 11:12
n-Nitrosodimethylamine	< .333	mg/kg			WG554010	09/08/11 11:12
n-Nitrosodiphenylamine	< .333	mg/kg			WG554010	09/08/11 11:12
Naphthalene	< .033	mg/kg			WG554010	09/08/11 11:12
Nitrobenzene	< .333	mg/kg			WG554010	09/08/11 11:12
Pentachlorophenol	< .333	mg/kg			WG554010	09/08/11 11:12
Phenanthrene	< .033	mg/kg			WG554010	09/08/11 11:12
Phenol	< .333	mg/kg			WG554010	09/08/11 11:12
Pyrene	< .033	mg/kg			WG554010	09/08/11 11:12
2,4,6-Tribromophenol		mg/kg	57.23	16-136	WG554010	09/08/11 11:12
2-Fluorobiphenyl		mg/kg	57.69	37-119	WG554010	09/08/11 11:12
2-Fluorophenol		mg/kg	42.62	22-114	WG554010	09/08/11 11:12
Nitrobenzene-d5		mg/kg	57.79	20-114	WG554010	09/08/11 11:12
Phenol-d5		mg/kg	61.10	26-127	WG554010	09/08/11 11:12
p-Terphenyl-d14		mg/kg	65.93	15-174	WG554010	09/08/11 11:12

Analyte	Units	Laboratory Control Known Val	Sample Result	% Rec	Limit	Batch
TPH (GC/FID) Low Fraction	mg/kg	5.5	6.74	122.	67-135	WG553474

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway
Fort Collins, CO 80525

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L533854

September 12, 2011

Analyte	Units	Laboratory Known Val	Control Sample Result	% Rec	Limit	Batch
a,a,a-Trifluorotoluene(FID)	mg/kg	5.5	5.47	99.5	59-128	WG553342
TPH (GC/FID) Low Fraction	mg/kg	.025	0.0231	92.4	67-135	WG553342
a,a,a-Trifluorotoluene(FID)	mg/kg	.025	0.0276	110.	59-128	WG553342
Benzene	mg/l	.025	0.0244	97.6	76-129	WG553309
Ethylbenzene	mg/l	.075	0.0820	109.	72-122	WG553309
Toluene	mg/l	.075	0.0820	109.	75-128	WG553309
Total Xylenes	mg/l	.075	0.0820	93.28	75-128	WG553309
4-Bromofluorobenzene	mg/kg	.333	0.226	66.9	75-128	WG553309
Dibromofluoromethane	mg/kg	.333	0.230	86.15	79-125	WG553309
Toluene-d8	mg/kg	.333	0.230	100.0	87-114	WG553309
a,a,a-Trifluorotoluene	mg/kg	.333	0.230	94.01	84-114	WG553309
1,2,4-Trichlorobenzene	mg/kg	.333	0.195	58.7	48-87	WG553588
2,4,6-Trichlorophenol	mg/kg	.333	0.229	68.9	50-98	WG553588
2,4-Dichlorophenol	mg/kg	.333	0.226	67.8	56-96	WG553588
2,4-Dimethylphenol	mg/kg	.333	0.224	67.2	52-101	WG553588
2,4-Dinitrophenol	mg/kg	.333	0.205	61.7	10-109	WG553588
2,4-Dinitrotoluene	mg/kg	.333	0.230	69.0	54-103	WG553588
2,6-Dinitrotoluene	mg/kg	.333	0.223	66.9	53-99	WG553588
2-Chloronaphthalene	mg/kg	.333	0.202	60.5	55-96	WG553588
2-Chlorophenol	mg/kg	.333	0.203	60.9	52-88	WG553588
2-Nitrophenol	mg/kg	.333	0.212	63.6	55-106	WG553588
3,3-Dichlorobenzidine	mg/kg	.333	0.207	62.3	36-84	WG553588
4,6-Dinitro-2-methylphenol	mg/kg	.333	0.234	70.2	24-98	WG553588
4-Bromophenyl-phenylether	mg/kg	.333	0.232	69.6	58-111	WG553588
4-Chloro-3-methylphenol	mg/kg	.333	0.215	64.6	58-98	WG553588
4-Chlorophenyl-phenylether	mg/kg	.333	0.217	65.1	59-103	WG553588
4-Nitrophenol	mg/kg	.333	0.173	52.0	34-101	WG553588
Acenaphthene	mg/kg	.333	0.225	67.6	55-96	WG553588
Acenaphthylene	mg/kg	.333	0.232	69.6	61-107	WG553588
Anthracene	mg/kg	.333	0.217	65.2	58-105	WG553588
Benzidine	mg/kg	.333	0.0373	11.2	10-21	WG553588
Benzo(a)anthracene	mg/kg	.333	0.233	69.8	56-103	WG553588
Benzo(a)pyrene	mg/kg	.333	0.226	68.0	57-103	WG553588
Benzo(b)fluoranthene	mg/kg	.333	0.221	66.4	52-106	WG553588
Benzo(g,h,i)perylene	mg/kg	.333	0.233	70.0	47-112	WG553588
Benzo(k)fluoranthene	mg/kg	.333	0.230	69.2	53-104	WG553588
Benzylbutyl phthalate	mg/kg	.333	0.217	65.1	61-118	WG553588
Bis(2-chlorethoxy)methane	mg/kg	.333	0.203	60.8	58-104	WG553588
Bis(2-chloroethyl)ether	mg/kg	.333	0.194	58.4	51-103	WG553588
Bis(2-chloroisopropyl)ether	mg/kg	.333	0.213	63.9	56-95	WG553588
Bis(2-ethylhexyl)phthalate	mg/kg	.333	0.220	66.1	56-120	WG553588
Chrysene	mg/kg	.333	0.235	70.6	55-102	WG553588
Di-n-butyl phthalate	mg/kg	.333	0.228	68.4	59-114	WG553588
Di-n-octyl phthalate	mg/kg	.333	0.221	66.4	51-119	WG553588
Dibenzo(a,h)anthracene	mg/kg	.333	0.222	66.6	49-111	WG553588
Diethyl phthalate	mg/kg	.333	0.224	67.3	61-105	WG553588
Dimethyl phthalate	mg/kg	.333	0.231	69.5	60-106	WG553588
Fluoranthene	mg/kg	.333	0.241	72.5	59-108	WG553588
Fluorene	mg/kg	.333	0.214	64.3	59-100	WG553588
Hexachloro-1,3-butadiene	mg/kg	.333	0.232	69.6	53-106	WG553588
Hexachlorobenzene	mg/kg	.333	0.221	66.3	50-108	WG553588
Hexachlorocyclopentadiene	mg/kg	.333	0.153	45.8	36-117	WG553588
Hexachloroethane	mg/kg	.333	0.204	61.2	45-83	WG553588
Indeno(1,2,3-cd)pyrene	mg/kg	.333	0.225	67.7	50-110	WG553588
Isophorone	mg/kg	.333	0.159	47.8*	51-99	WG553588

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway
Fort Collins, CO 80525

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L533854

September 12, 2011

Analyte	Units	Laboratory Known Val	Control Sample Result	% Rec	Limit	Batch
n-Nitrosodi-n-propylamine	mg/kg	.333	0.203	60.9	52-103	WG553588
n-Nitrosodimethylamine	mg/kg	.333	0.189	56.8	31-107	WG553588
n-Nitrosodiphenylamine	mg/kg	.333	0.206	61.8	57-121	WG553588
Naphthalene	mg/kg	.333	0.204	61.3	55-91	WG553588
Nitrobenzene	mg/kg	.333	0.210	63.1	47-92	WG553588
Pentachlorophenol	mg/kg	.333	0.210	63.0	10-89	WG553588
Phenanthrene	mg/kg	.333	0.218	65.4	55-103	WG553588
Phenol	mg/kg	.333	0.189	56.9	49-99	WG553588
Pyrene	mg/kg	.333	0.212	63.7	54-104	WG553588
2,4,6-Tribromophenol				93.19	16-136	WG553588
2-Fluorobiphenyl				80.22	37-119	WG553588
2-Fluorophenol				71.63	22-114	WG553588
Nitrobenzene-d5				71.55	20-114	WG553588
Phenol-d5				83.74	26-127	WG553588
p-Terphenyl-d14				79.52	15-174	WG553588
TPH (GC/FID) Low Fraction	mg/kg	5.5	5.47	99.4	67-135	WG553415
a,a,a-Trifluorotoluene(FID)				102.3	59-128	WG553415
Benzene	mg/kg	.025	0.0208	83.1	65-128	WG553769
Ethylbenzene	mg/kg	.025	0.0219	87.7	74-128	WG553769
Toluene	mg/kg	.025	0.0206	82.3	70-120	WG553769
Total Xylenes	mg/kg	.075	0.0655	87.3	74-127	WG553769
4-Bromofluorobenzene				100.1	59-140	WG553769
Dibromofluoromethane				101.7	63-139	WG553769
Toluene-d8				105.0	84-116	WG553769
a,a,a-Trifluorotoluene				106.6	80-118	WG553769
TPH (GC/FID) Low Fraction	mg/kg	5.5	5.69	103.	67-135	WG553764
a,a,a-Trifluorotoluene(FID)				106.7	59-128	WG553764
TPH (GC/FID) Low Fraction	mg/kg	5.5	6.25	114.	67-135	WG553911
a,a,a-Trifluorotoluene(FID)				95.73	59-128	WG553911
1,2,4-Trichlorobenzene	mg/kg	.333	0.220	66.1	48-87	WG554010
2,4,6-Trichlorophenol	mg/kg	.333	0.269	80.9	50-98	WG554010
2,4-Dichlorophenol	mg/kg	.333	0.252	75.7	56-96	WG554010
2,4-Dimethylphenol	mg/kg	.333	0.243	72.9	52-101	WG554010
2,4-Dinitrophenol	mg/kg	.333	0.219	65.6	10-109	WG554010
2,4-Dinitrotoluene	mg/kg	.333	0.262	78.6	54-103	WG554010
2,6-Dinitrotoluene	mg/kg	.333	0.264	79.4	53-99	WG554010
2-Chloronaphthalene	mg/kg	.333	0.249	74.9	55-96	WG554010
2-Chlorophenol	mg/kg	.333	0.225	67.6	52-88	WG554010
2-Nitrophenol	mg/kg	.333	0.241	72.3	55-106	WG554010
3,3-Dichlorobenzidine	mg/kg	.333	0.149	44.6	36-84	WG554010
4,6-Dinitro-2-methylphenol	mg/kg	.333	0.228	68.3	24-98	WG554010
4-Bromophenyl-phenylether	mg/kg	.333	0.246	73.7	58-111	WG554010
4-Chloro-3-methylphencl	mg/kg	.333	0.253	76.0	58-98	WG554010
4-Chlorophenyl-phenylether	mg/kg	.333	0.249	74.7	59-103	WG554010
4-Nitrophenol	mg/kg	.333	0.224	67.2	34-101	WG554010
Acenaphthene	mg/kg	.333	0.264	79.2	55-96	WG554010
Acenaphthylene	mg/kg	.333	0.265	79.5	61-107	WG554010
Anthracene	mg/kg	.333	0.259	77.7	58-105	WG554010
Benzidine	mg/kg	.333	0.00534	1.60*	10-21	WG554010

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway
Fort Collins, CO 80525

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L533854

September 12, 2011

Analyte	Units	Laboratory Known Val	Control Result	% Rec	Limit	Batch
Benzo(a)anthracene	mg/kg	.333	0.260	78.1	56-103	WG554010
Benzo(a)pyrene	mg/kg	.333	0.261	78.3	57-103	WG554010
Benzo(b)fluoranthene	mg/kg	.333	0.252	75.6	52-106	WG554010
Benzo(g,h,i)perylene	mg/kg	.333	0.255	76.7	47-112	WG554010
Benzo(k)fluoranthene	mg/kg	.333	0.269	80.8	53-104	WG554010
Benzylbutyl phthalate	mg/kg	.333	0.273	81.9	61-118	WG554010
Bis(2-chloroethoxy)methane	mg/kg	.333	0.255	76.6	58-104	WG554010
Bis(2-chloroethyl)ether	mg/kg	.333	0.236	70.8	51-103	WG554010
Bis(2-chloroisopropyl)ether	mg/kg	.333	0.252	75.6	56-95	WG554010
Bis(2-ethylhexyl)phthalate	mg/kg	.333	0.293	68.0	56-120	WG554010
Chrysene	mg/kg	.333	0.259	77.9	55-102	WG554010
Di-n-butyl phthalate	mg/kg	.333	0.250	75.2	59-114	WG554010
Di-n-octyl phthalate	mg/kg	.333	0.302	90.8	51-119	WG554010
Dibenz(a,h)anthracene	mg/kg	.333	0.256	76.8	49-111	WG554010
Diethyl phthalate	mg/kg	.333	0.264	79.3	61-105	WG554010
Dimethyl phthalate	mg/kg	.333	0.258	77.6	60-106	WG554010
Fluoranthene	mg/kg	.333	0.262	78.7	59-108	WG554010
Fluorene	mg/kg	.333	0.247	74.1	59-100	WG554010
Hexachloro-1,3-butadiene	mg/kg	.333	0.249	74.9	53-106	WG554010
Hexachlorobenzene	mg/kg	.333	0.245	73.5	50-108	WG554010
Hexachlorocyclopentadiene	mg/kg	.333	0.275	82.7	36-117	WG554010
Hexachloroethane	mg/kg	.333	0.236	70.9	45-83	WG554010
Indeno(1,2,3-cd)pyrene	mg/kg	.333	0.262	78.7	50-110	WG554010
Isophorone	mg/kg	.333	0.214	64.2	51-99	WG554010
n-Nitrosodi-n-propylamine	mg/kg	.333	0.280	84.0	52-103	WG554010
n-Nitrosodimethylamine	mg/kg	.333	0.185	55.7	31-107	WG554010
n-Nitrosodiphenylamine	mg/kg	.333	0.254	76.3	57-121	WG554010
Naphthalene	mg/kg	.333	0.239	71.9	55-91	WG554010
Nitrobenzene	mg/kg	.333	0.250	75.2	47-92	WG554010
Pentachlorophenol	mg/kg	.333	0.185	55.4	10-89	WG554010
Phenanthrene	mg/kg	.333	0.258	77.3	55-103	WG554010
Phenol	mg/kg	.333	0.242	72.6	49-99	WG554010
Pyrene	mg/kg	.333	0.257	77.1	54-104	WG554010
2,4,6-Tribromophenol				77.85	16-136	WG554010
2-Fluorobiphenyl				73.88	37-119	WG554010
2-Fluorophenol				76.28	22-114	WG554010
Nitrobenzene-d5				77.93	20-114	WG554010
Phenol-d5				83.47	26-127	WG554010
p-Terphenyl-d14				73.93	15-174	WG554010

Analyte	Units	Laboratory Result	Control Ref	%Rec	Limit	RPD	Limit	Batch
TPH (GC/FID) Low Fraction	mg/kg	6.91	6.74	126.	67-135	2.58	20	WG553474
a,a,a-Trifluorotoluene(FID)				99.28	59-128			WG553474
TPH (GC/FID) Low Fraction	mg/kg	5.22	5.47	95.0	67-135	4.71	20	WG553342
a,a,a-Trifluorotoluene(FID)				92.33	59-128			WG553342
Benzene	mg/l	0.0219	0.0231	88.0	67-126	5.18	20	WG553309
Ethylbenzene	mg/l	0.0269	0.0276	107.	76-129	2.65	20	WG553309
Toluene	mg/l	0.0237	0.0244	95.0	72-122	3.06	20	WG553309
Total Xylenes	mg/l	0.0790	0.0820	105.	75-128	3.75	20	WG553309
4-Bromofluorobenzene				89.90	75-128			WG553309
Dibromofluoromethane				91.45	79-125			WG553309
Toluene-d8				98.73	87-114			WG553309
a,a,a-Trifluorotoluene				93.07	84-114			WG553309

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway

Fort Collins, CO 80525

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L533854

September 12, 2011

Analyte	Units	Laboratory Result	Control Ref	%Rec	Sample	Duplicate	Limit	RPD	Limit	Batch
1,2,4-Trichlorobenzene	mg/kg	0.218	0.195	66.0	48-87	11.0	20	WG553588		
2,4,6-Trichlorophenol	mg/kg	0.254	0.229	76.0	50-98	10.2	20	WG553588		
2,4-Dichlorophenol	mg/kg	0.236	0.226	71.0	56-96	4.50	20	WG553588		
2,4-Dimethylphenol	mg/kg	0.232	0.224	70.0	52-101	3.50	20	WG553588		
2,4-Dinitrophenol	mg/kg	0.230	0.205	69.0	10-109	11.4	39	WG553588		
2,4-Dinitrotoluene	mg/kg	0.251	0.230	76.0	54-103	9.09	20	WG553588		
2,6-Dinitrotoluene	mg/kg	0.248	0.223	74.0	53-99	10.8	20	WG553588		
2-Chloronaphthalene	mg/kg	0.224	0.202	67.0	55-96	10.4	20	WG553588		
2-Chlorophenol	mg/kg	0.206	0.203	62.0	52-88	1.49	20	WG553588		
2-Nitrophenol	mg/kg	0.238	0.212	72.0	55-106	11.7	20	WG553588		
3,3-Dichlorobenzidine	mg/kg	0.224	0.207	67.0	36-84	7.90	20	WG553588		
4,6-Dinitro-2-methylphenol	mg/kg	0.241	0.234	72.0	24-98	3.09	32	WG553588		
4-Bromophenyl-phenylether	mg/kg	0.253	0.232	76.0	58-111	8.71	20	WG553588		
4-Chloro-3-methylphenol	mg/kg	0.229	0.215	69.0	58-98	6.16	20	WG553588		
4-Chlorophenyl-phenylether	mg/kg	0.234	0.217	70.0	59-103	7.72	20	WG553588		
4-Nitrophenol	mg/kg	0.215	0.173	65.0	34-101	21.8	26	WG553588		
Acenaphthene	mg/kg	0.240	0.225	72.0	55-96	6.31	20	WG553588		
Acenaphthylene	mg/kg	0.241	0.232	72.0	61-107	4.04	20	WG553588		
Anthracene	mg/kg	0.243	0.217	73.0	58-105	11.3	20	WG553588		
Benzidine	mg/kg	0.0430	0.0373	13.0	10-21	14.2	40	WG553588		
Benzo(a)anthracene	mg/kg	0.248	0.233	74.0	56-103	6.51	20	WG553588		
Benzo(a)pyrene	mg/kg	0.237	0.226	71.0	57-103	4.54	20	WG553588		
Benzo(b)fluoranthene	mg/kg	0.227	0.221	68.0	52-106	2.73	20	WG553588		
Benzo(g,h,i)perylene	mg/kg	0.245	0.233	73.0	47-112	4.80	20	WG553588		
Benzo(k)fluoranthene	mg/kg	0.252	0.230	76.0	53-104	9.14	20	WG553588		
Benzylbutyl phthalate	mg/kg	0.228	0.217	68.0	61-118	4.97	20	WG553588		
Bis(2-chlorethoxy)methane	mg/kg	0.221	0.203	66.0	58-104	8.83	20	WG553588		
Bis(2-chloroethyl)ether	mg/kg	0.197	0.194	59.0	51-103	1.39	20	WG553588		
Bis(2-chloroisopropyl)ether	mg/kg	0.196	0.213	59.0	56-95	8.28	20	WG553588		
Bis(2-ethylhexyl)phthalate	mg/kg	0.237	0.220	71.0	56-120	7.54	20	WG553588		
Chrysene	mg/kg	0.244	0.235	73.0	55-102	3.58	20	WG553588		
Di-n-butyl phthalate	mg/kg	0.243	0.228	73.0	59-114	6.69	20	WG553588		
Di-n-octyl phthalate	mg/kg	0.239	0.221	72.0	51-119	7.61	22	WG553588		
Dibenz(a,h)anthracene	mg/kg	0.232	0.222	70.0	49-111	4.53	20	WG553588		
Diethyl phthalate	mg/kg	0.245	0.224	74.0	61-105	8.79	20	WG553588		
Dimethyl phthalate	mg/kg	0.236	0.231	71.0	60-106	1.97	20	WG553588		
Fluoranthene	mg/kg	0.246	0.241	74.0	59-108	1.77	20	WG553588		
Fluorene	mg/kg	0.237	0.214	71.0	59-100	10.0	20	WG553588		
Hexachloro-1,3-butadiene	mg/kg	0.244	0.232	73.0	53-106	5.00	20	WG553588		
Hexachlorobenzene	mg/kg	0.239	0.221	72.0	50-108	7.77	20	WG553588		
Hexachlorocyclopentadiene	mg/kg	0.170	0.153	51.0	36-117	10.9	20	WG553588		
Hexachloroethane	mg/kg	0.201	0.204	60.0	45-83	1.52	20	WG553588		
Indeno(1,2,3-cd)pyrene	mg/kg	0.239	0.225	72.0	50-110	5.80	20	WG553588		
Isophorone	mg/kg	0.187	0.159	56.0	51-99	16.0	20	WG553588		
n-Nitrosodi-n-propylamine	mg/kg	0.199	0.203	60.0	52-103	2.05	20	WG553588		
n-Nitrosodimethylamine	mg/kg	0.201	0.189	60.0	31-107	6.23	23	WG553588		
n-Nitrosodiphenylamine	mg/kg	0.222	0.206	66.0	57-121	7.32	20	WG553588		
Naphthalene	mg/kg	0.219	0.204	66.0	55-91	6.93	20	WG553588		
Nitrobenzene	mg/kg	0.227	0.210	68.0	47-92	7.60	20	WG553588		
Pentachlorophenol	mg/kg	0.228	0.210	68.0	10-89	8.37	28	WG553588		
Phenanthrene	mg/kg	0.236	0.218	71.0	55-103	8.06	20	WG553588		
Phenol	mg/kg	0.194	0.189	58.0	49-99	2.29	20	WG553588		
Pyrene	mg/kg	0.230	0.212	69.0	54-104	8.34	20	WG553588		
2,4,6-Tribromophenol				95.14	16-136			WG553588		
2-Fluorobiphenyl				81.21	37-119			WG553588		
2-Fluorophenol				63.93	22-114			WG553588		
Nitrobenzene-d5				74.68	20-114			WG553588		
Phenol-d5				77.01	26-127			WG553588		
p-Terphenyl-d14				81.38	15-174			WG553588		

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway
Fort Collins, CO 80525

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L533854

September 12, 2011

Analyte	Units	Laboratory Result	Control Ref	%Rec	Sample Limit	Duplicate Limit	RPD	Limit	Batch
TPH (GC/FID) Low Fraction	mg/kg	5.33	5.47	97.0	67-135	21.52	20	WG553415	
a,a,a-Trifluorotoluene(FID)				99.53	59-128			WG553415	
Benzene	mg/kg	0.0212	0.0208	85.0	65-128	1.99	20	WG553769	
Ethylbenzene	mg/kg	0.0220	0.0219	88.0	74-128	0.530	20	WG553769	
Toluene	mg/kg	0.0207	0.0206	83.0	70-120	0.500	20	WG553769	
Total Xylenes	mg/kg	0.0659	0.0655	88.0	74-127	0.600	20	WG553769	
4-Bromofluorobenzene				99.91	59-140			WG553769	
Dibromofluoromethane				101.5	63-139			WG553769	
Toluene-d8				103.9	84-116			WG553769	
a,a,a-Trifluorotoluene				104.3	80-118			WG553769	
TPH (GC/FID) Low Fraction	mg/kg	5.29	5.69	96.0	67-135	7.18	20	WG553784	
a,a,a-Trifluorotoluene(FID)				106.2	59-128			WG553784	
TPH (GC/FID) Low Fraction	mg/kg	6.61	6.25	120	67-135	5.57	20	WG553911	
a,a,a-Trifluorotoluene(FID)				96.10	59-128			WG553911	
1,2,4-Trichlorobenzene	mg/kg	0.188	0.220	56.0	48-87	15.8	20	WG554010	
2,4,6-Trichlorophenol	mg/kg	0.233	0.269	70.0	50-98	14.4	20	WG554010	
2,4-Dichlorophenol	mg/kg	0.226	0.252	68.0	56-96	10.7	20	WG554010	
2,4-Dimethylphenol	mg/kg	0.226	0.243	68.0	52-101	7.15	20	WG554010	
2,4-Dinitrophenol	mg/kg	0.214	0.219	64.0	10-109	2.29	39	WG554010	
2,4-Dinitrotoluene	mg/kg	0.216	0.262	65.0	54-103	19.2	20	WG554010	
2,6-Dinitrotoluene	mg/kg	0.234	0.264	70.0	53-99	12.1	20	WG554010	
2-Chloronaphthalene	mg/kg	0.224	0.249	67.0	55-96	10.9	20	WG554010	
2-Chlorophenol	mg/kg	0.201	0.225	60.0	52-88	11.5	20	WG554010	
2-Nitrophenol	mg/kg	0.215	0.241	64.0	55-106	11.4	20	WG554010	
3,3-Dichlorobenzidine	mg/kg	0.147	0.149	44.0	36-84	0.868	20	WG554010	
4,6-Dinitro-2-methylphenol	mg/kg	0.217	0.228	65.0	24-98	4.95	32	WG554010	
4-Bromophenyl-phenylether	mg/kg	0.248	0.246	74.0	58-111	11.09	20	WG554010	
4-Chloro-3-methylphenol	mg/kg	0.225	0.253	68.0	58-98	11.7	20	WG554010	
4-Chlorophenyl-phenylether	mg/kg	0.218	0.249	65.0	59-103	13.2	20	WG554010	
4-Nitrophenol	mg/kg	0.195	0.224	58.0	34-101	13.9	26	WG554010	
Acenaphthene	mg/kg	0.236	0.264	71.0	55-96	11.3	20	WG554010	
Acenaphthylene	mg/kg	0.239	0.265	72.0	61-107	10.2	20	WG554010	
Anthracene	mg/kg	0.228	0.259	68.0	58-105	12.6	20	WG554010	
Benzidine	mg/kg	0.00681	0.00534	2*	10-21	24.2	40	WG554010	
Benzo(a)anthracene	mg/kg	0.238	0.260	72.0	56-103	8.69	20	WG554010	
Benzo(a)pyrene	mg/kg	0.237	0.261	71.0	57-103	9.50	20	WG554010	
Benzo(b)fluoranthene	mg/kg	0.224	0.252	67.0	52-106	11.4	20	WG554010	
Benzo(g,h,i)perylene	mg/kg	0.225	0.255	68.0	47-112	12.5	20	WG554010	
Benzo(k)fluoranthene	mg/kg	0.239	0.269	72.0	53-104	12.0	20	WG554010	
Benzylbutyl phthalate	mg/kg	0.245	0.273	74.0	61-118	10.5	20	WG554010	
Bis(2-chloroethoxy)methane	mg/kg	0.237	0.255	71.0	58-104	7.34	20	WG554010	
Bis(2-chloroethyl)ether	mg/kg	0.214	0.236	64.0	51-103	9.86	20	WG554010	
Bis(2-chloroisopropyl)ether	mg/kg	0.217	0.252	65.0	56-95	14.7	20	WG554010	
Bis(2-ethylhexyl)phthalate	mg/kg	0.254	0.293	76.0	56-120	14.4	20	WG554010	
Chrysene	mg/kg	0.241	0.259	72.0	55-102	7.52	20	WG554010	
Di-n-butyl phthalate	mg/kg	0.235	0.250	70.0	59-114	6.49	20	WG554010	
Di-n-octyl phthalate	mg/kg	0.267	0.302	80.0	51-119	12.3	22	WG554010	
Dibenzo(a,h)anthracene	mg/kg	0.227	0.256	68.0	49-111	11.9	20	WG554010	
Diethyl phthalate	mg/kg	0.236	0.264	71.0	61-105	11.2	20	WG554010	
Dimethyl phthalate	mg/kg	0.232	0.258	70.0	60-106	10.7	20	WG554010	
Fluoranthene	mg/kg	0.228	0.262	68.0	59-108	13.9	20	WG554010	

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway

Fort Collins, CO 80525

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L533854

September 12, 2011

Analyte	Units	Laboratory		Control	Sample	Duplicate	Limit	RPD	Limit	Batch
		Result	Ref	% Rec						
Fluorene	mg/kg	0.224	0.247	67.0			59-100	9.74	20	WG554010
Hexachloro-1,3-butadiene	mg/kg	0.211	0.249	63.0			53-106	16.6	20	WG554010
Hexachlorobenzene	mg/kg	0.205	0.245	62.0			50-108	17.6	20	WG554010
Hexachlorocyclopentadiene	mg/kg	0.269	0.275	81.0			36-117	2.31	20	WG554010
Hexachloroethane	mg/kg	0.210	0.236	63.0			45-83	11.5	20	WG554010
Indeno(1,2,3-cd)pyrene	mg/kg	0.230	0.262	69.0			50-110	13.3	20	WG554010
Isophorone	mg/kg	0.197	0.214	59.0			51-99	8.29	20	WG554010
n-Nitrosodi-n-propylamine	mg/kg	0.250	0.280	75.0			52-103	11.3	20	WG554010
n-Nitrosodimethylamine	mg/kg	0.194	0.185	58.0			31-107	4.49	23	WG554010
n-Nitrosodiphenylamine	mg/kg	0.234	0.254	70.0			57-121	8.04	20	WG554010
Naphthalene	mg/kg	0.213	0.239	64.0			55-91	11.8	20	WG554010
Nitrobenzene	mg/kg	0.215	0.250	64.0			47-92	15.4	20	WG554010
Pentachlorophenol	mg/kg	0.183	0.185	55.0			10-89	1.01	28	WG554010
Phenanthrene	mg/kg	0.239	0.258	72.0			55-103	7.44	20	WG554010
Phenol	mg/kg	0.200	0.242	60.0			49-99	18.9	20	WG554010
Pyrene	mg/kg	0.241	0.257	72.0			54-104	6.52	20	WG554010
2,4,6-Tribromophenol				67.08			16-136			WG554010
2-Fluorobiphenyl				67.53			37-119			WG554010
2-Fluorophenol				63.63			22-114			WG554010
Nitrobenzene-d5				62.71			20-114			WG554010
Phenol-d5				73.94			26-127			WG554010
p-Terphenyl-d14				69.23			15-174			WG554010

Analyte	Units	Matrix		Spike	TV	% Rec	Limit	Ref Samp	Batch
		MS Res	Ref Res	TV					
TPH (GC/FID) Low Fraction	mg/kg	24.3	0	5.5	88.2		55-109	L533854-27	WG553474
a,a,a-Trifluorotoluene(FID)					96.91		59-128		WG553474
TPH (GC/FID) Low Fraction	mg/kg	23.6	0	5.5	85.8		55-109	L533821-02	WG553342
a,a,a-Trifluorotoluene(FID)					96.82		59-128		WG553342
Benzene	mg/l	0.364	0.500	.025	0*		16-158	L533619-03	WG553309
Ethylbenzene	mg/l	0.0566	0.0520	.025	18.4*		29-150	L533619-03	WG553309
Toluene	mg/l	0.0602	0.0550	.025	20.9*		22-152	L533619-03	WG553309
Total Xylenes	mg/l	0.104	0.0550	.075	64.8		27-151	L533619-03	WG553309
4-Bromofluorobenzene					94.90		75-128		WG553309
Dibromofluoromethane					77.75*		79-125		WG553309
Toluene-d8					99.96		87-114		WG553309
a,a,a-Trifluorotoluene					94.50		84-114		WG553309
TPH (GC/FID) Low Fraction	mg/kg	24.4	0	5.5	88.7		55-109	L533854-14	WG553415
a,a,a-Trifluorotoluene(FID)					97.57		59-128		WG553415
Benzene	mg/kg	0.101	0	.025	81.0		16-143	L533854-23	WG553769
Ethylbenzene	mg/kg	0.103	0	.025	82.6		12-137	L533854-23	WG553769
Toluene	mg/kg	0.0976	0	.025	78.1		12-136	L533854-23	WG553769
Total Xylenes	mg/kg	0.298	0	.075	79.6		10-138	L533854-23	WG553769
4-Bromofluorobenzene					99.52		59-140		WG553769
Dibromofluoromethane					102.5		63-139		WG553769
Toluene-d8					105.4		84-116		WG553769
a,a,a-Trifluorotoluene					103.7		80-118		WG553769

TPH (GC/FID) Low Fraction mg/kg 21.5 0 5.5 78.2 55-109 L533934-14 WG553784

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
 Mr. Dustin Krajewski
 1601 Prospect Parkway

Fort Collins, CO 80525

12065 Lebanon Rd.
 Mt. Juliet, TN 37122
 (615) 758-5858
 1-800-767-5859
 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L533854

September 12, 2011

Analyte	Units	Matrix		Spike	% Rec	Limit	Ref Samp	Batch
		MS Res	Ref Res	TV				
a,a,a-Trifluorotoluene(FID)	mg/kg	28.7	2.41	5.5	102.4	59-128		
TPH (GC/FID) Low Fraction	mg/kg				95.7	55-109	L534118-09	WG553911
a,a,a-Trifluorotoluene(FID)	mg/kg				102.2	59-128		WG553911
1,2,4-Trichlorobenzene	mg/kg	0.213	0	.333	63.9	27-118	L534248-06	WG554010
2,4,6-Trichlorophenol	mg/kg	0.234	0	.333	70.1	18-140	L534248-06	WG554010
2,4-Dichlorophenol	mg/kg	0.231	0	.333	69.3	30-134	L534248-06	WG554010
2,4-Dimethylphenol	mg/kg	0.218	0	.333	65.5	13-147	L534248-06	WG554010
2,4-Dinitrophenol	mg/kg	0.0839	0	.333	25.2	10-110	L534248-06	WG554010
2,4-Dinitrotoluene	mg/kg	0.218	0	.333	65.4	12-146	L534248-06	WG554010
2,6-Dinitrotoluene	mg/kg	0.230	0	.333	69.0	10-150	L534248-06	WG554010
2-Chloronaphthalene	mg/kg	0.229	0	.333	68.6	31-127	L534248-06	WG554010
2-Chlorophenol	mg/kg	0.200	0	.333	60.0	26-120	L534248-06	WG554010
2-Nitrophenol	mg/kg	0.181	0	.333	54.5	10-156	L534248-06	WG554010
3,3-Dichlorobenzidine	mg/kg	0.167	0	.333	50.1	10-127	L534248-06	WG554010
4,6-Dinitro-2-methylphenol	mg/kg	0.0158	0	.333	4.74*	10-124	L534248-06	WG554010
4-Bromophenyl-phenylether	mg/kg	0.248	0	.333	74.6	27-150	L534248-06	WG554010
4-Chloro-3-methylphenol	mg/kg	0.224	0	.333	67.3	24-140	L534248-06	WG554010
4-Chlorophenyl-phenylether	mg/kg	0.223	0	.333	67.0	27-142	L534248-06	WG554010
4-Nitrophenol	mg/kg	0.220	0	.333	66.0	10-166	L534248-06	WG554010
Acenaphthene	mg/kg	0.238	0	.333	71.6	30-132	L534248-06	WG554010
Acenaphthylene	mg/kg	0.240	0	.333	71.9	31-144	L534248-06	WG554010
Anthracene	mg/kg	0.246	0	.333	73.9	27-140	L534248-06	WG554010
Benzidine	mg/kg	0.00685	0	.333	2.06*	10-55	L534248-06	WG554010
Benzo(a)anthracene	mg/kg	0.259	0	.333	77.6	22-139	L534248-06	WG554010
Benzo(a)pyrene	mg/kg	0.280	0	.333	84.2	16-148	L534248-06	WG554010
Benzo(b)fluoranthene	mg/kg	0.330	0	.333	99.2	13-152	L534248-06	WG554010
Benzo(g,h,i)perylene	mg/kg	0.0897	0	.333	26.9	10-137	L534248-06	WG554010
Benzo(k)fluoranthene	mg/kg	0.336	0	.333	101.	15-152	L534248-06	WG554010
Benzylbutyl phthalate	mg/kg	0.237	0	.333	71.3	20-168	L534248-06	WG554010
Bis(2-chlorethoxy)methane	mg/kg	0.241	0	.333	72.2	32-141	L534248-06	WG554010
Bis(2-chloroethyl)ether	mg/kg	0.232	0	.333	69.8	25-139	L534248-06	WG554010
Bis(2-chloroisopropyl)ether	mg/kg	0.208	0	.333	62.4	32-128	L534248-06	WG554010
Bis(2-ethylhexyl)phthalate	mg/kg	0.230	0	.333	69.0	20-163	L534248-06	WG554010
Chrysene	mg/kg	0.262	0	.333	70.6	20-139	L534248-06	WG554010
Di-n-butyl phthalate	mg/kg	0.240	0	.333	72.2	24-149	L534248-06	WG554010
Di-n-octyl phthalate	mg/kg	0.243	0	.333	73.1	14-164	L534248-06	WG554010
Dibenz(a,h)anthracene	mg/kg	0.110	0	.333	33.0	10-137	L534248-06	WG554010
Diethyl phthalate	mg/kg	0.246	0	.333	73.8	28-142	L534248-06	WG554010
Dimethyl phthalate	mg/kg	0.234	0	.333	70.2	31-142	L534248-06	WG554010
Fluoranthene	mg/kg	0.308	0	.333	92.6	24-145	L534248-06	WG554010
Fluorene	mg/kg	0.224	0	.333	67.2	30-138	L534248-06	WG554010
Hexachloro-1,3-butadiene	mg/kg	0.237	0	.333	71.2	29-136	L534248-06	WG554010
Hexachlorobenzene	mg/kg	0.227	0	.333	68.0	26-136	L534248-06	WG554010
Hexachlorocyclopentadiene	mg/kg	0.137	0	.333	41.2	10-124	L534248-06	WG554010
Hexachloroethane	mg/kg	0.158	0	.333	47.5	21-107	L534248-06	WG554010
Indeno(1,2,3-cd)pyrene	mg/kg	0.111	0	.333	33.2	10-139	L534248-06	WG554010
Isophorone	mg/kg	0.196	0	.333	58.9	26-134	L534248-06	WG554010
n-Nitrosodi-n-propylamine	mg/kg	0.229	0	.333	68.6	24-141	L534248-06	WG554010
n-Nitrosodimethylamine	mg/kg	0.146	0	.333	43.9	18-126	L534248-06	WG554010
n-Nitrosodiphenylamine	mg/kg	0.240	0	.333	72.2	16-128	L534248-06	WG554010
Naphthalene	mg/kg	0.231	0	.333	69.4	31-124	L534248-06	WG554010
Nitrobenzene	mg/kg	0.232	0	.333	69.7	22-122	L534248-06	WG554010
Pentachlorophenol	mg/kg	0.207	0	.333	62.0	10-124	L534248-06	WG554010
Phenanthrene	mg/kg	0.288	0	.333	86.4	25-139	L534248-06	WG554010
Phenol	mg/kg	0.199	0	.333	59.7	22-129	L534248-06	WG554010
Pyrene	mg/kg	0.259	0	.333	71.7	23-145	L534248-06	WG554010
2,4,6-Tribromophenol	mg/kg				76.33	16-136		WG554010

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway
Fort Collins, CO 80525

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L533854

September 12, 2011

Analyte	Units	MSD	Matrix Ref	Spike %Rec	Duplicate	Limit	RPD	Limit	Ref Samp	Batch
2-Fluorobiphenyl						69.94		37-119		
2-Fluorophenol						49.75		22-114		
Nitrobenzene-d5						74.66		20-114		
Phenol-d5						73.30		26-127		
p-Terphenyl-d14						65.01		15-174		
Analyte	Units	MSD	Matrix Ref	Spike %Rec	Duplicate	Limit	RPD	Limit	Ref Samp	Batch
TPH (GC/FID) Low Fraction	mg/kg	26.6	24.3	96.6		55-109	9.06	20	L533854-27	WG553474
a,a,a-Trifluorotoluene(FID)				96.97		59-128				WG553474
TPH (GC/FID) Low Fraction	mg/kg	22.3	23.6	81.2		55-109	5.39	20	L533821-02	WG553342
a,a,a-Trifluorotoluene(FID)				95.17		59-128				WG553342
Benzene	mg/l	0.369	0.364	0*		16-158	1.50	21	L533619-03	WG553309
Ethylbenzene	mg/l	0.0589	0.0566	27.6*		29-150	3.95	24	L533619-03	WG553309
Toluene	mg/l	0.0596	0.0602	18.4*		22-152	1.05	22	L533619-03	WG553309
Total Xylenes	mg/l	0.106	0.104	68.4		27-151	2.52	23	L533619-03	WG553309
4-Bromofluorobenzene				95.50		75-128				WG553309
Dibromofluoromethane				77.07*		79-125				WG553309
Toluene-d8				100.3		87-114				WG553309
a,a,a-Trifluorotoluene				94.16		84-114				WG553309
Benzene	mg/kg	0.109	0.101	86.9		16-143	7.01	31	L533854-23	WG553769
Ethylbenzene	mg/kg	0.117	0.103	93.8		12-137	12.7	36	L533854-23	WG553769
Toluene	mg/kg	0.105	0.0976	84.0		12-136	7.37	32	L533854-23	WG553769
Total Xylenes	mg/kg	0.338	0.298	90.2		10-138	12.5	36	L533854-23	WG553769
4-Bromofluorobenzene				101.3		59-140				WG553769
Dibromofluoromethane				101.4		63-139				WG553769
Toluene-d8				103.4		84-116				WG553769
a,a,a-Trifluorotoluene				105.0		80-118				WG553769
TPH (GC/FID) Low Fraction	mg/kg	24.9	21.5	90.5		55-109	14.6	20	L533934-14	WG553784
a,a,a-Trifluorotoluene(FID)				103.8		59-128				WG553784
TPH (GC/FID) Low Fraction	mg/kg	21.3	24.4	77.3		55-109	13.7	20	L533854-14	WG553415
a,a,a-Trifluorotoluene(FID)				96.02		59-128				WG553415
TPH (GC/FID) Low Fraction	mg/kg	24.5	28.7	80.2		55-109	16.1	20	L534118-09	WG553911
a,a,a-Trifluorotoluene(FID)				100.2		59-128				WG553911

Batch number /Run number / Sample number cross reference

WG553400: R1844515: L533854-02 05 07 09 10 12 14 16 18 19

WG553355: R1844533: L533854-01 03 04 06 08 11 13 15 17

WG553474: R1844752: L533854-27 28

WG553586: R1844813: L533854-20 21 22 23 25 26

WG553587: R1844814: L533854-27 28

WG553342: R1844992: L533854-02 05 07 10 12

WG553309: R1845772: L533854-29

WG553588: R1845992: L533854-20

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway
Fort Collins, CO 80525

Quality Assurance Report
Level II

L533854

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

September 12, 2011

WG553415: R1846272: L533854-14 16 18 19 21 22 26
WG553769: R1846572: L533854-20 23 24 25
WG553784: R1848293: L533854-09
WG553911: R1849132: L533854-20 23 25
WG554010: R1850133: L533854-12

* * Calculations are performed prior to rounding of reported values.
* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway
Fort Collins, CO 80525

Quality Assurance Report
Level II

L533854

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

September 12, 2011

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier.

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.

Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier.

Company Name/Address AECOM 1601 Prospect Parkway Fort Collins, CO 80525				Alternate Billing				Analysis/Container/Preservative				Chain of Custody Page <u>2</u> of <u>4</u>	
												Report to: <u>Dustin krujewski</u>	
Project Description: <u>Pavillion, wY Encane</u>												 ENVIRONMENTAL Science corp	
PHONE: (970)493-8878		Client Project No.		Lab Project #						12065 Lebanon Road			
FAX: (970)493-0213										Mt. Juliet TN 37122			
Collected by: <u>Terry Hershman</u>	Site/Facility ID# <u>Pavillion wY</u>		P.O.#						Phone (615)758-5858				
Collected by(signature): <u>Terry Hershman</u>	Rush? (Lab MUST be Notified) <input checked="" type="checkbox"/> Same Day.....200% <input type="checkbox"/> Next Day.....100% <input type="checkbox"/> Two Day.....50%		Date Results Needed Email? <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes FAX? <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes		No of Cntrs	TPH (8015)	RT-EX (8266)	SVOCs (2021)	SPE	Phone (800) 767-5859			
Packed on Ice N <input checked="" type="checkbox"/>										FAX (615)758-5859			
Sample ID	Comp/Grab	Matrix	Depth	Date	Time					Remarks/contaminant	Sample # (lab only)		
SB-2-11 (PF-34-3)(11-12)	Grab	SS	11-12	8/30/11	—	1	X				L533854-10		
SB-5-11 (PF-34-3)(0-1)			0-1		11:30	1		X			-11		
SB-5-11 (PF-34-3)(11-12)			11-12		11:25	1	X				-12		
SB-6-11 (PF-34-3)(0-1)			0-1		12:05	1		X			-13		
SB-6-11 (PF-34-3)(11-12)			11-12		12:30	1	X				-14		
SB-7-11 (PP-34-3)(0-1)			0-1		12:47	1		X			-15		
SB-7-11 (PF-34-3)(11-12)			11-12		12:45	1	X				-16		
SB-8-11 (PF-34-3)(0-1)			0-1		13:05	1		X			-17		
SB-8-11 (PF-34-3)(11-12)			11-12		13:00	1	X				-18		

Matrix: SS-Soil/Solid GW-Groundwater WW-Wastewater DW-Drinking Water OT- Other _____

pH _____ Temp _____

Remarks:

Flow _____ Other _____

Relinquisher by:(Signature) <u>Terry Hershman</u>	Date: 8/31/11	Time: 1630	Received by:(Signature) <u>John</u>	Samples returned via: FedEx <input checked="" type="checkbox"/> UPS <input type="checkbox"/> Other <input type="checkbox"/>	Condition <input type="checkbox"/> <input checked="" type="checkbox"/> (lab use only)
Relinquisher by:(Signature) <u>John</u>	Date:	Time:	Received by: (Signature) <u>John</u>	Temp: 34	Bottles Received: 34 11
Relinquisher by:(Signature) <u>John</u>	Date:	Time:	Received for lab by: (Signature) <u>John</u>	Date: 9-1-11	pH Checked: 09/01 NCF: <input type="checkbox"/>

Company Name/Address AECOM 1601 Prospect Parkway Fort Collins, CO 80525				Alternate Billing				Analysis/Container/Preservative				Chain of Custody Page <u>3</u> of <u>4</u>	
												Prepared by: ENVIRONMENTAL Science corp 12065 Lebanon Road Mt. Juliet TN 37122 Phone (615)758-5858 Phone (800) 767-5859 FAX (615)758-5859	
				Report to: <i>Dustin Krause</i>								CoCode (lab use only)	
				E-mail to: <i>@aecom.com</i>								Template/Prelogin	
Project Description: <i>Encana Pavilion WY</i>												Shipped Via: Denver Service Center	
PHONE: (970)493-8878	Client Project No.			Lab Project #							Remarks/contaminant Sample # (lab only)		
FAX: (970)493-0213											<i>L533854-A</i>		
Collected by: <i>Terry Huskins</i>	Site/Facility ID# <i>Pavilion, WY</i>			P.O.#							-20		
Collected by(signature): <i>Z.T.H.</i>	Rush? (Lab MUST be Notified) <input type="checkbox"/> Same Day.....200% <input type="checkbox"/> Next Day.....100% <input type="checkbox"/> Two Day.....50%			Date Results Needed Email? <input type="checkbox"/> No <input type="checkbox"/> Yes FAX? <input type="checkbox"/> No <input type="checkbox"/> Yes			No of Cntrs				-21		
Packed on Ice N <input checked="" type="checkbox"/>											-22		
Sample ID	Comp/Grab	Matrix	Depth	Date	Time							-33	
SB-1-11 (TP-31x-3)(8-10)	Grab	SS	8-10	8/31/11	1440	1 X						-24	
SB-1-11 (TP-31x-3)(10-12)			10-12		1445	3 X	X					-25	
SB-1-11 (TP-31x-3)(12-13)			12-13		1450	1 X						-26	
SB-2-11 (TP-31x-3)(15-16)			15-16		17:46	1 X						-27	
SB-2-11 (TP-31x-3)(12-14)			12-14		15:00	2 X	X						
DUP-3-11 (TP-31x-3)(12-14)			12-14	—	1	X							
SB-3-11 (TP-31x-3)(10-12)			10-12		15:30	2 X	X						
SB-3-11 (TP-31x-3)(12-13)			12-13		15:35	1 X							
SB-4-11 (TP-31x-3)(12-13)	▼	▼	12-13	▼	16:05	1 X							

Matrix: SS-Soil/Solid GW-Groundwater WW-Wastewater DW-Drinking Water OT- Other _____

pH _____ Temp _____

Remarks: _____

Flow _____ Other _____

Relinquisher by (Signature) <i>Z.T.H.</i>	Date: 8/31/11	Time: 1630	Received by (Signature) <i>Dustin Krause</i>	Samples returned via: FedEx <input checked="" type="checkbox"/> UPS <input type="checkbox"/> Other _____	Condition _____	(lab use only) <i>COLCE</i>
Relinquisher by (Signature) <i>_____</i>	Date: _____	Time: _____	Received by (Signature) <i>_____</i>	Temp: 34	Bottles Received: 34 + 1B	NCF _____
Relinquisher by (Signature) <i>_____</i>	Date: _____	Time: _____	Received for lab by (Signature) <i>Karen Duke</i>	Date: 9/1/11	Time: 0900	pH Checked: _____

Company Name/Address AECOM 1601 Prospect Parkway Fort Collins, CO 80525			Alternate Billing			Analysis/Container/Preservative			Chain of Custody Page <u>4</u> of <u>4</u>			
			Report to: Dustin Krajewski									
			E-mail to: @aecom.com Dustin.Krajewski									
Project Description: Encana Pavilion w/7												
PHONE: (970)493-8878 FAX: (970)493-0213		Client Project No.		Lab Project #								
Collected by: <i>Terry Hushan</i>		Site/Facility ID# Pavilion, WY		P.O.#								
Collected by(signature): <i>Z.T. M</i>		Rush? (Lab MUST be Notified) Same Day.....200% Next Day.....100% Two Day.....50%		Date Results Needed Email? <u>No</u> Yes FAX? <u>No</u> Yes		No of Cntrs TPH - Sed & Dsp (80-15) TSTEX (8220) SDCS (8071) SAR				CoCode (lab use only)		
Packed on Ice N <u>Y</u> <u>X</u>										Template/Prellogin		
Sample ID		Comp/Grab	Matrix	Depth	Date		Time				Shipped Via: Denver Service Center	
SB-511(TP-31x3)(10-11.5)		Grab	SS	10-11.5	8/30/11		16:30				Remarks/contaminant Sample # (lab only)	
Trip Blank		Grab	WT	—	8/30/11		0800				<i>LS33854-26 -24</i>	

Matrix: SS-Soil/Solid GW-Groundwater WW-Wastewater DW-Drinking Water OT- Other _____

pH _____ Temp _____

Remarks:

Flow _____ Other _____

Relinquisher by:(Signature) <i>Z.T. M</i>	Date: 8/31/11	Time: 1630	Received by:(Signature) <i>Salca</i>	Samples returned via: FedEx <input checked="" type="checkbox"/> UPS <input type="checkbox"/> Other _____	Condition: (lab use only) <i>COLC5Z</i>
Relinquisher by:(Signature) <i> </i>	Date:	Time:	Received by: (Signature)	Temp: 34.4 Bottles Received: 34 <i>\$10</i>	NCF:
Relinquisher by:(Signature) <i>Kenneth Duke</i>	Date:	Time:	Received for lab by: (Signature) <i>Kenneth Duke</i>	Date: 9/1/11 Time: 0900 pH Checked:	



NON-CONFORMANCE FORM

Login No.: 1533854

Date: 9-1-11

Evaluated by: Kenneth

Client: ENSRFCO

Non-Conformance (check applicable items)

- Parameter(s) past holding time Login Clarification Needed
 Improper temperature Chain of custody is incomplete
 Improper container type Chain of Custody is missing (see below)
 Improper preservation Broken container(s) (See below)
 Container lid not intact Broken container: sufficient sample
volume remains for analysis requested (See below)

If no COC: Received by _____

Insufficient packing material around container

Date: _____ Time: _____

Insufficient packing material inside cooler

Temp: _____ Cont. Rec: _____ pH: _____

Improper handling by carrier (FedEx / UPS / Courier)

FedEx UPS SWA Other: _____

Sample was frozen

Tracking # _____

① Comments: I have an Extra container for the Id SB-S-11(PF-34-3)(11-12) w/ SVOC's Test container. There is not a SVOC's Test marked on the coc for this Id. ② What TPP?

Login Instructions:

TSR Initials: JH

Client informed by call email fax voice mail date: 9/1/11 time: 13:00

Client contact: Mister Krupski & Jeremy Wurkman

9/2/11 ① Plan SVOC's for SB-S-11(PF-34-3)(11-12) SB-S-11

② GRAY + DODDY



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859
Tax I.D. 62-0814289
Est. 1970

Mr. Dustin Krajewski
AECOM Inc. - Fort Collins, CO
1601 Prospect Parkway
Fort Collins, CO 80525

Report Summary

Monday September 19, 2011

Report Number: L535398

Samples Received: 09/10/11

Client Project: 60196941

Description: EnCana Pavillion

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:

T. Alan Harvill, ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375/DW21704, ND - R-140
NJ - TN002, NJ NELAP - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032008A,
TX - T104704245, OK-9915

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

September 19, 2011

Mr. Dustin Krajewski
AECOM Inc. - Fort Collins, CO
1601 Prospect Parkway
Fort Collins, CO 80525

Date Received : September 10, 2011
Description : EnCana Pavillion
Sample ID : SB-2-11/TP-31-3
Collected By : Dawn Fairchild
Collection Date : 09/09/11 11:05

ESC Sample # : L535398-05
Site ID : PAVILLION
Project # : 60196941

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
TPH (GC/FID) Low Fraction	0.30	0.10	mg/l	GRO	09/10/11	1
Surrogate Recovery-% a,a,a-Trifluorotoluene(FID)	94.3		% Rec.	GRO	09/10/11	1
Benzene	BDL	0.0010	mg/l	8260B	09/11/11	1
Toluene	BDL	0.0050	mg/l	8260B	09/11/11	1
Ethylbenzene	0.0024	0.0010	mg/l	8260B	09/11/11	1
Total Xylenes	BDL	0.0030	mg/l	8260B	09/11/11	1
Surrogate Recovery						
Toluene-d8	103.		% Rec.	8260B	09/11/11	1
Dibromofluoromethane	104.		% Rec.	8260B	09/11/11	1
a,a,a-Trifluorotoluene	100.		% Rec.	8260B	09/11/11	1
4-Bromofluorobenzene	93.6		% Rec.	8260B	09/11/11	1
DRO Wyoming C10-C32						
TPH (GC/FID) High Fraction	1.0	0.10	mg/l	8015	09/14/11	1
Surrogate recovery(%) o-Terphenyl	97.9		% Rec.	8015	09/14/11	1
Base/Neutral Extractables						
Acenaphthene	BDL	0.0010	mg/l	8270C	09/15/11	1
Acenaphthylene	BDL	0.0010	mg/l	8270C	09/15/11	1
Anthracene	BDL	0.0010	mg/l	8270C	09/15/11	1
Benzidine	BDL	0.010	mg/l	8270C	09/15/11	1
Benzo(a)anthracene	BDL	0.0010	mg/l	8270C	09/15/11	1
Benzo(b)fluoranthene	BDL	0.0010	mg/l	8270C	09/15/11	1
Benzo(k)fluoranthene	BDL	0.0010	mg/l	8270C	09/15/11	1
Benzo(g,h,i)perylene	BDL	0.0010	mg/l	8270C	09/15/11	1
Benzo(a)pyrene	BDL	0.0010	mg/l	8270C	09/15/11	1
Bis(2-chlorethoxy)methane	BDL	0.010	mg/l	8270C	09/15/11	1
Bis(2-chloroethyl)ether	BDL	0.010	mg/l	8270C	09/15/11	1
Bis(2-chloroisopropyl)ether	BDL	0.010	mg/l	8270C	09/15/11	1
4-Bromophenyl-phenylether	BDL	0.010	mg/l	8270C	09/15/11	1
2-Chloronaphthalene	BDL	0.0010	mg/l	8270C	09/15/11	1
4-Chlorophenyl-phenylether	BDL	0.010	mg/l	8270C	09/15/11	1
Chrysene	BDL	0.0010	mg/l	8270C	09/15/11	1
Dibenz(a,h)anthracene	BDL	0.0010	mg/l	8270C	09/15/11	1
3,3-Dichlorobenzidine	BDL	0.010	mg/l	8270C	09/15/11	1
2,4-Dinitrotoluene	BDL	0.010	mg/l	8270C	09/15/11	1
2,6-Dinitrotoluene	BDL	0.010	mg/l	8270C	09/15/11	1
Fluoranthene	BDL	0.0010	mg/l	8270C	09/15/11	1
Fluorene	BDL	0.0010	mg/l	8270C	09/15/11	1
Hexachlorobenzene	BDL	0.0010	mg/l	8270C	09/15/11	1
Hexachloro-1,3-butadiene	BDL	0.010	mg/l	8270C	09/15/11	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

September 19, 2011

Mr. Dustin Krajewski
AECOM Inc. - Fort Collins, CO
1601 Prospect Parkway
Fort Collins, CO 80525

Date Received : September 10, 2011
Description : EnCana Pavillion
Sample ID : SB-2-11/TP-31-3
Collected By : Dawn Fairchild
Collection Date : 09/09/11 11:05

ESC Sample # : L535398-05

Site ID : PAVILLION
Project # : 60196941

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Hexachlorocyclopentadiene	BDL	0.010	mg/l	8270C	09/15/11	1
Hexachloroethane	BDL	0.010	mg/l	8270C	09/15/11	1
Indeno(1,2,3-cd)pyrene	BDL	0.0010	mg/l	8270C	09/15/11	1
Isophorone	BDL	0.010	mg/l	8270C	09/15/11	1
Naphthalene	BDL	0.0010	mg/l	8270C	09/15/11	1
Nitrobenzene	BDL	0.010	mg/l	8270C	09/15/11	1
n-Nitrosodimethylamine	BDL	0.010	mg/l	8270C	09/15/11	1
n-Nitrosodiphenylamine	BDL	0.010	mg/l	8270C	09/15/11	1
n-Nitrosodi-n-propylamine	BDL	0.010	mg/l	8270C	09/15/11	1
Phenanthrene	BDL	0.0010	mg/l	8270C	09/15/11	1
Benzylbutyl phthalate	BDL	0.0010	mg/l	8270C	09/15/11	1
Bis(2-ethylhexyl)phthalate	BDL	0.0010	mg/l	8270C	09/15/11	1
Di-n-butyl phthalate	BDL	0.0010	mg/l	8270C	09/15/11	1
Diethyl phthalate	BDL	0.0010	mg/l	8270C	09/15/11	1
Dimethyl phthalate	BDL	0.0010	mg/l	8270C	09/15/11	1
Di-n-octyl phthalate	BDL	0.0010	mg/l	8270C	09/15/11	1
Pyrene	BDL	0.0010	mg/l	8270C	09/15/11	1
1,2,4-Trichlorobenzene	BDL	0.010	mg/l	8270C	09/15/11	1
Acid Extractables						
4-Chloro-3-methylphenol	BDL	0.010	mg/l	8270C	09/15/11	1
2-Chiropheol	BDL	0.010	mg/l	8270C	09/15/11	1
2,4-Dichlorophenol	BDL	0.010	mg/l	8270C	09/15/11	1
2,4-Dimethylphenol	BDL	0.010	mg/l	8270C	09/15/11	1
4,6-Dinitro-2-methylphenol	BDL	0.010	mg/l	8270C	09/15/11	1
2,4-Dinitrophenol	BDL	0.010	mg/l	8270C	09/15/11	1
2-Nitrophenol	BDL	0.010	mg/l	8270C	09/15/11	1
4-Nitrophenol	BDL	0.010	mg/l	8270C	09/15/11	1
Pentachlorophenol	BDL	0.010	mg/l	8270C	09/15/11	1
Phenol	BDL	0.010	mg/l	8270C	09/15/11	1
2,4,6-Trichlorophenol	BDL	0.010	mg/l	8270C	09/15/11	1
Surrogate Recovery						
2-Fluorophenol	40.9	% Rec.	8270C	09/15/11	1	
Phenol-d5	32.4	% Rec.	8270C	09/15/11	1	
Nitrobenzene-d5	43.4	% Rec.	8270C	09/15/11	1	
2-Fluorobiphenyl	48.6	% Rec.	8270C	09/15/11	1	
2,4,6-Tribromophenol	78.2	% Rec.	8270C	09/15/11	1	
p-Terphenyl-d14	47.7	% Rec.	8270C	09/15/11	1	

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 09/19/11 15:23 Printed: 09/19/11 15:24



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

September 19, 2011

Mr. Dustin Krajewski
AECOM Inc. - Fort Collins, CO
1601 Prospect Parkway
Fort Collins, CO 80525

Date Received : September 10, 2011
Description : EnCana Pavillion
Sample ID : DUP TP-31-3
Collected By : Dawn Fairchild
Collection Date : 09/09/11 00:00

ESC Sample # : L535398-08
Site ID : PAVILLION
Project # : 60196941

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
TPH (GC/FID) Low Fraction	0.46	0.10	mg/l	GRO	09/13/11	1
Surrogate Recovery-% a,a,a-Trifluorotoluene(FID)	95.9		% Rec.	GRO	09/13/11	1
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	09/13/11	1
Acrolein	BDL	0.050	mg/l	8260B	09/15/11	1
Acrylonitrile	BDL	0.010	mg/l	8260B	09/13/11	1
Benzene	BDL	0.0010	mg/l	8260B	09/13/11	1
Bromobenzene	BDL	0.0010	mg/l	8260B	09/13/11	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	09/13/11	1
Bromoform	BDL	0.0010	mg/l	8260B	09/13/11	1
Bromomethane	BDL	0.0050	mg/l	8260B	09/13/11	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	09/13/11	1
sec-Butylbenzene	0.0017	0.0010	mg/l	8260B	09/13/11	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	09/13/11	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	09/13/11	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	09/13/11	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	09/13/11	1
Chloroethane	BDL	0.0050	mg/l	8260B	09/13/11	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	09/13/11	1
Chloroform	BDL	0.0050	mg/l	8260B	09/13/11	1
Chloromethane	BDL	0.0025	mg/l	8260B	09/13/11	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	09/13/11	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	09/13/11	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	09/13/11	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	09/13/11	1
Dibromomethane	BDL	0.0010	mg/l	8260B	09/13/11	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	09/13/11	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	09/13/11	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	09/13/11	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	09/13/11	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	09/13/11	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	09/13/11	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	09/13/11	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	09/13/11	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	09/13/11	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	09/13/11	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	09/13/11	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	09/13/11	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	09/13/11	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	09/13/11	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	09/13/11	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	09/13/11	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

September 19, 2011

Mr. Dustin Krajewski
AECOM Inc. - Fort Collins, CO
1601 Prospect Parkway
Fort Collins, CO 80525

Date Received : September 10, 2011
Description : EnCana Pavillion
Sample ID : DUP TP-31-3
Collected By : Dawn Fairchild
Collection Date : 09/09/11 00:00

ESC Sample # : L535398-08
Site ID : PAVILLION
Project # : 60196941

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Ethylbenzene	0.0019	0.0010	mg/l	8260B	09/13/11	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	09/13/11	1
Isopropylbenzene	0.0016	0.0010	mg/l	8260B	09/13/11	1
p-Isopropyltoluene	0.0031	0.0010	mg/l	8260B	09/13/11	1
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	09/13/11	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	09/13/11	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	09/13/11	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	09/13/11	1
Naphthalene	BDL	0.0050	mg/l	8260B	09/13/11	1
n-Propylbenzene	0.0016	0.0010	mg/l	8260B	09/13/11	1
Styrene	BDL	0.0010	mg/l	8260B	09/13/11	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	09/13/11	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	09/13/11	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	09/13/11	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	09/13/11	1
Toluene	BDL	0.0050	mg/l	8260B	09/13/11	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	09/13/11	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	09/13/11	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	09/13/11	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	09/13/11	1
Trichloroethene	BDL	0.0010	mg/l	8260B	09/13/11	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	09/13/11	1
1,2,3-Trichloropropane	BDL	0.0025	mg/l	8260B	09/13/11	1
1,2,4-Trimethylbenzene	0.014	0.0010	mg/l	8260B	09/13/11	1
1,2,3-Trimethylbenzene	0.0025	0.0010	mg/l	8260B	09/13/11	1
1,3,5-Trimethylbenzene	0.027	0.0010	mg/l	8260B	09/13/11	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	09/13/11	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	09/13/11	1
Surrogate Recovery						
Toluene-d8	106.		% Rec.	8260B	09/13/11	1
Dibromofluoromethane	98.6		% Rec.	8260B	09/13/11	1
4-Bromofluorobenzene	108.		% Rec.	8260B	09/13/11	1
DRO Wyoming C10-C32						
TPH (GC/FID) High Fraction	1.0	0.10	mg/l	8015	09/14/11	1
Surrogate recovery(%)						
o-Terphenyl	95.4		% Rec.	8015	09/14/11	1
Base/Neutral Extractables						
Acenaphthene	BDL	0.00020	mg/l	8270C	09/16/11	1
Acenaphthylene	BDL	0.00020	mg/l	8270C	09/16/11	1
Anthracene	BDL	0.00020	mg/l	8270C	09/16/11	1
Benzidine	BDL	0.050	mg/l	8270C	09/15/11	1
Benzo(a)anthracene	BDL	0.00020	mg/l	8270C	09/16/11	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

September 19, 2011

Mr. Dustin Krajewski
AECOM Inc. - Fort Collins, CO
1601 Prospect Parkway
Fort Collins, CO 80525

Date Received : September 10, 2011
Description : EnCana Pavillion
Sample ID : DUP TP-31-3
Collected By : Dawn Fairchild
Collection Date : 09/09/11 00:00

ESC Sample # : L535398-08
Site ID : PAVILLION
Project # : 60196941

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Benzo(b)fluoranthene	BDL	0.00020	mg/l	8270C	09/16/11	1
Benzo(k)fluoranthene	BDL	0.00020	mg/l	8270C	09/16/11	1
Benzo(g,h,i)perylene	BDL	0.00020	mg/l	8270C	09/16/11	1
Benzo(a)pyrene	BDL	0.00020	mg/l	8270C	09/16/11	1
Bis(2-chlorethoxy)methane	BDL	0.010	mg/l	8270C	09/15/11	1
Bis(2-chloroethyl)ether	BDL	0.010	mg/l	8270C	09/15/11	1
Bis(2-chloroisopropyl)ether	BDL	0.010	mg/l	8270C	09/15/11	1
4-Bromophenyl-phenylether	BDL	0.010	mg/l	8270C	09/15/11	1
2-Chloronaphthalene	BDL	0.010	mg/l	8270C	09/16/11	1
4-Chlorophenyl-phenylether	BDL	0.010	mg/l	8270C	09/15/11	1
Chrysene	BDL	0.00020	mg/l	8270C	09/16/11	1
Dibenz(a,h)anthracene	BDL	0.00020	mg/l	8270C	09/16/11	1
Dibenzofuran	BDL	0.010	mg/l	8270C	09/15/11	1
3,3-Dichlorobenzidine	BDL	0.010	mg/l	8270C	09/15/11	1
2,4-Dinitrotoluene	BDL	0.010	mg/l	8270C	09/15/11	1
2,6-Dinitrotoluene	BDL	0.010	mg/l	8270C	09/15/11	1
Fluoranthene	BDL	0.00020	mg/l	8270C	09/16/11	1
Fluorene	BDL	0.00020	mg/l	8270C	09/16/11	1
Hexachlorobenzene	BDL	0.0010	mg/l	8270C	09/15/11	1
Hexachloro-1,3-butadiene	BDL	0.010	mg/l	8270C	09/15/11	1
Hexachlorocyclopentadiene	BDL	0.010	mg/l	8270C	09/15/11	1
Hexachloroethane	BDL	0.010	mg/l	8270C	09/15/11	1
Indeno(1,2,3-cd)pyrene	BDL	0.00020	mg/l	8270C	09/16/11	1
Isophorone	BDL	0.010	mg/l	8270C	09/15/11	1
Naphthalene	BDL	0.0010	mg/l	8270C	09/16/11	1
Nitrobenzene	BDL	0.0075	mg/l	8270C	09/15/11	1
n-Nitrosodimethylamine	BDL	0.050	mg/l	8270C	09/15/11	1
n-Nitrosodiphenylamine	BDL	0.010	mg/l	8270C	09/15/11	1
n-Nitrosodi-n-propylamine	BDL	0.010	mg/l	8270C	09/15/11	1
Phenanthrone	BDL	0.00020	mg/l	8270C	09/16/11	1
Benzylbutyl phthalate	BDL	0.010	mg/l	8270C	09/15/11	1
Bis(2-ethylhexyl)phthalate	BDL	0.0060	mg/l	8270C	09/15/11	1
Di-n-butyl phthalate	BDL	0.010	mg/l	8270C	09/15/11	1
Diethyl phthalate	BDL	0.010	mg/l	8270C	09/15/11	1
Dimethyl phthalate	BDL	0.010	mg/l	8270C	09/15/11	1
Di-n-octyl phthalate	BDL	0.010	mg/l	8270C	09/15/11	1
Pyrene	BDL	0.00020	mg/l	8270C	09/16/11	1
Pyridine	BDL	0.010	mg/l	8270C	09/15/11	1
1,2,4-Trichlorobenzene	BDL	0.010	mg/l	8270C	09/15/11	1
Acid Extractables						
4-Chloro-3-methylphenol	BDL	0.010	mg/l	8270C	09/15/11	1
2-Chlorophenol	BDL	0.010	mg/l	8270C	09/15/11	1
2,4-Dichlorophenol	BDL	0.010	mg/l	8270C	09/15/11	1
2,4-Dimethylphenol	BDL	0.010	mg/l	8270C	09/15/11	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

September 19, 2011

Mr. Dustin Krajewski
AECOM Inc. - Fort Collins, CO
1601 Prospect Parkway
Fort Collins, CO 80525

Date Received : September 10, 2011
Description : EnCana Pavillion
Sample ID : DUP TP-31-3
Collected By : Dawn Fairchild
Collection Date : 09/09/11 00:00

ESC Sample # : L535398-08

Site ID : PAVILLION
Project # : 60196941

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
4,6-Dinitro-2-methylphenol	BDL	0.010	mg/l	8270C	09/15/11	1
2,4-Dinitrophenol	BDL	0.010	mg/l	8270C	09/15/11	1
2-Methylphenol	BDL	0.010	mg/l	8270C	09/15/11	1
3&4-methyl phenol	BDL	0.010	mg/l	8270C	09/15/11	1
2-Nitrophenol	BDL	0.010	mg/l	8270C	09/15/11	1
4-Nitrophenol	BDL	0.010	mg/l	8270C	09/15/11	1
Phenol	BDL	0.010	mg/l	8270C	09/15/11	1
Pentachlorophenol	BDL	0.0010	mg/l	8270C	09/15/11	1
2,4,5-Trichlorophenol	BDL	0.050	mg/l	8270C	09/15/11	1
2,4,6-Trichlorophenol	BDL	0.010	mg/l	8270C	09/15/11	1
Surrogate Recovery						
2-Fluorophenol	39.3		% Rec.	8270C	09/15/11	1
Phenol-d5	29.6		% Rec.	8270C	09/15/11	1
Nitrobenzene-d5	36.1		% Rec.	8270C	09/15/11	1
2-Fluorobiphenyl	41.1		% Rec.	8270C	09/15/11	1
2,4,6-Tribromophenol	76.8		% Rec.	8270C	09/15/11	1
p-Terphenyl-d14	51.4		% Rec.	8270C	09/15/11	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 09/19/11 15:23 Printed: 09/19/11 15:24

Page 16 of 37

EPAPAV0130484

Attachment A
List of Analytes with QC Qualifiers

Sample Number	Work Group	Sample Type	Analyte	Run ID	Qualifier
L535398-01	WG554605	SAMP	o-Terphenyl	R1858592	J7
L535398-02	WG555187	SAMP	2-Chlorophenol	R1860474	J3
	WG555187	SAMP	Pentachlorophenol	R1860474	J3
L535398-04	WG555187	SAMP	2-Chlorophenol	R1860474	J3
	WG555187	SAMP	Pentachlorophenol	R1860474	J3
L535398-05	WG555187	SAMP	2-Chlorophenol	R1860474	J3
	WG555187	SAMP	Pentachlorophenol	R1860474	J3
L535398-06	WG555370	SAMP	o-Terphenyl	R1861012	J1
L535398-07	WG555165	SAMP	Ferrous Iron	R1861275	T8
L535398-08	WG555187	SAMP	2-Chlorophenol	R1860474	J3
	WG555187	SAMP	Pentachlorophenol	R1860474	J3
	WG554909	SAMP	Chloromethane	R1857732	J4
	WG554909	SAMP	1,2-Dichlorobenzene	R1857732	J4
	WG554909	SAMP	Styrene	R1857732	J4
	WG554909	SAMP	Vinyl chloride	R1857732	J4

Attachment B
Explanation of QC Qualifier Codes

Qualifier	Meaning
J1	Surrogate recovery limits have been exceeded; values are outside upper control limits
J3	The associated batch QC was outside the established quality control range for precision.
J4	The associated batch QC was outside the established quality control range for accuracy.
J7	Surrogate recovery limits cannot be evaluated; surrogates were diluted out
T8	(ESC) - Additional method/sample information: Sample(s) received past/too close to holding time expiration.

Qualifier Report Information

ESC utilizes sample and result qualifiers as set forth by the EPA Contract Laboratory Program and as required by most certifying bodies including NELAC. In addition to the EPA qualifiers adopted by ESC, we have implemented ESC qualifiers to provide more information pertaining to our analytical results. Each qualifier is designated in the qualifier explanation as either EPA or ESC. Data qualifiers are intended to provide the ESC client with more detailed information concerning the potential bias of reported data. Because of the wide range of constituents and variety of matrices incorporated by most EPA methods, it is common for some compounds to fall outside of established ranges. These exceptions are evaluated and all reported data is valid and useable "unless qualified as 'R' (Rejected)."

Definitions

Accuracy - The relationship of the observed value of a known sample to the true value of a known sample. Represented by percent recovery and relevant to samples such as: control samples, matrix spike recoveries, surrogate recoveries, etc.

Precision - The agreement between a set of samples or between duplicate samples. Relates to how close together the results are and is represented by Relative Percent Difference.

Surrogate - Organic compounds that are similar in chemical composition, extraction, and chromatography to analytes of interest. The surrogates are used to determine the probable response of the group of analytes that are chemically related to the surrogate compound. Surrogates are added to the sample and carried through all stages of preparation and analyses.

TIC - Tentatively Identified Compound: Compounds detected in samples that are not target compounds, internal standards, system monitoring compounds, or surrogates.

Summary of Remarks For Samples Printed
09/19/11 at 15:24:20

TSR Signing Reports: 044
R5 - Desired TAT

Always run BTEX by 8260 unless noted otherwise. In 9/2/11

Sample: L535398-01 Account: ENSRFCCO Received: 09/10/11 11:30 Due Date: 09/16/11 00:00 RPT Date: 09/19/11 15:23
Sample: L535398-02 Account: ENSRFCCO Received: 09/10/11 11:30 Due Date: 09/16/11 00:00 RPT Date: 09/19/11 15:23
Sample: L535398-03 Account: ENSRFCCO Received: 09/10/11 11:30 Due Date: 09/16/11 00:00 RPT Date: 09/19/11 15:23
Sample: L535398-04 Account: ENSRFCCO Received: 09/10/11 11:30 Due Date: 09/16/11 00:00 RPT Date: 09/19/11 15:23
Sample: L535398-05 Account: ENSRFCCO Received: 09/10/11 11:30 Due Date: 09/16/11 00:00 RPT Date: 09/19/11 15:23
Sample: L535398-06 Account: ENSRFCCO Received: 09/10/11 11:30 Due Date: 09/16/11 00:00 RPT Date: 09/19/11 15:23
Sample: L535398-07 Account: ENSRFCCO Received: 09/10/11 11:30 Due Date: 09/16/11 00:00 RPT Date: 09/19/11 15:23
Sample: L535398-08 Account: ENSRFCCO Received: 09/10/11 11:30 Due Date: 09/16/11 00:00 RPT Date: 09/19/11 15:23



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway
Fort Collins, CO 80525

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L535398

September 19, 2011

Analyte	Result	Laboratory Blank Units	% Rec.	Limit	Batch	Date Analyzed
Nitrate	< .1	mg/l			WG554558	09/10/11 21:08
TPH (GC/FID) Low Fraction	< .1	mg/l			WG554541	09/10/11 19:58
a,a,a-Trifluorotoluene(FID)		% Rec.	94.41	62-128	WG554541	09/10/11 19:58
Benzene	< .001	mg/l			WG554548	09/11/11 10:00
Ethylbenzene	< .001	mg/l			WG554548	09/11/11 10:00
Toluene	< .005	mg/l			WG554548	09/11/11 10:00
Total Xylenes	< .003	mg/l			WG554548	09/11/11 10:00
4-Bromofluorobenzene		% Rec.	90.90	82-120	WG554548	09/11/11 10:00
Dibromofluoromethane		% Rec.	108.2	82-126	WG554548	09/11/11 10:00
Toluene-d8		% Rec.	104.2	92-112	WG554548	09/11/11 10:00
a,a,a-Trifluorotoluene		% Rec.	99.72	90-116	WG554548	09/11/11 10:00
TPH (GC/FID) Low Fraction	< .1	mg/l			WG554738	09/12/11 16:11
a,a,a-Trifluorotoluene(FID)		% Rec.	103.9	62-128	WG554738	09/12/11 16:11
TPH (GC/FID) Low Fraction	< .1	mg/l			WG554885	09/13/11 16:03
a,a,a-Trifluorotoluene(FID)		% Rec.	97.29	62-128	WG554885	09/13/11 16:03
Benzene	< .001	mg/l			WG554911	09/13/11 12:58
Ethylbenzene	< .001	mg/l			WG554911	09/13/11 12:58
Toluene	< .005	mg/l			WG554911	09/13/11 12:58
Total Xylenes	< .003	mg/l			WG554911	09/13/11 12:58
4-Bromofluorobenzene		% Rec.	114.6	82-120	WG554911	09/13/11 12:58
Dibromofluoromethane		% Rec.	103.9	82-126	WG554911	09/13/11 12:58
Toluene-d8		% Rec.	103.5	92-112	WG554911	09/13/11 12:58
a,a,a-Trifluorotoluene		% Rec.	109.6	90-116	WG554911	09/13/11 12:58
1,1,1,2-Tetrachloroethane	< .001	mg/l			WG554909	09/13/11 13:07
1,1,1-Trichloroethane	< .001	mg/l			WG554909	09/13/11 13:07
1,1,2,2-Tetrachloroethane	< .001	mg/l			WG554909	09/13/11 13:07
1,1,2-Trichloroethane	< .001	mg/l			WG554909	09/13/11 13:07
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	mg/l			WG554909	09/13/11 13:07
1,1-Dichloroethane	< .001	mg/l			WG554909	09/13/11 13:07
1,1-Dichloroethene	< .001	mg/l			WG554909	09/13/11 13:07
1,1-Dichloropropene	< .001	mg/l			WG554909	09/13/11 13:07
1,2,3-Trichlorobenzene	< .001	mg/l			WG554909	09/13/11 13:07
1,2,3-Trichloropropane	< .001	mg/l			WG554909	09/13/11 13:07
1,2,3-Trimethylbenzene	< .001	mg/l			WG554909	09/13/11 13:07
1,2,4-Trichlorobenzene	< .001	mg/l			WG554909	09/13/11 13:07
1,2,4-Trimethylbenzene	< .001	mg/l			WG554909	09/13/11 13:07
1,2-Dibromo-3-Chloropropane	< .005	mg/l			WG554909	09/13/11 13:07
1,2-Dibromoethane	< .001	mg/l			WG554909	09/13/11 13:07
1,2-Dichlorobenzene	< .001	mg/l			WG554909	09/13/11 13:07
1,2-Dichloroethane	< .001	mg/l			WG554909	09/13/11 13:07
1,2-Dichloropropane	< .001	mg/l			WG554909	09/13/11 13:07
1,3,5-Trimethylbenzene	< .001	mg/l			WG554909	09/13/11 13:07
1,3-Dichlorobenzene	< .001	mg/l			WG554909	09/13/11 13:07
1,3-Dichloropropane	< .001	mg/l			WG554909	09/13/11 13:07
1,4-Dichlorobenzene	< .001	mg/l			WG554909	09/13/11 13:07
2,2-Dichloropropane	< .001	mg/l			WG554909	09/13/11 13:07
2-Butanone (MEK)	< .01	mg/l			WG554909	09/13/11 13:07

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway
Fort Collins, CO 80525

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L535398

September 19, 2011

Analyte	Result	Laboratory Blank Units	% Rec	Limit	Batch	Date Analyzed
2-Chloroethyl vinyl ether	< .05	mg/l			WG554909	09/13/11 13:07
2-Chlorotoluene	< .001	mg/l			WG554909	09/13/11 13:07
4-Chlorotoluene	< .001	mg/l			WG554909	09/13/11 13:07
4-Methyl-2-pentanone (MIBK)	< .01	mg/l			WG554909	09/13/11 13:07
Acetone	< .05	mg/l			WG554909	09/13/11 13:07
Acrylonitrile	< .01	mg/l			WG554909	09/13/11 13:07
Benzene	< .001	mg/l			WG554909	09/13/11 13:07
Bromobenzene	< .001	mg/l			WG554909	09/13/11 13:07
Bromodichloromethane	< .001	mg/l			WG554909	09/13/11 13:07
Bromoform	< .001	mg/l			WG554909	09/13/11 13:07
Bromomethane	< .005	mg/l			WG554909	09/13/11 13:07
Carbon tetrachloride	< .001	mg/l			WG554909	09/13/11 13:07
Chlorobenzene	< .001	mg/l			WG554909	09/13/11 13:07
Chlorodibromomethane	< .001	mg/l			WG554909	09/13/11 13:07
Chloroethane	< .005	mg/l			WG554909	09/13/11 13:07
Chloroform	< .005	mg/l			WG554909	09/13/11 13:07
Chloromethane	< .0025	mg/l			WG554909	09/13/11 13:07
cis-1,2-Dichloroethene	< .001	mg/l			WG554909	09/13/11 13:07
cis-1,3-Dichloropropene	< .001	mg/l			WG554909	09/13/11 13:07
Di-isopropyl ether	< .001	mg/l			WG554909	09/13/11 13:07
Dibromomethane	< .001	mg/l			WG554909	09/13/11 13:07
Dichlorodifluoromethane	< .005	mg/l			WG554909	09/13/11 13:07
Ethylbenzene	< .001	mg/l			WG554909	09/13/11 13:07
Hexachloro-1,3-butadiene	< .001	mg/l			WG554909	09/13/11 13:07
Isopropylbenzene	< .001	mg/l			WG554909	09/13/11 13:07
Methyl tert-butyl ether	< .001	mg/l			WG554909	09/13/11 13:07
Methylene Chloride	< .005	mg/l			WG554909	09/13/11 13:07
n-Butylbenzene	< .001	mg/l			WG554909	09/13/11 13:07
n-Propylbenzene	< .001	mg/l			WG554909	09/13/11 13:07
Naphthalene	< .005	mg/l			WG554909	09/13/11 13:07
p-Isopropyltoluene	< .001	mg/l			WG554909	09/13/11 13:07
sec-Butylbenzene	< .001	mg/l			WG554909	09/13/11 13:07
Styrene	< .001	mg/l			WG554909	09/13/11 13:07
tert-Butylbenzene	< .001	mg/l			WG554909	09/13/11 13:07
Tetrachloroethene	< .001	mg/l			WG554909	09/13/11 13:07
Toluene	< .005	mg/l			WG554909	09/13/11 13:07
trans-1,2-Dichloroethene	< .001	mg/l			WG554909	09/13/11 13:07
trans-1,3-Dichloropropene	< .001	mg/l			WG554909	09/13/11 13:07
Trichloroethene	< .001	mg/l			WG554909	09/13/11 13:07
Trichlorofluoromethane	< .005	mg/l			WG554909	09/13/11 13:07
Vinyl chloride	< .001	mg/l			WG554909	09/13/11 13:07
Xylenes, Total	< .003	mg/l			WG554909	09/13/11 13:07
4-Bromofluorobenzene	% Rec.	104.5		82-120	WG554909	09/13/11 13:07
Dibromofluoromethane	% Rec.	97.14		82-126	WG554909	09/13/11 13:07
Toluene-d8	% Rec.	102.2		92-112	WG554909	09/13/11 13:07
TPH (GC/FID) High Fraction	< .1	ppm			WG554605	09/14/11 19:49
o-Terphenyl	% Rec.	102.8		50-150	WG554605	09/14/11 19:49
TPH (GC/FID) High Fraction	< .1	ppm			WG554921	09/14/11 14:18
o-Terphenyl	% Rec.	102.7		50-150	WG554921	09/14/11 14:18
Sulfate	< 5	mg/l			WG555298	09/15/11 07:07
Acrolein	< .025	mg/l			WG555253	09/15/11 13:47

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway
Fort Collins, CO 80525

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L535398

September 19, 2011

Analyte	Result	Laboratory Blank Units	% Rec	Limit	Batch	Date Analyzed
4-Bromofluorobenzene	< .01	% Rec.	109.5	82-120	WG555187	09/15/11 13:47
Dibromofluoromethane	< .01	% Rec.	95.97	82-126	WG555187	09/15/11 13:47
Toluene-d8	< .01	% Rec.	101.8	92-112	WG555187	09/15/11 13:47
1,2,4-Trichlorobenzene	< .01	mg/l			WG555187	09/15/11 12:53
2,4,5-Trichlorophenol	< .01	mg/l			WG555187	09/15/11 12:53
2,4,6-Trichlorophenol	< .01	mg/l			WG555187	09/15/11 12:53
2,4-Dichlorophenol	< .01	mg/l			WG555187	09/15/11 12:53
2,4-Dimethylphenol	< .01	mg/l			WG555187	09/15/11 12:53
2,4-Dinitrophenol	< .01	mg/l			WG555187	09/15/11 12:53
2,4-Dinitrotoluene	< .01	mg/l			WG555187	09/15/11 12:53
2,6-Dinitrotoluene	< .01	mg/l			WG555187	09/15/11 12:53
2-Chloronaphthalene	< .001	mg/l			WG555187	09/15/11 12:53
2-Chlorophenol	< .01	mg/l			WG555187	09/15/11 12:53
2-Methylphenol	< .01	mg/l			WG555187	09/15/11 12:53
2-Nitrophenol	< .01	mg/l			WG555187	09/15/11 12:53
3&4-methyl phenol	< .01	mg/l			WG555187	09/15/11 12:53
3,3-Dichlorobenzidine	< .01	mg/l			WG555187	09/15/11 12:53
4,6-Dinitro-2-methylphenol	< .01	mg/l			WG555187	09/15/11 12:53
4-Bromophenyl-phenylether	< .01	mg/l			WG555187	09/15/11 12:53
4-Chloro-3-methylphenol	< .01	mg/l			WG555187	09/15/11 12:53
4-Chlorophenyl-phenylether	< .01	mg/l			WG555187	09/15/11 12:53
4-Nitrophenol	< .01	mg/l			WG555187	09/15/11 12:53
Acenaphthene	< .001	mg/l			WG555187	09/15/11 12:53
Acenaphthylene	< .001	mg/l			WG555187	09/15/11 12:53
Anthracene	< .001	mg/l			WG555187	09/15/11 12:53
Benzidine	< .01	mg/l			WG555187	09/15/11 12:53
Benzo(a)anthracene	< .001	mg/l			WG555187	09/15/11 12:53
Benzo(a)pyrene	< .001	mg/l			WG555187	09/15/11 12:53
Benzo(b)fluoranthene	< .001	mg/l			WG555187	09/15/11 12:53
Benzo(g,h,i)perylene	< .001	mg/l			WG555187	09/15/11 12:53
Benzo(k)fluoranthene	< .001	mg/l			WG555187	09/15/11 12:53
Benzylbutyl phthalate	< .001	mg/l			WG555187	09/15/11 12:53
Bis(2-chloroethoxy)methane	< .01	mg/l			WG555187	09/15/11 12:53
Bis(2-chloroethyl)ether	< .01	mg/l			WG555187	09/15/11 12:53
Bis(2-chloroisopropyl)ether	< .01	mg/l			WG555187	09/15/11 12:53
Bis(2-ethylhexyl)phthalate	< .001	mg/l			WG555187	09/15/11 12:53
Chrysene	< .001	mg/l			WG555187	09/15/11 12:53
Di-n-butyl phthalate	< .001	mg/l			WG555187	09/15/11 12:53
Di-n-octyl phthalate	< .001	mg/l			WG555187	09/15/11 12:53
Dibenzo(a,h)anthracene	< .001	mg/l			WG555187	09/15/11 12:53
Dibenzofuran	< .01	mg/l			WG555187	09/15/11 12:53
Diethyl phthalate	< .001	mg/l			WG555187	09/15/11 12:53
Dimethyl phthalate	< .001	mg/l			WG555187	09/15/11 12:53
Fluoranthene	< .001	mg/l			WG555187	09/15/11 12:53
Fluorene	< .001	mg/l			WG555187	09/15/11 12:53
Hexachloro-1,3-butadiene	< .01	mg/l			WG555187	09/15/11 12:53
Hexachlorobenzene	< .001	mg/l			WG555187	09/15/11 12:53
Hexachlorocyclopentadiene	< .01	mg/l			WG555187	09/15/11 12:53
Hexachloroethane	< .01	mg/l			WG555187	09/15/11 12:53
Indeno(1,2,3-cd)pyrene	< .001	mg/l			WG555187	09/15/11 12:53
Isophorone	< .01	mg/l			WG555187	09/15/11 12:53
n-Nitrosodi-n-propylamine	< .01	mg/l			WG555187	09/15/11 12:53
n-Nitrosodimethylamine	< .01	mg/l			WG555187	09/15/11 12:53
n-Nitrosodiphenylamine	< .01	mg/l			WG555187	09/15/11 12:53
Naphthalene	< .001	mg/l			WG555187	09/15/11 12:53
Nitrobenzene	< .01	mg/l			WG555187	09/15/11 12:53
Pentachlorophenol	< .001	mg/l			WG555187	09/15/11 12:53
Phenanthrene	< .001	mg/l			WG555187	09/15/11 12:53
Phenol	< .01	mg/l			WG555187	09/15/11 12:53

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway
Fort Collins, CO 80525

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L535398

September 19, 2011

Analyte	Result	Laboratory Blank Units	% Rec	Limit	Batch	Date Analyzed
Pyrene	<.001	mg/l			WG555187	09/15/11 12:53
Pyridine	<.01	mg/l			WG555187	09/15/11 12:53
2,4,6-Tribromophenol		mg/l	74.01	16-147	WG555187	09/15/11 12:53
2-Fluorobiphenyl		mg/l	73.01	29-127	WG555187	09/15/11 12:53
2-Fluorophenol		mg/l	41.76	10-75	WG555187	09/15/11 12:53
Nitrobenzene-d5		mg/l	63.41	17-119	WG555187	09/15/11 12:53
Phenol-d5		mg/l	29.89	10-63	WG555187	09/15/11 12:53
p-Terphenyl-d14		mg/l	98.42	40-174	WG555187	09/15/11 12:53
TPH (GC/FID) High Fraction	<.1	ppm			WG555370	09/16/11 09:27
c-Terphenyl		% Rec.	92.92	50-150	WG555370	09/16/11 09:27
Ferrous Iron	<.05	mg/l			WG555165	09/16/11 13:20
1,2,4-Trichlorobenzene	<.01	mg/l			WG555542	09/18/11 09:56
2,4,6-Trichlorophenol	<.01	mg/l			WG555542	09/18/11 09:56
2,4-Dichlorophenol	<.01	mg/l			WG555542	09/18/11 09:56
2,4-Dimethylphenol	<.01	mg/l			WG555542	09/18/11 09:56
2,4-Dinitrophenol	<.01	mg/l			WG555542	09/18/11 09:56
2,4-Dinitrotoluene	<.01	mg/l			WG555542	09/18/11 09:56
2,6-Dinitrotoluene	<.01	mg/l			WG555542	09/18/11 09:56
2-Chloronaphthalene	<.001	mg/l			WG555542	09/18/11 09:56
2-Chlorophenol	<.01	mg/l			WG555542	09/18/11 09:56
2-Nitrophenol	<.01	mg/l			WG555542	09/18/11 09:56
3,3'-Dichlorobenzidine	<.01	mg/l			WG555542	09/18/11 09:56
4,6-Dinitro-2-methylphenol	<.01	mg/l			WG555542	09/18/11 09:56
4-Bromophenyl-phenylether	<.01	mg/l			WG555542	09/18/11 09:56
4-Chloro-3-methylphenol	<.01	mg/l			WG555542	09/18/11 09:56
4-Chlorophenyl-phenylether	<.01	mg/l			WG555542	09/18/11 09:56
4-Nitrophenol	<.01	mg/l			WG555542	09/18/11 09:56
Acenaphthene	<.001	mg/l			WG555542	09/18/11 09:56
Acenaphthylene	<.001	mg/l			WG555542	09/18/11 09:56
Anthracene	<.001	mg/l			WG555542	09/18/11 09:56
Benzidine	<.01	mg/l			WG555542	09/18/11 09:56
Benzo(a)anthracene	<.001	mg/l			WG555542	09/18/11 09:56
Benzo(a)pyrene	<.001	mg/l			WG555542	09/18/11 09:56
Benzo(b)fluoranthene	<.001	mg/l			WG555542	09/18/11 09:56
Benzo(g,h,i)perylene	<.001	mg/l			WG555542	09/18/11 09:56
Benzo(k)fluoranthene	<.001	mg/l			WG555542	09/18/11 09:56
Benzylbutyl phthalate	<.001	mg/l			WG555542	09/18/11 09:56
Bis(2-chlorethoxy)methane	<.01	mg/l			WG555542	09/18/11 09:56
Bis(2-chloroethyl)ether	<.01	mg/l			WG555542	09/18/11 09:56
Bis(2-chloroisopropyl)ether	<.01	mg/l			WG555542	09/18/11 09:56
Bis(2-ethylhexyl)phthalate	<.001	mg/l			WG555542	09/18/11 09:56
Chrysene	<.001	mg/l			WG555542	09/18/11 09:56
Di-n-butyl phthalate	<.001	mg/l			WG555542	09/18/11 09:56
Di-n-octyl phthalate	<.001	mg/l			WG555542	09/18/11 09:56
Dibenz(a,h)anthracene	<.001	mg/l			WG555542	09/18/11 09:56
Diethyl phthalate	<.001	mg/l			WG555542	09/18/11 09:56
Dimethyl phthalate	<.001	mg/l			WG555542	09/18/11 09:56
Fluoranthene	<.001	mg/l			WG555542	09/18/11 09:56
Fluorene	<.001	mg/l			WG555542	09/18/11 09:56
Hexachloro-1,3-butadiene	<.01	mg/l			WG555542	09/18/11 09:56
Hexachlorobenzene	<.001	mg/l			WG555542	09/18/11 09:56
Hexachlorocyclopentadiene	<.01	mg/l			WG555542	09/18/11 09:56
Hexachloroethane	<.01	mg/l			WG555542	09/18/11 09:56

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway
Fort Collins, CO 80525

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L535398

September 19, 2011

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Indeno(1,2,3-cd)pyrene	< .001	mg/l			WG555542	09/18/11 09:56
Isophorone	< .01	mg/l			WG555542	09/18/11 09:56
n-Nitrosodi-n-propylamine	< .01	mg/l			WG555542	09/18/11 09:56
n-Nitrosodimethylamine	< .01	mg/l			WG555542	09/18/11 09:56
n-Nitrosodiphenylamine	< .01	mg/l			WG555542	09/18/11 09:56
Naphthalene	< .001	mg/l			WG555542	09/18/11 09:56
Nitrobenzene	< .01	mg/l			WG555542	09/18/11 09:56
Pentachlorophenol	< .001	mg/l			WG555542	09/18/11 09:56
Phenanthrone	< .001	mg/l			WG555542	09/18/11 09:56
Phenol	< .01	mg/l			WG555542	09/18/11 09:56
Pyrene	< .001	mg/l			WG555542	09/18/11 09:56
2,4,6-Tribromophenol		mg/l	54.08	16-147	WG555542	09/18/11 09:56
2-Fluorobiphenyl		mg/l	64.30	29-127	WG555542	09/18/11 09:56
2-Fluorophenol		mg/l	20.82	10-75	WG555542	09/18/11 09:56
Nitrobenzene-d5		mg/l	64.36	17-119	WG555542	09/18/11 09:56
Phenol-d5		mg/l	14.47	10-63	WG555542	09/18/11 09:56
p-Terphenyl-d14		mg/l	86.17	40-174	WG555542	09/18/11 09:56

Analyte	Units	Duplicate		RPD	Limit	Ref Samp	Batch
		Result	Duplicate				
Nitrate	mg/l	0	0	0	20	L534841-03	WG554558
Nitrate	mg/l	0	0	0	20	L535379-18	WG554558
Sulfate	mg/l	180.	180.	1.65	20	L535392-02	WG555298
Sulfate	mg/l	0	0	0	20	L535415-06	WG555298
Ferrous Iron	mg/l	0.500	0.450	10.9	20	L536199-06	WG555165

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
Nitrate	mg/l	8	8.00	100.	90-110	WG554558
TPH (GC/FID) Low Fraction	mg/l	5.5	5.71	104.	70-124	WG554541
a,a,a-Trifluorotoluene(FID)				98.95	62-128	WG554541
Benzene	mg/l	.025	0.0262	105.	72-119	WG554548
Ethylbenzene	mg/l	.025	0.0235	94.1	77-124	WG554548
Toluene	mg/l	.025	0.0244	97.7	75-114	WG554548
Total Xylenes	mg/l	.075	0.0706	94.1	77-123	WG554548
4-Bromofluorobenzene				92.43	82-120	WG554548
Dibromofluoromethane				111.0	82-126	WG554548
Toluene-d8				104.0	92-112	WG554548
a,a,a-Trifluorotoluene				96.38	90-116	WG554548
TPH (GC/FID) Low Fraction	mg/l	5.5	5.93	108.	70-124	WG554738
a,a,a-Trifluorotoluene(FID)				110.5	62-128	WG554738
TPH (GC/FID) Low Fraction	mg/l	5.5	6.39	116.	70-124	WG554885
a,a,a-Trifluorotoluene(FID)				113.5	62-128	WG554885

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway
Fort Collins, CO 80525

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L535398

September 19, 2011

Analyte	Units	Laboratory Known Val	Control Sample Result	% Rec	Limit	Batch
Benzene	mg/l	.025	0.0227	90.8	72-119	WG554911
Ethylbenzene	mg/l	.025	0.0251	100.	77-124	WG554911
Toluene	mg/l	.025	0.0236	94.3	75-114	WG554911
Total Xylenes	mg/l	.075	0.0772	103.	77-123	WG554911
4-Bromofluorobenzene				110.3	82-120	WG554911
Dibromofluoromethane				103.2	82-126	WG554911
Toluene-d8				105.0	92-112	WG554911
a,a,a-Trifluorotoluene				111.6	90-116	WG554911
1,1,1,2-Tetrachloroethane	mg/l	.025	0.0236	94.3	77-128	WG554909
1,1,1-Trichloroethane	mg/l	.025	0.0231	92.4	71-126	WG554909
1,1,2,2-Tetrachloroethane	mg/l	.025	0.0211	84.6	78-130	WG554909
1,1,2-Trichloroethane	mg/l	.025	0.0228	91.4	81-121	WG554909
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	.025	0.0233	93.2	53-143	WG554909
1,1-Dichloroethane	mg/l	.025	0.0220	87.8	73-123	WG554909
1,1-Dichloroethylene	mg/l	.025	0.0225	89.9	54-134	WG554909
1,1-Dichloropropene	mg/l	.025	0.0179	71.4	67-127	WG554909
1,2,3-Trichlorobenzene	mg/l	.025	0.0201	80.3	77-130	WG554909
1,2,3-Trichloropropane	mg/l	.025	0.0216	86.6	68-130	WG554909
1,2,3-Trimethylbenzene	mg/l	.025	0.0202	80.8	70-127	WG554909
1,2,4-Trichlorobenzene	mg/l	.025	0.0203	81.0	76-127	WG554909
1,2,4-Trimethylbenzene	mg/l	.025	0.0213	85.4	77-129	WG554909
1,2-Dibromo-3-Chloropropane	mg/l	.025	0.0157	62.7	55-142	WG554909
1,2-Dibromoethane	mg/l	.025	0.0207	83.0	78-124	WG554909
1,2-Dichlorobenzene	mg/l	.025	0.0206	82.4	82-121	WG554909
1,2-Dichloroethane	mg/l	.025	0.0208	83.3	69-128	WG554909
1,2-Dichloropropene	mg/l	.025	0.0214	85.8	77-121	WG554909
1,3,5-Trimethylbenzene	mg/l	.025	0.0219	87.7	78-127	WG554909
1,3-Dichlorobenzene	mg/l	.025	0.0219	87.5	77-127	WG554909
1,3-Dichloropropane	mg/l	.025	0.0209	83.7	78-117	WG554909
1,4-Dichlorobenzene	mg/l	.025	0.0212	84.9	79-117	WG554909
2,2-Dichloropropane	mg/l	.025	0.0226	90.5	63-130	WG554909
2-Butanone (MEK)	mg/l	.125	0.0790	63.2	58-144	WG554909
2-Chloroethyl vinyl ether	mg/l	.125	0.105	83.8	26-172	WG554909
2-Chlorotoluene	mg/l	.025	0.0217	86.7	78-123	WG554909
4-Chlorotoluene	mg/l	.025	0.0217	86.9	78-122	WG554909
4-Methyl-2-pentanone (MIBK)	mg/l	.125	0.102	82.0	58-147	WG554909
Acetone	mg/l	.125	0.0703	56.3	49-153	WG554909
Acrylonitrile	mg/l	.125	0.0803	64.2	53-153	WG554909
Benzene	mg/l	.025	0.0195	77.9	72-119	WG554909
Bromobenzene	mg/l	.025	0.0209	83.8	76-121	WG554909
Bromodichloromethane	mg/l	.025	0.0228	91.3	75-127	WG554909
Bromoform	mg/l	.025	0.0188	75.1	61-136	WG554909
Bromomethane	mg/l	.025	0.0219	87.5	42-172	WG554909
Carbon tetrachloride	mg/l	.025	0.0210	83.9	63-129	WG554909
Chlorobenzene	mg/l	.025	0.0216	86.3	78-123	WG554909
Chlorodibromomethane	mg/l	.025	0.0234	93.6	73-128	WG554909
Chloroethane	mg/l	.025	0.0209	83.5	52-164	WG554909
Chloroform	mg/l	.025	0.0237	94.7	76-122	WG554909
Chloromethane	mg/l	.025	0.0129	51.8	50-141	WG554909
cis-1,2-Dichloroethene	mg/l	.025	0.0207	82.7	75-121	WG554909
cis-1,3-Dichloropropene	mg/l	.025	0.0220	87.8	74-124	WG554909
Di-isopropyl ether	mg/l	.025	0.0214	85.5	66-129	WG554909
Dibromomethane	mg/l	.025	0.0205	82.0	77-124	WG554909
Dichlorodifluoromethane	mg/l	.025	0.0162	64.6	33-173	WG554909
Ethylbenzene	mg/l	.025	0.0211	84.2	77-124	WG554909
Hexachloro-1,3-butadiene	mg/l	.025	0.0190	76.2	71-134	WG554909
Isopropylbenzene	mg/l	.025	0.0239	95.8	74-126	WG554909

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway

Fort Collins, CO 80525

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L535398

September 19, 2011

Analyte	Units	Laboratory Control Known Val	Sample Result	% Rec	Limit	Batch
Methyl tert-butyl ether	mg/l	.025	0.0221	88.4	67-127	WG554909
Methylene Chloride	mg/l	.025	0.0215	85.9	67-122	WG554909
n-Butylbenzene	mg/l	.025	0.0209	83.6	74-130	WG554909
n-Propylbenzene	mg/l	.025	0.0219	87.7	77-125	WG554909
Naphthalene	mg/l	.025	0.0191	76.5	70-134	WG554909
p-Isopropyltoluene	mg/l	.025	0.0221	88.6	77-132	WG554909
sec-Butylbenzene	mg/l	.025	0.0222	86.7	77-130	WG554909
Styrene	mg/l	.025	0.0156	62.6*	69-145	WG554909
tert-Butylbenzene	mg/l	.025	0.0223	89.1	76-131	WG554909
Tetrachloroethene	mg/l	.025	0.0193	77.1	75-121	WG554909
Toluene	mg/l	.025	0.0209	83.5	75-114	WG554909
trans-1,2-Dichloroethene	mg/l	.025	0.0174	69.5	63-127	WG554909
trans-1,3-Dichloropropene	mg/l	.025	0.0198	79.2	69-124	WG554909
Trichloroethene	mg/l	.025	0.0194	77.8	69-131	WG554909
Trichlorofluoromethane	mg/l	.025	0.0206	82.4	53-161	WG554909
Vinyl chloride	mg/l	.025	0.0140	56.1	55-142	WG554909
Xylenes, Total	mg/l	.075	0.0628	83.8	77-123	WG554909
4-Bromofluorobenzene				100.3	82-120	WG554909
Dibromofluoromethane				100.6	82-126	WG554909
Toluene-d8				104.0	92-112	WG554909
Sulfate	mg/l	40	39.9	99.8	90-110	WG555298
Acrolein	mg/l	.125	0.0302	24.1	10-181	WG555253
4-Bromofluorobenzene				106.1	82-120	WG555253
Dibromofluoromethane				100.4	82-126	WG555253
Toluene-d8				104.6	92-112	WG555253
1,2,4-Trichlorobenzene	mg/l	.01	0.00602	60.2	34-97	WG555187
2,4,5-Trichlorophenol	mg/l	.01	0.00663	66.3	41-125	WG555187
2,4,6-Trichlorophenol	mg/l	.01	0.00659	65.9	38-113	WG555187
2,4-Dichlorophenol	mg/l	.01	0.00673	67.3	46-105	WG555187
2,4-Dimethylphenol	mg/l	.01	0.00675	67.5	47-108	WG555187
2,4-Dinitrophenol	mg/l	.01	0.00564	56.4	10-121	WG555187
2,4-Dinitrotoluene	mg/l	.01	0.00841	84.1	59-117	WG555187
2,6-Dinitrotoluene	mg/l	.01	0.00751	75.1	57-110	WG555187
2-Chloronaphthalene	mg/l	.01	0.00708	70.8	47-106	WG555187
2-Chlorophenol	mg/l	.01	0.00678	67.8	37-90	WG555187
2-Methylphenol	mg/l	.01	0.00569	56.9	35-84	WG555187
2-Nitrophenol	mg/l	.01	0.00660	66.0	40-112	WG555187
3&4-methyl phenol	mg/l	.01	0.00573	57.3	33-94	WG555187
3,3-Dichlorobenzidine	mg/l	.01	0.00637	63.7	58-116	WG555187
4,6-Dinitro-2-methylphenol	mg/l	.01	0.00756	75.6	21-119	WG555187
4-Bromophenyl-phenylether	mg/l	.01	0.00741	74.1	63-120	WG555187
4-Chloro-3-methylphenol	mg/l	.01	0.00652	65.2	50-105	WG555187
4-Chlorophenyl-phenylether	mg/l	.01	0.00703	70.3	58-115	WG555187
4-Nitrophenol	mg/l	.01	0.00273	27.3	10-53	WG555187
Acenaphthene	mg/l	.01	0.00728	72.8	52-107	WG555187
Acenaphthylene	mg/l	.01	0.00773	77.3	55-119	WG555187
Anthracene	mg/l	.01	0.00822	82.2	65-114	WG555187
Benzidine	mg/l	.01	0.00191	19.1	10-55	WG555187
Benzo(a)anthracene	mg/l	.01	0.00867	86.7	68-113	WG555187
Benzo(a)pyrene	mg/l	.01	0.00784	78.4	68-115	WG555187
Benzo(b)fluoranthene	mg/l	.01	0.00766	76.6	67-114	WG555187
Benzo(g,h,i)perylene	mg/l	.01	0.00885	88.5	52-132	WG555187
Benzo(k)fluoranthene	mg/l	.01	0.00845	84.5	62-116	WG555187

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway

Fort Collins, CO 80525

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L535398

September 19, 2011

Analyte	Units	Laboratory Control Known Val	Sample Result	% Rec	Limit	Batch
Benzylbutyl phthalate	mg/l	.01	0.00778	77.8	12-166	WG555187
Bis(2-chloroethoxy)methane	mg/l	.01	0.00673	67.3	56-116	WG555187
Bis(2-chloroethyl)ether	mg/l	.01	0.00656	65.6	39-109	WG555187
Bis(2-chloroisopropyl)ether	mg/l	.01	0.00658	65.8	43-108	WG555187
Bis(2-ethylhexyl)phthalate	mg/l	.01	0.00935	93.5	61-147	WG555187
Chrysene	mg/l	.01	0.00819	81.9	65-114	WG555187
Di-n-butyl phthalate	mg/l	.01	0.00807	80.7	56-133	WG555187
Di-n-octyl phthalate	mg/l	.01	0.00923	92.3	59-143	WG555187
Dibenz(a,h)anthracene	mg/l	.01	0.00825	82.5	54-130	WG555187
Dibenzofuran	mg/l	.01	0.00716	71.6	53-109	WG555187
Diethyl phthalate	mg/l	.01	0.00749	74.9	33-136	WG555187
Dimethyl phthalate	mg/l	.01	0.00567	56.7	10-152	WG555187
Fluoranthene	mg/l	.01	0.00851	85.1	66-120	WG555187
Fluorene	mg/l	.01	0.00704	70.4	58-110	WG555187
Hexachloro-1,3-butadiene	mg/l	.01	0.00706	70.6	34-115	WG555187
Hexachlorobenzene	mg/l	.01	0.00680	68.0	55-117	WG555187
Hexachlorocyclopentadiene	mg/l	.01	0.00940	94.0	20-121	WG555187
Hexachloroethane	mg/l	.01	0.00665	66.5	24-93	WG555187
Indeno(1,2,3-cd)pyrene	mg/l	.01	0.00832	83.2	56-129	WG555187
Iso phorone	mg/l	.01	0.00587	58.7	55-108	WG555187
n-Nitrosodi-n-propylamine	mg/l	.01	0.00753	75.3	50-115	WG555187
n-Nitrosodimethylamine	mg/l	.01	0.00449	44.9	12-68	WG555187
n-Nitrosodiphenylamine	mg/l	.01	0.00747	74.7	55-98	WG555187
Naphthalene	mg/l	.01	0.00641	64.1	42-103	WG555187
Nitrobenzene	mg/l	.01	0.00663	66.3	39-102	WG555187
Pentachlorophenol	mg/l	.01	0.00581	58.1	10-101	WG555187
Phenanthrene	mg/l	.01	0.00777	77.7	61-110	WG555187
Phenol	mg/l	.01	0.00266	26.6	10-53	WG555187
Pyrene	mg/l	.01	0.00825	82.5	65-116	WG555187
Pyridine	mg/l	.01	0.00319	31.9	11-52	WG555187
2,4,6-Tribromophenol				75.86	16-147	WG555187
2-Fluorobiphenyl				71.71	29-127	WG555187
2-Fluorophenol				38.39	10-75	WG555187
Nitrobenzene-d5				63.33	17-119	WG555187
Phenol-d5				30.06	10-63	WG555187
p-Terphenyl-d14				85.31	40-174	WG555187
Ferrous Iron	mg/l	1	1.00	100.	85-115	WG555165
1,2,4-Trichlorobenzene	mg/l	.01	0.00596	59.6	34-97	WG555542
2,4,6-Trichlorophenol	mg/l	.01	0.00583	58.3	38-113	WG555542
2,4-Dichlorophenol	mg/l	.01	0.00665	66.5	46-105	WG555542
2,4-Dimethylphenol	mg/l	.01	0.00574	57.4	47-108	WG555542
2,4-Dinitrophenol	mg/l	.01	0.00397	39.7	10-121	WG555542
2,4-Dinitrotoluene	mg/l	.01	0.00787	78.7	59-117	WG555542
2,6-Dinitrotoluene	mg/l	.01	0.00800	80.0	57-110	WG555542
2-Chloronaphthalene	mg/l	.01	0.00700	70.0	47-106	WG555542
2-Chlorophenol	mg/l	.01	0.00521	52.1	37-90	WG555542
2-Nitrophenol	mg/l	.01	0.00670	67.0	40-112	WG555542
3,3-Dichlorobenzidine	mg/l	.01	0.00798	79.8	58-116	WG555542
4,6-Dinitro-2-methylphenol	mg/l	.01	0.00514	51.4	21-119	WG555542
4-Bromophenyl-phenylether	mg/l	.01	0.00744	74.4	63-120	WG555542
4-Chloro-3-methylphenol	mg/l	.01	0.00627	62.7	50-105	WG555542
4-Chlorophenyl-phenylether	mg/l	.01	0.00696	69.6	58-115	WG555542
4-Nitrophenol	mg/l	.01	0.00121	12.1	10-53	WG555542
Acenaphthene	mg/l	.01	0.00747	74.7	52-107	WG555542
Acenaphthylene	mg/l	.01	0.00758	75.8	55-119	WG555542

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway

Fort Collins, CO 80525

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L535398

September 19, 2011

Analyte	Units	Laboratory Control Known Val	Sample Result	% Rec	Limit	Batch
Anthracene	mg/l	.01	0.00750	75.0	65-114	WG555542
Benzidine	mg/l	.01	0.00361	36.1	10-55	WG555542
Benzo(a)anthracene	mg/l	.01	0.00811	81.1	68-113	WG555542
Benzo(a)pyrene	mg/l	.01	0.00812	81.2	68-115	WG555542
Benzo(b)fluoranthene	mg/l	.01	0.00785	78.5	67-114	WG555542
Benzo(g,h,i)perylene	mg/l	.01	0.00773	77.3	52-132	WG555542
Benzo(k)fluoranthene	mg/l	.01	0.00832	83.2	62-116	WG555542
Benzylbutyl phthalate	mg/l	.01	0.00664	66.4	12-166	WG555542
Bis(2-chloroethoxy)methane	mg/l	.01	0.00772	77.2	56-116	WG555542
Bis(2-chloroethyl)ether	mg/l	.01	0.00678	67.8	39-109	WG555542
Bis(2-chloroisopropyl)ether	mg/l	.01	0.00692	69.2	43-108	WG555542
Bis(2-ethylhexyl)phthalate	mg/l	.01	0.00824	82.4	61-147	WG555542
Chrysene	mg/l	.01	0.00807	80.7	65-114	WG555542
Di-n-butyl phthalate	mg/l	.01	0.00729	72.9	56-133	WG555542
Di-n-octyl phthalate	mg/l	.01	0.00826	82.6	59-143	WG555542
Dibenz(a,h)anthracene	mg/l	.01	0.00771	77.1	54-130	WG555542
Diethyl phthalate	mg/l	.01	0.00695	69.5	33-136	WG555542
Dimethyl phthalate	mg/l	.01	0.00575	57.5	10-152	WG555542
Fluoranthene	mg/l	.01	0.00727	72.7	66-120	WG555542
Fluorene	mg/l	.01	0.00737	73.7	58-110	WG555542
Hexachloro-1,3-butadiene	mg/l	.01	0.00541	54.1	34-115	WG555542
Hexachlorobenzene	mg/l	.01	0.00659	65.9	55-117	WG555542
Hexachlorocyclopentadiene	mg/l	.01	0.00642	64.2	20-121	WG555542
Hexachloroethane	mg/l	.01	0.00546	54.6	24-93	WG555542
Indeno(1,2,3-cd)pyrene	mg/l	.01	0.00794	79.4	56-129	WG555542
Isophorone	mg/l	.01	0.00644	64.4	55-108	WG555542
n-Nitrosodi-n-propylamine	mg/l	.01	0.00775	77.5	50-115	WG555542
n-Nitrosodimethylamine	mg/l	.01	0.00376	37.6	12-68	WG555542
n-Nitrosodiphenylamine	mg/l	.01	0.00762	76.2	55-98	WG555542
Naphthalene	mg/l	.01	0.00678	67.8	42-103	WG555542
Nitrobenzene	mg/l	.01	0.00758	75.8	39-102	WG555542
Pentachlorophenol	mg/l	.01	0.00365	36.5	10-101	WG555542
Phenanthrene	mg/l	.01	0.00770	77.0	61-110	WG555542
Phenol	mg/l	.01	0.00224	22.4	10-53	WG555542
Pyrene	mg/l	.01	0.00779	77.9	65-116	WG555542
2,4,6-Tribromophenol				60.70	16-147	WG555542
2-Fluorobiphenyl				72.64	29-127	WG555542
2-Fluorophenol				29.96	10-75	WG555542
Nitrobenzene-d5				78.06	17-119	WG555542
Phenol-d5				20.73	10-63	WG555542
p-Terphenyl-d14				80.79	40-174	WG555542

Analyte	Units	Laboratory Result	Control Ref	Sample %Rec	Duplicate	Limit	RPD	Limit	Batch
Nitrate	mg/l	7.99	8.00	100.	90-110	0.125	20	20	WG554558
TPH (GC/FID) Low Fraction	mg/l	5.72	5.71	104.	70-124	0.0600	20	20	WG554541
<i>a,a,a-Trifluorotoluene(FID)</i>				98.74	62-128				WG554541
Benzene	mg/l	0.0267	0.0262	107.	72-119	2.04	20	20	WG554548
Ethylbenzene	mg/l	0.0251	0.0235	100.	77-124	6.43	20	20	WG554548
Toluene	mg/l	0.0253	0.0244	101.	75-114	3.33	20	20	WG554548
Total Xylenes	mg/l	0.0754	0.0706	100.	77-123	6.57	20	20	WG554548
4-Bromofluorobenzene				94.41	82-120				WG554548
Dibromofluoromethane				110.3	82-126				WG554548
Toluene-d8				106.6	92-112				WG554548

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway

Fort Collins, CO 80525

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L535398

September 19, 2011

Analyte	Units	Laboratory Result	Control Ref	%Rec	Sample	Duplicate	Limit	RPD	Limit	Batch
a,a,a-Trifluorotoluene	mg/l	6.18	5.93	98.77	90-116	70-124	4.05	20	WG554738	
TPH (GC/FID) Low Fraction	mg/l	5.82	6.39	112.	112.1	62-128			WG554738	
a,a,a-Trifluorotoluene(FID)	mg/l			106.	105.4	62-128			WG554885	
TPH (GC/FID) Low Fraction	mg/l	0.0228	0.0227	91.0	72-119	0.230	20	WG554911		
a,a,a-Trifluorotoluene(FID)	mg/l	0.0251	0.0251	100.	77-124	0.180	20	WG554911		
Benzene	mg/l	0.0239	0.0236	95.0	75-114	1.18	20	WG554911		
Total Xylenes	mg/l	0.0760	0.0772	101.	77-123	1.61	20	WG554911		
4-Bromofluorobenzene	mg/l			110.4	82-120			WG554911		
Dibromofluoromethane	mg/l			101.2	82-126			WG554911		
Toluene-d8	mg/l			103.7	92-112			WG554911		
a,a,a-Trifluorotoluene	mg/l			108.6	90-116			WG554911		
1,1,1,2-Tetrachloroethane	mg/l	0.0230	0.0236	92.0	77-128	2.65	20	WG554909		
1,1,1-Trichloroethane	mg/l	0.0225	0.0231	90.0	71-126	2.38	20	WG554909		
1,1,2,2-Tetrachloroethane	mg/l	0.0209	0.0211	84.0	78-130	0.980	20	WG554909		
1,1,2-Trichloroethane	mg/l	0.0223	0.0228	89.0	81-121	2.29	20	WG554909		
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0223	0.0233	89.0	53-143	4.24	20	WG554909		
1,1-Dichloroethane	mg/l	0.0214	0.0220	86.0	73-123	2.44	20	WG554909		
1,1-Dichloroethene	mg/l	0.0221	0.0225	88.0	54-134	1.59	20	WG554909		
1,1-Dichloropropene	mg/l	0.0174	0.0179	70.0	67-127	2.71	20	WG554909		
1,2,3-Trichlorobenzene	mg/l	0.0195	0.0201	78.0	77-130	3.12	20	WG554909		
1,2,3-Trichloropropane	mg/l	0.0218	0.0216	87.0	68-130	0.640	20	WG554909		
1,2,3-Trimethylbenzene	mg/l	0.0197	0.0202	79.0	70-127	2.68	20	WG554909		
1,2,4-Trichlorobenzene	mg/l	0.0200	0.0203	80.0	76-127	1.23	20	WG554909		
1,2,4-Trimethylbenzene	mg/l	0.0207	0.0213	83.0	77-129	2.96	20	WG554909		
1,2-Dibromo-3-Chloropropane	mg/l	0.0163	0.0157	65.0	55-142	3.70	20	WG554909		
1,2-Dibromoethane	mg/l	0.0206	0.0207	82.0	78-124	0.800	20	WG554909		
1,2-Dichlorobenzene	mg/l	0.0205	0.0206	82.0	82-121	0.590	20	WG554909		
1,2-Dichloroethane	mg/l	0.0202	0.0208	81.0	69-128	3.20	20	WG554909		
1,2-Dichloropropane	mg/l	0.0207	0.0214	83.0	77-121	3.57	20	WG554909		
1,3,5-Trimethylbenzene	mg/l	0.0212	0.0219	85.0	78-127	3.58	20	WG554909		
1,3-Dichlorobenzene	mg/l	0.0214	0.0219	86.0	77-127	2.10	20	WG554909		
1,3-Dichloropropane	mg/l	0.0208	0.0209	83.0	78-117	0.730	20	WG554909		
1,4-Dichlorobenzene	mg/l	0.0209	0.0212	84.0	79-117	1.39	20	WG554909		
2,2-Dichloropropane	mg/l	0.0223	0.0226	89.0	63-130	1.67	20	WG554909		
2-Butanone (MEK)	mg/l	0.0769	0.0790	61.0	58-144	2.80	20	WG554909		
2-Chloroethyl vinyl ether	mg/l	0.0996	0.105	80.0	26-172	4.98	22	WG554909		
2-Chlorotoluene	mg/l	0.0212	0.0217	85.0	78-123	2.36	20	WG554909		
4-Chlorotoluene	mg/l	0.0211	0.0217	84.0	78-122	3.00	20	WG554909		
4-Methyl-2-pentanone (MIBK)	mg/l	0.102	0.102	82.0	58-147	0.530	20	WG554909		
Acetone	mg/l	0.0698	0.0703	56.0	49-153	0.690	21	WG554909		
Acrylonitrile	mg/l	0.0767	0.0803	61.0	53-153	4.59	20	WG554909		
Benzene	mg/l	0.0190	0.0195	76.0	72-119	2.49	20	WG554909		
Bromobenzene	mg/l	0.0205	0.0209	82.0	76-121	2.05	20	WG554909		
Bromodichloromethane	mg/l	0.0223	0.0228	89.0	75-127	2.25	20	WG554909		
Bromoform	mg/l	0.0186	0.0188	74.0	61-136	1.09	20	WG554909		
Bromomethane	mg/l	0.0199	0.0219	80.0	42-172	9.35	20	WG554909		
Carbon tetrachloride	mg/l	0.0203	0.0210	81.0	63-129	3.01	20	WG554909		
Chlorobenzene	mg/l	0.0213	0.0216	85.0	78-123	1.51	20	WG554909		
Chlorodibromomethane	mg/l	0.0230	0.0234	92.0	73-128	1.56	20	WG554909		
Chloroethane	mg/l	0.0201	0.0209	80.0	52-164	3.65	20	WG554909		
Chloroform	mg/l	0.0229	0.0237	92.0	76-122	3.27	20	WG554909		

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway

Fort Collins, CO 80525

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L535398

September 19, 2011

Analyte	Units	Laboratory Result	Control Ref	%Rec	Sample Limit	Duplicate Limit	RPD	Limit	Batch
Chloromethane	mg/l	0.0123	0.0129	49*	50-141	5.42	20	WG554909	
cis-1,2-Dichloroethene	mg/l	0.0203	0.0207	81.0	75-121	1.86	20	WG554909	
cis-1,3-Dichloropropene	mg/l	0.0213	0.0220	85.0	74-124	2.93	20	WG554909	
Di-isopropyl ether	mg/l	0.0208	0.0214	83.0	66-129	2.82	20	WG554909	
Dibromomethane	mg/l	0.0201	0.0205	80.0	77-124	2.06	20	WG554909	
Dichlorodifluoromethane	mg/l	0.0154	0.0162	62.0	33-173	4.51	20	WG554909	
Ethylbenzene	mg/l	0.0206	0.0211	82.0	77-124	2.31	20	WG554909	
Hexachloro-1,3-butadiene	mg/l	0.0187	0.0190	75.0	71-134	1.89	20	WG554909	
Isopropylbenzene	mg/l	0.0233	0.0239	93.0	74-126	2.84	20	WG554909	
Methyl tert-butyl ether	mg/l	0.0219	0.0221	87.0	67-127	1.06	20	WG554909	
Methylene Chloride	mg/l	0.0210	0.0215	84.0	67-122	2.16	20	WG554909	
n-Butylbenzene	mg/l	0.0206	0.0209	82.0	74-130	1.62	20	WG554909	
n-Propylbenzene	mg/l	0.0214	0.0219	86.0	77-125	2.29	20	WG554909	
Naphthalene	mg/l	0.0185	0.0191	74.0	70-134	3.29	20	WG554909	
p-Isopropyltoluene	mg/l	0.0214	0.0221	86.0	77-132	3.46	20	WG554909	
sec-Butylbenzene	mg/l	0.0214	0.0222	86.0	77-130	3.57	20	WG554909	
Styrene	mg/l	0.0152	0.0156	61*	69-145	2.94	20	WG554909	
tert-Butylbenzene	mg/l	0.0217	0.0223	87.0	76-131	2.64	20	WG554909	
Tetrachloroethene	mg/l	0.0191	0.0193	76.0	75-121	0.980	20	WG554909	
Toluene	mg/l	0.0201	0.0209	80.0	75-114	3.86	20	WG554909	
trans-1,2-Dichloroethene	mg/l	0.0168	0.0174	67.0	63-127	3.28	20	WG554909	
trans-1,3-Dichloropropene	mg/l	0.0192	0.0198	77.0	69-124	3.19	20	WG554909	
Trichloroethene	mg/l	0.0192	0.0194	77.0	69-131	1.30	20	WG554909	
Trichlorofluoromethane	mg/l	0.0198	0.0206	79.0	53-161	4.06	20	WG554909	
Vinyl chloride	mg/l	0.0135	0.0140	54*	55-142	4.22	20	WG554909	
Xylenes, Total	mg/l	0.0616	0.0628	82.0	77-123	1.93	20	WG554909	
4-Bromofluorobenzene				99.89	82-120			WG554909	
Dibromofluoromethane				99.78	82-126			WG554909	
Toluene-d8				103.6	92-112			WG554909	
Sulfate	mg/l	40.0	39.9	100.	90-110	0.250	20	WG555298	
Acrolein	mg/l	0.0318	0.0302	25.0	10-181	5.21	30	WG555253	
4-Bromofluorobenzene				107.1	82-120			WG555253	
Dibromofluoromethane				100.6	82-126			WG555253	
Toluene-d8				104.6	92-112			WG555253	
1,2,4-Trichlorobenzene	mg/l	0.00635	0.00602	64.0	34-97	5.36	21	WG555187	
2,4,5-Trichlorophenol	mg/l	0.00592	0.00663	59.0	41-125	11.3	27	WG555187	
2,4,6-Trichlorophenol	mg/l	0.00565	0.00659	56.0	38-113	15.5	29	WG555187	
2,4-Dichlorophenol	mg/l	0.00665	0.00673	66.0	46-105	1.18	20	WG555187	
2,4-Dimethylphenol	mg/l	0.00673	0.00675	67.0	47-108	0.217	20	WG555187	
2,4-Dinitrophenol	mg/l	0.00411	0.00564	41.0	10-121	31.4	40	WG555187	
2,4-Dinitrotoluene	mg/l	0.00793	0.00841	79.0	59-117	5.81	20	WG555187	
2,6-Dinitrotoluene	mg/l	0.00784	0.00751	78.0	57-110	4.33	20	WG555187	
2-Chloronaphthalene	mg/l	0.00714	0.00708	71.0	47-106	0.782	20	WG555187	
2-Chlorophenol	mg/l	0.00536	0.00678	54.0	37-90	23.5*	21	WG555187	
2-Methylphenol	mg/l	0.00506	0.00569	50.0	35-84	11.9	20	WG555187	
2-Nitrophenol	mg/l	0.00641	0.00660	64.0	40-112	2.98	22	WG555187	
3&4-methyl phenol	mg/l	0.00541	0.00573	54.0	33-94	5.68	20	WG555187	
3,3-Dichlorobenzidine	mg/l	0.00626	0.00637	63.0	58-116	1.68	20	WG555187	
4,6-Dinitro-2-methylphenol	mg/l	0.00582	0.00756	58.0	21-119	26.0	40	WG555187	
4-Bromophenyl-phenylether	mg/l	0.00779	0.00741	78.0	63-120	5.06	20	WG555187	
4-Chloro-3-methylphenol	mg/l	0.00728	0.00652	73.0	50-105	11.0	20	WG555187	
4-Chlorophenyl-phenylether	mg/l	0.00729	0.00703	73.0	58-115	3.64	20	WG555187	
4-Nitrophenol	mg/l	0.00251	0.00273	25.0	10-53	8.26	40	WG555187	

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway

Fort Collins, CO 80525

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L535398

September 19, 2011

Analyte	Units	Laboratory Result	Control Ref	%Rec	Sample	Duplicate	Limit	RPD	Limit	Batch
Acenaphthene	mg/l	0.00768	0.00728	77.0			52-107	5.34	20	WG555187
Acenaphthylene	mg/l	0.00797	0.00773	80.0			55-119	3.09	20	WG555187
Anthracene	mg/l	0.00811	0.00822	81.0			65-114	1.34	20	WG555187
Benzidine	mg/l	0.00202	0.00191	20.0			10-55	5.66	40	WG555187
Benzo(a)anthracene	mcg/l	0.00848	0.00867	85.0			68-113	2.24	20	WG555187
Benzo(a)pyrene	mg/l	0.00840	0.00784	84.0			68-115	6.91	20	WG555187
Benzo(b)fluoranthene	mg/l	0.00833	0.00766	83.0			67-114	8.41	20	WG555187
Benzo(g,h,i)perylene	mg/l	0.00936	0.00885	94.0			52-132	5.57	20	WG555187
Benzo(k)fluoranthene	mg/l	0.00860	0.00845	86.0			62-116	1.74	20	WG555187
Benzylbutyl phthalate	mg/l	0.00749	0.00778	75.0			12-166	3.81	20	WG555187
Bis(2-chloroethyl)methane	mg/l	0.00756	0.00673	76.0			56-116	11.7	20	WG555187
Bis(2-chloroethyl)ether	mg/l	0.00704	0.00656	70.0			39-109	7.12	23	WG555187
Bis(2-chloroisopropyl)ether	mg/l	0.00692	0.00658	69.0			43-108	5.04	20	WG555187
Bis(2-ethylhexyl)phthalate	mg/l	0.00928	0.00935	93.0			61-147	0.783	20	WG555187
Chrysene	mg/l	0.00863	0.00819	86.0			65-114	5.15	20	WG555187
Di-n-butyl phthalate	mg/l	0.00810	0.00807	81.0			56-133	0.412	20	WG555187
Di-n-octyl phthalate	mg/l	0.00929	0.00923	93.0			59-143	0.678	20	WG555187
Dibenz(a,h)anthracene	mg/l	0.00864	0.00825	86.0			54-130	4.59	20	WG555187
Dibenzo furan	mg/l	0.00708	0.00716	71.0			53-109	1.14	20	WG555187
Diethyl phthalate	mg/l	0.00725	0.00748	72.0			33-136	3.11	20	WG555187
Dimethyl phthalate	mg/l	0.00516	0.00567	52.0			10-152	9.40	22	WG555187
Fluoranthene	mg/l	0.00856	0.00851	86.0			66-120	0.503	20	WG555187
Fluorene	mg/l	0.00734	0.00704	73.0			58-110	4.19	20	WG555187
Hexachloro-1,3-butadiene	mg/l	0.00725	0.00706	72.0			34-115	2.55	22	WG555187
Hexachlorobenzene	mg/l	0.00696	0.00680	70.0			55-117	2.25	20	WG555187
Hexachlorocyclopentadiene	mg/l	0.00932	0.00940	93.0			20-121	0.827	27	WG555187
Hexachloroethane	mg/l	0.00648	0.00665	65.0			24-93	2.57	25	WG555187
Indeno(1,2,3-cd)pyrene	mg/l	0.00870	0.00832	87.0			56-129	4.55	20	WG555187
Isophorone	mg/l	0.00638	0.00587	64.0			55-108	8.27	20	WG555187
n-Nitrosodi-n-propylamine	mg/l	0.00768	0.00753	77.0			50-115	1.93	20	WG555187
n-Nitrosodimethylamine	mg/l	0.00441	0.00449	44.0			12-68	1.69	31	WG555187
n-Nitrosodiphenylamine	mg/l	0.00749	0.00747	75.0			55-98	0.247	20	WG555187
Naphthalene	mg/l	0.00672	0.00641	67.0			42-103	4.78	20	WG555187
Nitrobenzene	mg/l	0.00729	0.00663	73.0			39-102	9.59	20	WG555187
Pentachlorophenol	mg/l	0.00382	0.00581	38.0			10-101	41.3*	40	WG555187
Phenanthren	mg/l	0.00806	0.00777	80.0			61-110	3.67	20	WG555187
Phenol	mg/l	0.00249	0.00266	25.0			10-53	6.62	20	WG555187
Pyrene	mg/l	0.00824	0.00825	82.0			65-116	0.0787	20	WG555187
Pyridine	mg/l	0.00313	0.00319	31.0			11-52	2.02	36	WG555187
2,4,6-Tribromophenol				68.05			16-147			WG555187
2-Fluorobiphenyl				71.08			29-127			WG555187
2-Fluorophenol				34.21			10-75			WG555187
Nitrobenzene-d5				63.72			17-119			WG555187
Phenol-d5				26.47			10-63			WG555187
p-Terphenyl-d14				75.37			40-174			WG555187
Ferrous Iron	mg/l	0.957	1.00	96.0			85-115	4.39	20	WG555165
1,2,4-Trichlorobenzene	mg/l	0.00573	0.00596	57.0			34-97	3.94	21	WG555542
2,4,6-Trichlorophenol	mg/l	0.00546	0.00583	54.0			38-113	6.66	29	WG555542
2,4-Dichlorophenol	mg/l	0.00569	0.00665	57.0			46-105	15.6	20	WG555542
2,4-Dimethylphenol	mg/l	0.00563	0.00574	56.0			47-108	1.86	20	WG555542
2,4-Dinitrophenol	mg/l	0.00361	0.00397	36.0			10-121	9.42	40	WG555542
2,4-Dinitrotoluene	mg/l	0.00801	0.00787	80.0			59-117	1.81	20	WG555542
2,6-Dinitrotoluene	mg/l	0.00742	0.00800	74.0			57-110	7.55	20	WG555542
2-Chloronaphthalene	mg/l	0.00758	0.00700	76.0			47-106	7.90	20	WG555542
2-Chlorophenol	mg/l	0.00483	0.00521	48.0			37-90	7.57	21	WG555542

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
 Mr. Dustin Krajewski
 1601 Prospect Parkway

Fort Collins, CO 80525

12065 Lebanon Rd.
 Mt. Juliet, TN 37122
 (615) 758-5858
 1-800-767-5859
 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
 Level II

L535398

September 19, 2011

Analyte	Units	Laboratory Result	Control Ref	% Rec	Sample Limit	Duplicate RPD	Limit	Batch
2-Nitrophenol	mg/l	0.00623	0.00670	62.0	40-112	7.23	22	WG555542
3,3-Dichlorobenzidine	mg/l	0.00773	0.00798	77.0	58-116	3.17	20	WG555542
4,6-Dinitro-2-methylphenol	mg/l	0.00445	0.00514	44.0	21-119	14.5	40	WG555542
4-Bromophenyl-phenylether	mg/l	0.00794	0.00744	79.0	63-120	6.50	20	WG555542
4-Chloro-3-methylphenol	mg/l	0.00543	0.00627	54.0	50-105	14.4	20	WG555542
4-Chlorophenyl-phenylether	mg/l	0.00679	0.00696	68.0	58-115	2.45	20	WG555542
4-Nitrophenol	mg/l	0.00102	0.00121	10.0	10-53	17.1	40	WG555542
Acenaphthene	mg/l	0.00748	0.00747	75.0	52-107	0.138	20	WG555542
Acenaphthylene	mg/l	0.00762	0.00758	76.0	55-119	0.546	20	WG555542
Anthracene	mg/l	0.00791	0.00750	79.0	65-114	5.26	20	WG555542
Benzidine	mg/l	0.00401	0.00361	40.0	10-55	10.3	40	WG555542
Benzo(a)anthracene	mg/l	0.00807	0.00811	81.0	68-113	0.455	20	WG555542
Benzo(a)pyrene	mg/l	0.00847	0.00812	85.0	68-115	4.28	20	WG555542
Benzo(b)fluoranthene	mg/l	0.00804	0.00785	80.0	67-114	2.36	20	WG555542
Benzo(g,h,i)perylene	mg/l	0.00822	0.00773	82.0	52-132	6.14	20	WG555542
Benzo(k)fluoranthene	mg/l	0.00870	0.00832	87.0	62-116	4.45	20	WG555542
Benzylbutyl phthalate	mg/l	0.00745	0.00664	74.0	12-166	11.6	20	WG555542
Bis(2-chlorethoxy)methane	mg/l	0.00782	0.00772	78.0	56-116	1.33	20	WG555542
Bis(2-chloroethyl)ether	mg/l	0.00647	0.00678	65.0	39-109	4.75	23	WG555542
Bis(2-chloroisopropyl)ether	mg/l	0.00760	0.00692	76.0	43-108	9.35	20	WG555542
Bis(2-ethylhexyl)phthalate	mg/l	0.00830	0.00824	83.0	61-147	0.705	20	WG555542
Chrysene	mg/l	0.00841	0.00807	84.0	65-114	4.11	20	WG555542
Di-n-butyl phthalate	mg/l	0.00794	0.00729	79.0	56-133	8.56	20	WG555542
Di-n-octyl phthalate	mg/l	0.00841	0.00826	84.0	59-143	1.74	20	WG555542
Dibenz(a,h)anthracene	mg/l	0.00829	0.00771	83.0	54-130	7.30	20	WG555542
Diethyl phthalate	mg/l	0.00763	0.00695	76.0	33-136	9.27	20	WG555542
Dimethyl phthalate	mg/l	0.00675	0.00575	68.0	10-152	16.1	22	WG555542
Fluoranthene	mg/l	0.00786	0.00727	79.0	66-120	7.80	20	WG555542
Fluorene	mg/l	0.00747	0.00737	75.0	58-110	1.34	20	WG555542
Hexachloro-1,3-butadiene	mg/l	0.00563	0.00541	56.0	34-115	3.99	22	WG555542
Hexachlorobenzene	mg/l	0.00709	0.00659	71.0	55-117	7.31	20	WG555542
Hexachlorocyclopentadiene	mg/l	0.00635	0.00642	64.0	20-121	1.14	27	WG555542
Hexachloroethane	mg/l	0.00540	0.00546	54.0	24-93	1.06	25	WG555542
Indeno(1,2,3-cd)pyrene	mg/l	0.00834	0.00794	83.0	56-129	4.97	20	WG555542
Isophorone	mg/l	0.00631	0.00644	63.0	55-108	1.94	20	WG555542
n-Nitrosodi-n-propylamine	mg/l	0.00867	0.00775	87.0	50-115	11.2	20	WG555542
n-Nitrosodimethylamine	mg/l	0.00376	0.00376	38.0	12-68	0.0415	31	WG555542
n-Nitrosodiphenylamine	mg/l	0.00810	0.00762	81.0	55-98	6.14	20	WG555542
Naphthalene	mg/l	0.00645	0.00678	64.0	42-103	4.98	20	WG555542
Nitrobenzene	mg/l	0.00746	0.00758	74.0	39-102	1.72	20	WG555542
Pentachlorophenol	mg/l	0.00323	0.00365	32.0	10-101	12.3	40	WG555542
Phenanthrene	mg/l	0.00785	0.00770	78.0	61-110	1.96	20	WG555542
Phenol	mg/l	0.00223	0.00224	22.0	10-53	0.0413	20	WG555542
Pyrene	mg/l	0.00777	0.00779	78.0	65-116	0.231	20	WG555542
2,4,6-Tribromophenol				60.10	16-147			WG555542
2-Fluorobiphenyl				70.64	29-127			WG555542
2-Fluorophenol				27.79	10-75			WG555542
Nitrobenzene-d5				73.94	17-119			WG555542
Phenol-d5				20.44	10-63			WG555542
p-Terphenyl-d14				79.14	40-174			WG555542

Analyte	Units	MS Res	Ref Res	TV	% Rec	Limit	Ref Samp	Batch
Nitrate	mg/l	11.0	6.10	5	98.0	80-120	L535062-02	WG554558
TPH (GC/FID) Low Fraction	mg/l	5.54	0.400	5.5	93.4	55-109	L534636-02	WG554541
a,a,a-Trifluorotoluene(FID)					110.5	62-128		WG554541

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway

Fort Collins, CO 80525

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L535398

September 19, 2011

Analyte	Units	Matrix	Spiked	MS Res	Ref Res	TV	% Rec	Limit	Ref Samp	Batch
Benzene	mg/l	0.0261	0	.025	104.		51-134	L535404-04	WG554548	
Ethylbenzene	mg/l	0.0239	0	.025	95.8		64-135	L535404-04	WG554548	
Toluene	mg/l	0.0241	0	.025	96.4		61-126	L535404-04	WG554548	
Total Xylenes	mg/l	0.0713	X	.075	95.0	X	64-133	L535404-04	WG554548	
4-Bromofluorobenzene					96.74		82-120		WG554548	
Dibromofluoromethane					113.9		82-126		WG554548	
Toluene-d8					103.6		92-112		WG554548	
a,a,a-Trifluorotoluene					97.29		90-116		WG554548	
TPH (GC/FID) Low Fraction	mg/l	5.85		0.140	5.5		55-109	L535398-01	WG554738	
a,a,a-Trifluorotoluene(FID)							62-128		WG554738	
TPH (GC/FID) Low Fraction	mg/l	5.67	X	0	5.5	X	103.	X	55-109	
a,a,a-Trifluorotoluene(FID)							103.4		WG554885	
a,a,a-Trifluorotoluene(FID)									WG554885	
Benzene	mg/l	0.320		0.110	.025		84.1		51-134	
Ethylbenzene	mg/l	0.424		0.240	.025		73.5		64-135	
Toluene	mg/l	0.436		0.250	.025		74.4		61-126	
Total Xylenes	mg/l	1.59		1.20	.075		52.6*		64-133	
4-Bromofluorobenzene					114.9		82-120		WG554911	
Dibromofluoromethane					103.9		82-126		WG554911	
Toluene-d8					104.4		92-112		WG554911	
a,a,a-Trifluorotoluene					111.2		90-116		WG554911	
1,1,1,2-Tetrachloroethane	mg/l	0.0235	0	.025	94.1		71-130	L535641-17	WG554909	
1,1,1-Trichloroethane	mg/l	0.0297	0	.025	119.		58-137	L535641-17	WG554909	
1,1,2,2-Tetrachloroethane	mg/l	0.0210	0	.025	84.1		64-149	L535641-17	WG554909	
1,1,2-Trichloroethane	mg/l	0.0221	0	.025	88.4		73-128	L535641-17	WG554909	
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0329	0	.025	132.		36-159	L535641-17	WG554909	
1,1-Dichloroethane	mg/l	0.0251	0	.025	100.		58-133	L535641-17	WG554909	
1,1-Dichloroethene	mg/l	0.0344	0	.025	138.		32-152	L535641-17	WG554909	
1,1-Dichloropropene	mg/l	0.0256	0	.025	102.		50-140	L535641-17	WG554909	
1,2,2-Trichlorobenzene	mg/l	0.0195	0	.025	77.9		68-135	L535641-17	WG554909	
1,2,3-Trichloropropane	mg/l	0.0218	0	.025	87.3		74-137	L535641-17	WG554909	
1,2,3-Trimethylbenzene	mg/l	0.0202	0	.025	80.7		67-133	L535641-17	WG554909	
1,2,4-Trichlorobenzene	mg/l	0.0203	0	.025	81.1		67-133	L535641-17	WG554909	
1,2,4-Trimethylbenzene	mg/l	0.0220	0	.025	88.2		62-141	L535641-17	WG554909	
1,2-Dibromo-3-Chloropropane	mg/l	0.0158	0	.025	63.1		55-148	L535641-17	WG554909	
1,2-Dibromoethane	mg/l	0.0216	0	.025	86.3		71-129	L535641-17	WG554909	
1,2-Dichlorobenzene	mg/l	0.0203	0	.025	81.0		75-125	L535641-17	WG554909	
1,2-Dichloroethane	mg/l	0.0222	0	.025	88.7		59-135	L535641-17	WG554909	
1,2-Dichloropropane	mg/l	0.0222	0	.025	88.9		68-126	L535641-17	WG554909	
1,3,5-Trimethylbenzene	mg/l	0.0234	0	.025	93.5		67-136	L535641-17	WG554909	
1,3-Dichlorobenzene	mg/l	0.0220	0	.025	89.0		69-131	L535641-17	WG554909	
1,3-Dichloropropane	mg/l	0.0213	0	.025	85.0		70-122	L535641-17	WG554909	
1,4-Dichlorobenzene	mg/l	0.0213	0	.025	85.4		70-123	L535641-17	WG554909	
2,2-Dichloropropane	mg/l	0.0265	0	.025	106.		51-141	L535641-17	WG554909	
2-Butanone (MEK)	mg/l	0.0749	0	.125	59.9		51-149	L535641-17	WG554909	
2-Chloroethyl vinyl ether	mg/l	0.0127	0	.125	10.2		10-161	L535641-17	WG554909	
2-Chlorotoluene	mg/l	0.0225	0	.025	90.2		65-133	L535641-17	WG554909	
4-Chlorotoluene	mg/l	0.0224	0	.025	89.4		67-129	L535641-17	WG554909	
4-Methyl-2-pentanone (MIBK)	mg/l	0.104	0	.125	83.1		53-154	L535641-17	WG554909	
Acetone	mg/l	0.0579	0	.125	46.3		34-146	L535641-17	WG554909	
Acrylonitrile	mg/l	0.0795	0	.125	63.6		49-162	L535641-17	WG554909	
Benzene	mg/l	0.0233	0	.025	93.2		51-134	L535641-17	WG554909	

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway
Fort Collins, CO 80525

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L535398

September 19, 2011

Analyte	Units	Matrix		Spike	% Rec	Limit	Ref Samp	Batch
		MS Res	Ref Res	TV				
Bromobenzene	mg/l	0.0212	0	.025	84.9	64-130	L535641-17	WG554909
Bromodichloromethane	mg/l	0.0234	0	.025	93.7	67-132	L535641-17	WG554909
Bromoform	mg/l	0.0182	0	.025	72.9	59-137	L535641-17	WG554909
Bromomethane	mg/l	0.0309	0	.025	124.	23-177	L535641-17	WG554909
Carbon tetrachloride	mg/l	0.0286	0	.025	114.	49-140	L535641-17	WG554909
Chlorobenzene	mg/l	0.0225	0	.025	90.0	69-126	L535641-17	WG554909
Chlorodibromomethane	mg/l	0.0231	0	.025	92.4	68-130	L535641-17	WG554909
Chloroethane	mg/l	0.0298	0	.025	119.	32-177	L535641-17	WG554909
Chloroform	mg/l	0.0249	0	.025	99.4	64-130	L535641-17	WG554909
Chloromethane	mg/l	0.0199	0	.025	79.5	27-155	L535641-17	WG554909
cis-1,2-Dichloroethene	mg/l	0.0292	0.00610	.025	92.5	54-137	L535641-17	WG554909
cis-1,3-Dichloropropene	mg/l	0.0223	0	.025	89.3	63-127	L535641-17	WG554909
Di-isopropyl Ether	mg/l	0.0214	0	.025	85.7	58-133	L535641-17	WG554909
Dibromomethane	mg/l	0.0217	0	.025	87.0	68-131	L535641-17	WG554909
Dichlorodifluoromethane	mg/l	0.0277	0	.025	111.	16-188	L535641-17	WG554909
Ethylbenzene	mg/l	0.0239	0	.025	95.8	64-135	L535641-17	WG554909
Hexachloro-1,3-butadiene	mg/l	0.0214	0	.025	85.6	64-140	L535641-17	WG554909
Isopropylbenzene	mg/l	0.0268	0	.025	107.	62-134	L535641-17	WG554909
Methyl tert-butyl ether	mg/l	0.0219	0	.025	87.8	55-136	L535641-17	WG554909
Methylene Chloride	mg/l	0.0245	0	.025	98.1	52-130	L535641-17	WG554909
n-Butylbenzene	mg/l	0.0234	0	.025	93.7	62-142	L535641-17	WG554909
n-Propylbenzene	mg/l	0.0244	0	.025	97.6	62-137	L535641-17	WG554909
Naphthalene	mg/l	0.0182	0	.025	72.9	65-140	L535641-17	WG554909
p-Isopropyltoluene	mg/l	0.0242	0	.025	96.9	64-142	L535641-17	WG554909
sec-Butylbenzene	mg/l	0.0251	0	.025	100.	67-139	L535641-17	WG554909
Styrene	mg/l	0.0157	0	.025	62.8	58-152	L535641-17	WG554909
tert-Butylbenzene	mg/l	0.0248	0	.025	99.3	66-139	L535641-17	WG554909
Tetrachloroethene	mg/l	0.0282	0.00330	.025	99.5	56-139	L535641-17	WG554909
Toluene	mg/l	0.0244	0	.025	97.5	61-126	L535641-17	WG554909
trans-1,2-Dichloroethene	mg/l	0.0251	0.000420	.025	98.7	45-137	L535641-17	WG554909
trans-1,3-Dichloropropene	mg/l	0.0205	0	.025	81.8	59-130	L535641-17	WG554909
Trichloroethene	mg/l	0.0339	0.0110	.025	91.5	40-155	L535641-17	WG554909
Trichlorofluoromethane	mg/l	0.0306	0	.025	122.	35-177	L535641-17	WG554909
Vinyl chloride	mg/l	0.0233	0.000410	.025	91.5	32-159	L535641-17	WG554909
Xylenes, Total	mg/l	0.0606	0	.075	91.5	64-133	L535641-17	WG554909
4-Bromofluorobenzene					98.38	82-120		WG554909
Dibromofluoromethane					99.31	82-126		WG554909
Toluene-d8					103.1	92-112		WG554909
Sulfate	mg/l	68.7	19.0	50	99.4	80-120	L535415-03	WG55298
Acrolein	mg/l	0.0204	0	.125	16.3	10-189	L535847-01	WG55253
4-Bromofluorobenzene					103.4	82-120		WG55253
Dibromofluoromethane					99.35	82-126		WG55253
Toluene-d8					104.3	92-112		WG55253
Ferrous Iron	mg/l	1.88	0.460	1.5	94.7	80-120	L536199-04	WG55165

Analyte	Units	Matrix		Spike	Duplicate	Limit	RPD	Limit	Ref Samp	Batch
		MSD	Ref	%Rec						
Nitrate	mg/l	10.9	11.0	96.0		80-120	0.913	20	L535062-02	WG554558
TPH (GC/FID) Low Fraction	mg/l	6.04	5.54	103.	55-109	8.74	20	L534636-02	WG554541	
a,a,a-Trifluorotoluene(FID)				110.9	62-128					WG554541

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway

Fort Collins, CO 80525

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L535398

September 19, 2011

Analyte	Units	Matrix	Spike	Duplicate	Ref	%Rec	Limit	RPD	Limit	Ref	Samp	Batch
Benzene	mg/l	0.0255	0.0261	102.			51-134	2.02	20	L535404-04		WG554548
Ethylbenzene	mg/l	0.0240	0.0239	95.9			64-135	0.130	20	L535404-04		WG554548
Toluene	mg/l	0.0249	0.0241	99.6			61-126	3.20	20	L535404-04		WG554548
Total Xylenes	mg/l	0.0711	0.0713	94.8			64-133	0.310	20	L535404-04		WG554548
4-Bromofluorobenzene				91.99			82-120					WG554548
Dibromofluoromethane				108.7			82-126					WG554548
Toluene-d8				106.7			92-112					WG554548
a,a,a-Trifluorotoluene				98.04			90-116					WG554548
TPH (GC/FID) Low Fraction	mg/l	5.64	5.85	99.9			55-109	3.75	20	L535398-01		WG554738
a,a,a-Trifluorotoluene(FID)				109.2			62-128					WG554738
TPH (GC/FID) Low Fraction	mg/l	5.64	5.67	103.			55-109	0.460	20	L535576-03		WG554885
a,a,a-Trifluorotoluene(FID)				102.6			62-128					WG554885
Benzene	mg/l	0.319	0.320	83.5			51-134	0.470	20	L535457-02		WG554911
Ethylbenzene	mg/l	0.424	0.424	73.8			64-135	0.190	20	L535457-02		WG554911
Toluene	mg/l	0.445	0.436	77.9			61-126	1.96	20	L535457-02		WG554911
Total Xylenes	mg/l	1.61	1.59	54.2*			64-133	0.710	20	L535457-02		WG554911
4-Bromofluorobenzene				112.5			82-120					WG554911
Dibromofluoromethane				103.1			82-126					WG554911
Toluene-d8				104.4			92-112					WG554911
a,a,a-Trifluorotoluene				110.4			90-116					WG554911
1,1,1,2-Tetrachloroethane	mg/l	0.0245	0.0235	97.9			71-130	4.04	20	L535641-17		WG554909
1,1,1-Trichloroethane	mg/l	0.0313	0.0297	125.			58-137	5.08	20	L535641-17		WG554909
1,1,2,2-Tetrachloroethane	mg/l	0.0229	0.0210	91.7			64-149	8.63	20	L535641-17		WG554909
1,1,2-Trichloroethane	mg/l	0.0233	0.0221	93.3			73-128	5.41	20	L535641-17		WG554909
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0355	0.0329	142.			36-159	7.57	21	L535641-17		WG554909
1,1-Dichloroethane	mg/l	0.0267	0.0251	107.			58-133	5.96	20	L535641-17		WG554909
1,1-Dichloroethene	mg/l	0.0363	0.0344	145.			32-152	5.40	20	L535641-17		WG554909
1,1-Dichloropropene	mg/l	0.0272	0.0256	109.			50-140	6.33	20	L535641-17		WG554909
1,2,3-Trichlorobenzene	mg/l	0.0214	0.0195	85.4			68-135	9.21	20	L535641-17		WG554909
1,2,3-Trichloropropane	mg/l	0.0241	0.0218	96.2			74-137	9.71	20	L535641-17		WG554909
1,2,3-Trimethylbenzene	mg/l	0.0214	0.0202	85.6			67-133	5.86	20	L535641-17		WG554909
1,2,4-Trichlorobenzene	mg/l	0.0219	0.0203	87.8			67-133	7.90	20	L535641-17		WG554909
1,2,4-Trimethylbenzene	mg/l	0.0228	0.0220	91.2			62-141	3.34	20	L535641-17		WG554909
1,2-Dibromo-3-Chloropropane	mg/l	0.0185	0.0158	74.2			55-148	16.2	22	L535641-17		WG554909
1,2-Dibromoethane	mg/l	0.0226	0.0216	90.6			71-129	4.79	20	L535641-17		WG554909
1,2-Dichlorobenzene	mg/l	0.0217	0.0203	86.8			75-125	6.85	20	L535641-17		WG554909
1,2-Dichloroethane	mg/l	0.0240	0.0222	95.9			59-135	7.81	20	L535641-17		WG554909
1,2-Dichloropropene	mg/l	0.0235	0.0222	94.0			68-126	5.48	20	L535641-17		WG554909
1,3,5-Trimethylbenzene	mg/l	0.0244	0.0234	97.4			67-136	4.15	20	L535641-17		WG554909
1,3-Dichlorobenzene	mg/l	0.0230	0.0220	91.9			69-131	4.30	20	L535641-17		WG554909
1,3-Dichloropropane	mg/l	0.0224	0.0213	89.6			70-122	5.29	20	L535641-17		WG554909
1,4-Dichlorobenzene	mg/l	0.0225	0.0213	89.8			70-123	5.06	20	L535641-17		WG554909
2,2-Dichloropropane	mg/l	0.0299	0.0265	120.			51-141	11.9	20	L535641-17		WG554909
2-Butanone (MEK)	mg/l	0.0951	0.0749	76.1			51-149	23.8*	22	L535641-17		WG554909
2-Chloroethyl vinyl ether	mg/l	0.00146	0.0127	1.17*			10-161	159.*	40	L535641-17		WG554909
2-Chlorotoluene	mg/l	0.0236	0.0225	94.6			65-133	4.76	20	L535641-17		WG554909
4-Chlorotoluene	mg/l	0.0232	0.0224	92.7			67-129	3.57	20	L535641-17		WG554909
4-Methyl-2-pentanone (MIBK)	mg/l	0.119	0.104	95.4			53-154	13.8	21	L535641-17		WG554909
Acetone	mg/l	0.0703	0.0579	56.2			34-146	19.4	22	L535641-17		WG554909
Acrylonitrile	mg/l	0.0982	0.0795	78.6			49-162	21.1*	20	L535641-17		WG554909
Benzene	mg/l	0.0245	0.0233	98.1			51-134	5.20	20	L535641-17		WG554909

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway
Fort Collins, CO 80525

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L535398

September 19, 2011

Analyte	Units	Matrix	Spike	Duplicate	Ref	%Rec	Limit	RPD	Limit	Ref	Samp	Batch
Bromobenzene	mg/l	0.0220	0.0212	88.0			64-130	3.64	20	L535641-17		WG554909
Bromodichloromethane	mg/l	0.0247	0.0234	98.7			67-132	5.18	20	L535641-17		WG554909
Bromoform	mg/l	0.0197	0.0182	78.8			59-137	7.78	20	L535641-17		WG554909
Bromomethane	mg/l	0.0319	0.0309	128.			23-177	3.06	21	L535641-17		WG554909
Carbon tetrachloride	mg/l	0.0305	0.0286	122.			49-140	6.33	20	L535641-17		WG554909
Chlorobenzene	mg/l	0.0233	0.0225	93.1			69-126	3.37	20	L535641-17		WG554909
Chlorodibromomethane	mg/l	0.0242	0.0231	96.7			68-130	4.56	20	L535641-17		WG554909
Chloroethane	mg/l	0.0314	0.0298	125.			32-177	5.20	21	L535641-17		WG554909
Chloroform	mg/l	0.0264	0.0249	105.			64-130	5.89	20	L535641-17		WG554909
Chloromethane	mg/l	0.0208	0.0199	83.2			27-155	4.53	20	L535641-17		WG554909
cis-1,2-Dichloroethene	mg/l	0.0305	0.0292	97.6			54-137	4.29	20	L535641-17		WG554909
cis-1,3-Dichloropropene	mg/l	0.0229	0.0223	91.5			63-127	2.46	20	L535641-17		WG554909
Di-isopropyl Ether	mg/l	0.0229	0.0214	91.4			58-133	6.53	20	L535641-17		WG554909
Dibromomethane	mg/l	0.0239	0.0217	95.6			68-131	9.51	20	L535641-17		WG554909
Dichlorodifluoromethane	mg/l	0.0296	0.0277	118.			16-188	6.94	22	L535641-17		WG554909
Ethylbenzene	mg/l	0.0245	0.0239	97.9			64-135	2.19	20	L535641-17		WG554909
Hexachloro-1,3-butadiene	mg/l	0.0229	0.0214	91.5			64-140	6.63	20	L535641-17		WG554909
Isopropylbenzene	mg/l	0.0280	0.0268	112.			62-134	4.22	20	L535641-17		WG554909
Methyl tert-butyl ether	mg/l	0.0244	0.0219	97.7			55-136	10.7	20	L535641-17		WG554909
Methylene Chloride	mg/l	0.0262	0.0245	105.			52-130	6.40	20	L535641-17		WG554909
n-Butylbenzene	mg/l	0.0252	0.0234	101.			62-142	7.13	20	L535641-17		WG554909
n-Propylbenzene	mg/l	0.0256	0.0244	102.			62-137	4.86	20	L535641-17		WG554909
Naphthalene	mg/l	0.0210	0.0182	84.0			65-140	14.1	20	L535641-17		WG554909
p-Isopropyltoluene	mg/l	0.0254	0.0242	101.			64-142	4.51	20	L535641-17		WG554909
sec-Butylbenzene	mg/l	0.0260	0.0251	104.			67-139	3.63	20	L535641-17		WG554909
Styrene	mg/l	0.0157	0.0157	62.9			58-152	0.160	20	L535641-17		WG554909
tert-Butylbenzene	mg/l	0.0257	0.0248	103.			66-139	3.40	20	L535641-17		WG554909
Tetrachloroethene	mg/l	0.0291	0.0282	103.			56-139	3.32	20	L535641-17		WG554909
Toluene	mg/l	0.0252	0.0244	101.			61-126	3.43	20	L535641-17		WG554909
trans-1,2-Dichloroethene	mg/l	0.0262	0.0251	103.			45-137	4.44	20	L535641-17		WG554909
trans-1,3-Dichloropropene	mg/l	0.0211	0.0205	84.4			59-130	3.07	20	L535641-17		WG554909
Trichloroethene	mg/l	0.0361	0.0339	100.			40-155	6.27	20	L535641-17		WG554909
Trichlorofluoromethane	mg/l	0.0330	0.0306	132.			35-177	7.50	23	L535641-17		WG554909
Vinyl chloride	mg/l	0.0244	0.0233	96.0			32-159	4.77	21	L535641-17		WG554909
Xylenes, Total	mg/l	0.0713	0.0686	95.1			64-133	3.84	20	L535641-17		WG554909
4-Bromofluorobenzene				97.99			82-120					WG554909
Dibromofluoromethane				101.8			82-126					WG554909
Toluene-d8				102.9			92-112					WG554909
Ferrous Iron	mg/l	1.92	1.88	97.3			80-120	2.11	20	L536199-04		WG555165

Batch number /Run number / Sample number cross reference

WG554558: R1853333: L535398-07
WG554541: R1853932: L535398-02 03 04 05 07
WG554548: R1855772: L535398-01 02 03 04 05 07
WG554738: R1856312: L535398-01 06
WG554885: R1856492: L535398-08

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway
Fort Collins, CO 80525

Quality Assurance Report
Level II

L535398

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

September 19, 2011

WG554911: R1856715: L535398-06
WG554909: R1857732: L535398-08
WG554605: R1858592: L535398-01 02
WG554921: R1858593: L535398-03 04 05 07 08
WG555298: R1860032: L535398-07
WG555253: R1860293: L535398-08
WG555187: R1860474: L535398-02 04 05 08
WG555370: R1861012: L535398-06
WG555165: R1861275: L535398-07
WG555424: R1862793: L535398-03

* * Calculations are performed prior to rounding of reported values.
* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



L A B S C I E N C E S

YOUR LAB OF CHOICE

AECOM Inc. - Fort Collins, CO
Mr. Dustin Krajewski
1601 Prospect Parkway
Fort Collins, CO 80525

Quality Assurance Report
Level II

L535398

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

September 19, 2011

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier.

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.

Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier.

AECOM, Inc.
1601 Prospect Pkwy.
Fort Collins, CO 80525

Alternate billing information:

Chain of Custody
Page ____ of ____

Prepared by:

**ENVIRONMENTAL
SCIENCE CORP.**

12065 Lebanon Road
Mt. Juliet, TN 37122

Phone (615) 758-5858
Phone (800) 767-5859
FAX (615) 758-5859

E150

CoCode ENSRFCCO (lab use only)

Template/Prelogin

Shipped Via:

Remarks/Contaminant	Sample # (lab only)
---------------------	---------------------

Project Description: EnCana Pavillion City/State Collected WY

Phone: 970-493-8878 Client Project #: 60196941 ESC Key: ENSRFCCO-ENCANAPA

Collected by: Dawn Fairchild Site/Facility ID#: Pavillion P.O. #:

Collected by (signature): *Dawn Fairchild* Rush? (Lab MUST Be Notified) Date Results Needed:
 Same Day 200%
 Next Day 100%
 Two Day 50% Email? No Yes
 FAX? No Yes

Packed on Ice N Y

Sample ID	Comp/Grab	Matrix*	Depth	Date	Time	No. of Cntrs	TD	BTEX (8260)	TPH	DRO CID-32	SVOC	Ferrous Iron < 2	Nitrate and Sulfate	
SB-5-11 (TP-18-4)	Grab	GW	e	09.09.11	1440	86	X	X	X				sheen	1535398-01
SB-3-11 (TP-14-12)				09.09.11	0900	8	X	X	X					-02
SB-1-11 (TP-14-12)				09.09.11	0805	8	X	X	X					-03
SB-5-11 (TP-22-11)				09.09.11	0933	8	X	X	X					-04
SB-2-11 (TP-31-3)				09.09.11	1105	8	X	X	X					-05
WT SB-1-11 (TP-42-11)				09.09.11	1255	86	X	X	X					-06
MW-6-1 (TP-42-11)				09.09.11	1218	810	X	X	X		X			-07
+ Drop				09.09.11		8	X	X						-08
						8								

*Matrix: SS - Soil/Solid GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other

873434330306

pH _____ Temp _____

873434330329

Flow _____ Other _____

Remarks:

xe @ coolers

Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Samples returned via: <input type="checkbox"/> UPS	Condition: (lab use only)		
<i>Dawn Fairchild</i>	09.09.11	1700		<input checked="" type="checkbox"/> FedEx <input type="checkbox"/> Courier			
Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Temp: 34°C	Bottles Received: 52+3TB		
Relinquished by: (Signature)	Date:	Time:	Received for lab by: (Signature)	Date: 9-10-11	Time: 1130	pH Checked: ✓	NCF: ✓

AECOM, Inc.
1601 Prospect Pkwy.
Fort Collins, CO 80525

Alternate billing information:

Analysis/Container/Preservative

Chain of Custody
Page ___ of ___

Prepared by:

**ENVIRONMENTAL
SCIENCE CORP.**

12065 Lebanon Road
Mt. Juliet, TN 37122

Phone (615) 758-5858
Phone (800) 767-5859
FAX (615) 758-5859

Project Description: EnCana Pavillion

City/Sate Collected

WY

Phone: 970-493-8878
FAX:

Client Project #:

ESC Key:

ENSRFCCO-ENCANAPA

Collected by:

D. Fairchild

Site/Facility ID#:

P.O. #:

Collected by (signature):

D. Fairchild

Packed on Ice N Y

Rush? (Lab MUST Be Notified)

- Same Day.....200%
- Next Day.....100%
- Two Day.....50%

Date Results Needed:

- | | | | |
|--------|-------------------------------------|----|-----|
| Email? | <input checked="" type="checkbox"/> | No | Yes |
| FAX? | <input checked="" type="checkbox"/> | No | Yes |

No. of Cntrs

2

2

2

2

2

CoCode ENSRFCCO (lab use only)
Template/Preflight
Shipped via

Sample ID	Comp/Grab	Matrix*	Depth	Date	Time	Analysis/Container/Preservative						Remarks/Contaminant	Sample # (lab only)
Dup (TP-31-3)	Grab	GW	-	09-09-11	-	8	X	X	X	X			1535398 -68

*Matrix: SS - Soil/Solid GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other

pH _____ Temp _____

Remarks:

Count = 52 + 3 TB

Flow _____ Other _____

Relinquished by: (Signature) - <i>D. Fairchild</i>	Date: 09-09-11	Time: 1700	Received by: (Signature)	Samples returned via: <input type="checkbox"/> UPS <input checked="" type="checkbox"/> FedEx <input type="checkbox"/> Courier		Condition _____	(lab use only)
Relinquished by: (Signature) - <i>D. Fairchild</i>	Date:	Time:	Received by: (Signature) <i>Troy Bly</i>	Temp: 31°C	Bottles Received: 2	Date: _____	Time: _____
Relinquished by: (Signature) - <i>D. Fairchild</i>	Date:	Time:	Received for lab by: (Signature)	Date: 9-10-11	Time: 1130	pH Checked: <input type="checkbox"/>	NOH: <input type="checkbox"/>

9-10-11 1130



NON-CONFORMANCE FORM

Login No.: 1535398

Date: 9-10-11

Evaluated by: Jasen

Client: ENSRFCO

Non-Conformance (check applicable items)

- Parameter(s) past holding time
- Improper temperature
- Improper container type
- Improper preservation
- Container lid not intact

①②

Login Clarification Needed

Chain of custody is incomplete

Chain of Custody is missing (see below)

Broken container(s) (See below)

Broken container: sufficient sample

volume remains for analysis requested (See below)

If no COC: Received by _____
Date: _____ Time: _____
Temp: _____ Cont. Rec. _____ pH: _____
 FedEx UPS SWA Other: _____
Tracking #: _____

- Insufficient packing material around container
- Insufficient packing material inside cooler
- Improper handling by carrier (FedEx / UPS / Courier)
- Sample was frozen

Comments: ① what TPH?

② Dup (TP-31-3) = Received 2-unpreserved amber liters, 3-HCl/blue top vials,
3-HCl/Red top vials. Not on chain.

Login Instructions:

TSR Initials: DW

Client informed by call / email / fax / voice mail ^ date: 9/12/11 time: 11:00
Client contact: Dawn Saerchild

① GLOWY + DLOWY

② See attached CofC